Product data sheet

Specifications



Test adapter, Linergy TR, for 4mm safety test plugs, plugs in the bridge shafts,

NSYTRAFT

Product availability: Stock - Normally stocked in distribution facility

Main

Range	Linergy
Product name	TR
Product or Component Type	Adaptor
Device short name	TRA
Accessory / separate part category	Measurement accessory
Product compatibility	TRV screw terminal - passthrough terminal block TRV screw terminal - protective earth terminal block TRV screw terminal - blade disconnect terminal block TRV screw terminal - removable carrier disconnect terminal block TRP push-in terminal block TRR spring terminal terminal block TRH IDC terminal block

Complementary

Cable cross section	0.02 in² (16 mm²) 0.004 in² (2.5 mm²) 0.05 in² (35 mm²) 0.02 in² (10 mm²) 0.006 in² (4 mm²) 0.009 in² (6 mm²) 0.08 in² (50 mm²)
number of connections	4 2 3
Number of measurement input	1 2 6 3 4
Quantity per Set	Set of 10
Net Weight	0.08 oz (2.36 g)
color	Gray

Ordering and shipping details

Category	US1CTR121254
Discount Schedule	CTR1
GTIN	3606480534423
Returnability	Yes
Country of origin	PL

Packing Units

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.6 in (1.5 cm)
Package 1 Width	1.2 in (3 cm)
Package 1 Length	3.0 in (7.5 cm)
Package weight(Lbs)	0.07 oz (2 g)
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	0.6 in (1.5 cm)
Package 2 Width	1.2 in (3 cm)
Package 2 Length	3.0 in (7.5 cm)
Package 2 Weight	0.8 oz (24 g)
Unit Type of Package 3	S01
Number of Units in Package 3	1000
Package 3 Height	5.9 in (15 cm)
Package 3 Width	5.9 in (15 cm)
Package 3 Length	15.7 in (40 cm)
Package 3 Weight	5.712 lb(US) (2.591 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
Halogen content performance	**Halogen free plastic parts product**
PVC free	**Yes**
Silicon free	**Yes**

Use Again

Repack and remanufacture

Circularity Profile	**No need of specific recycling operations**
Take-back	**No**