Product data sheet

Specifications



Load center accessory, QO/ Homeline, ground bar kit, 23 terminals, with AWG 1-4/0 lug in aluminum or copper

PK23GTAL

Product availability: Stock - Normally stocked in distribution facility

Main

product line	QO
product type	Bar

Complementary

Number of connectors	24
wire size	14 AWG...4 AWG copper 12 AWG...4 AWG aluminium 4 AWG...1 AWG aluminium/copper
Provided equipment	2 screw
Bar length	9.4 in (240 mm)
Maximum length of segment	3.1 in (80 mm)
Device mounting	Direct mounting back of enclosure
Height	0.437 in (11.100 mm)
Depth	0.312 in (7.925 mm)
Tightening torque	30 lb.in Mounting screw 30 lb.in 20 lb.in, 14 AWG...10 AWG, copper 20 lb.in, 12 AWG...10 AWG, aluminium 35 lb.in, 6 AWG...4 AWG 25 lb.in, 8 AWG 25 lb.in, 14 AWG...12 AWG, copper 25 lb.in, 12 AWG...10 AWG, aluminium

Ordering and shipping details

Category	US1DE3A00102
Discount Schedule	DE3A
GTIN	785901440895
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.02 in (2.6 cm)
Package 1 Width	4.4 in (11.2 cm)
Package 1 Length	8.3 in (21.1 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	6.07 oz (172 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	4.200 in (10.668 cm)
Package 2 Width	5.250 in (13.335 cm)
Package 2 Length	16.000 in (40.640 cm)
Package 2 Weight	4.251 lb(US) (1.928 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Take-back	No