Product data sheet

Specifications



Plug-in unit, I-Line Busway, fusible, 200A, 240VAC, 3 pole, 3 fuse + G, plug in connection

PQ3220G

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	I-Line
Product or Component Type	Plug-in unit

Complementary

Electrical Connection	Plug-in
[Ue] rated operational voltage	240 V AC
[Ie] rated operational current	200 A
Number of poles	3
Busbar description	Ground
Fuse type	H, K, J or R
Disconnector device type	Fusible disconnect

Environment

Product Certifications	UL CSA

Ordering and shipping details

Category	US10PE720178
Discount Schedule	0PE7
GTIN	785901017332
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	18.400 in (46.736 cm)
Package 1 Width	18.400 in (46.736 cm)
Package 1 Length	24.100 in (61.214 cm)
Package weight(Lbs)	69.0003 lb(US) (31.298 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	8
Package 2 Height	40.0 in (101.6 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	36.00 in (91.44 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	552.497 lb(US) (250.608 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**226 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**152 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**21 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**5 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**10 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**38 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**8b4a4ba0-c293-463b-881a-b1348c5a059f**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Again

Repack and remanufacture

Recyclability potential, in %	**85**
Circularity Profile	**End of Life Information**
Take-back	**No**