Product data sheet

Specifications



Cover, QO, for 40 space load center, flush, gray

QOC40UF

Product availability: Stock - Normally stocked in distribution facility

Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Cover Type	Flush cover
Product Compatibility	For indoor load center
Surface Finish	Baked enamel Gray
Number of Spaces	40
Height	34.98 in (888.49 mm)
Width	15.44 in (392.18 mm)
Depth	0.7 in (17.8 mm)
Product Weight	11.519 lb(US) (5.225 kg)
Tightening Torque	Cover 2.3 N.m

Environment

Enclosure Rating	NEMA 1 indoor

Ordering and shipping details

Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901745969
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.900 in (4.826 cm)
Package 1 Width	16.100 in (40.894 cm)
Package 1 Length	35.500 in (90.170 cm)
Package weight(Lbs)	11.519 lb(US) (5.225 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	81

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	39.000 in (99.060 cm)
Package 2 Width	40.000 in (101.600 cm)
Package 2 Length	48.000 in (121.920 cm)
Package 2 Weight	962.001 lb(US) (436.356 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**28 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**26 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**2 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0.1 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0.5 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**


Use Again

Repack and remanufacture

Recyclability potential, in %	**89**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**

Image of product / Alternate images

Alternative






Compatible products
QO 40-Space Indoor Load Center Flush Cover
MFG Model Number: QOC40UF
Compatible for use with (125A, 32 space) OR (200A-40 space) QO Load Centers for surface mount installations







