
Product data sheet

Specifications



Load center interior, QO, mounting base, 3 phase, 30 spaces, 200A main lugs, OEM

QON330L200

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Mounting base
Marketing Trade Name	QO
Load Center Type	Main lugs
Rated Current	200 A
Number of Spaces	30
Max Short Circuit Current Rating	10 kA
Maximum Number of Single Pole Circuits	30
Maximum Number of Tandem Breakers	0
Number of Phases	3 phase 3 wires
Voltage Rating	120/240 V AC

Complementary

Wire Size	4 AWG...300 kcmil aluminium/copper
Ground Bar	Grounding bar (ordered separately)
Product Certifications	CSA UL Recognized
Tightening Torque	Main lugs 250 lb.in, 4 AWG...300 kcmil, aluminium/copper
Circuit Breaker Type	QO
Mounting Mode	Plug-on
Height	14.8 in (375 mm)
Width	8.0 in (202 mm)
Depth	3.03 in (77 mm)
Net Weight	3.0005 lb(US) (1.361 kg)

Ordering and shipping details

Category	US1DE3A00909
Discount Schedule	DE3A
GTIN	785901868279
Returnability	Yes
Country of origin	US

Packing Units

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.100 in (10.414 cm)
Package 1 Width	13.000 in (33.020 cm)
Package 1 Length	21.000 in (53.340 cm)
Package weight(Lbs)	3.900 lb(US) (1.769 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	54
Package 2 Height	40.000 in (101.600 cm)
Package 2 Width	40.000 in (101.600 cm)
Package 2 Length	48.000 in (121.920 cm)
Package 2 Weight	363.0002 lb(US) (164.654 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Take-back	No

Image of product / Alternate images

Alternative







