
Product data sheet

Specifications



Disconnect switch, TeSys VLS, 500 mm shaft extension, 5 mm shaft

VLSS5005

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Device short name	VLSS
Product or Component Type	Shaft extension
Range compatibility	TeSys TeSys VARIO LS VLSH

Complementary

Cross-section height	0.2 in (5 mm)
Cross-section width	0.2 in (5 mm)
Shaft length	19.7 in (500 mm)
Net Weight	3.1 oz (88 g)

Ordering and shipping details

Category	US1CTR121254
Discount Schedule	CTR1
GTIN	3606481157065
Returnability	Yes
Country of origin	IT

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.197 in (0.500 cm)
Package 1 Width	1.969 in (5.000 cm)
Package 1 Length	19.882 in (50.500 cm)
Package weight(Lbs)	3.845 oz (109.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	100
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	27.529 lb(US) (12.487 kg)

Contractual warranty

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Again

Repack and remanufacture

Take-back	**No**