Product data sheet

Specifications



metal conduit box UL, Altivar, Nema type1, IP21, for variable speed drive, size 6

VW3A9704

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Altivar
Accessory / separate part category	Protection accessory
Accessory / Separate Part Type	IP21 protection kit
Product compatibility	Variable speed drive ATV630 55 kW, normal duty 200...240 V Variable speed drive ATV630 75 kW, normal duty 200...240 V Variable speed drive ATV630 110 kW, normal duty 380...480 V Variable speed drive ATV630 132 kW, normal duty 380...480 V Variable speed drive ATV630 160 kW, normal duty 380...480 V Variable speed drive ATV630 90 kW, heavy duty 380...480 V Variable speed drive ATV630 110 kW, heavy duty 380...480 V Variable speed drive ATV630 132 kW, heavy duty 380...480 V Variable speed drive ATV610 110 kW 380...480 V Variable speed drive ATV610 132 kW 380...480 V Variable speed drive ATV610 160 kW 380...480 V Variable speed drive ATV930 55 kW, normal duty 200...240 V Variable speed drive ATV930 75 kW, normal duty 200...240 V Variable speed drive ATV930 110 kW, normal duty 380...480 V Variable speed drive ATV930 132 kW, normal duty 380...480 V Variable speed drive ATV930 160 kW, normal duty 380...480 V Variable speed drive ATV930 45 kW, heavy duty 200...240 V Variable speed drive ATV930 55 kW, heavy duty 200...240 V Variable speed drive ATV930 90 kW, heavy duty 380...480 V Variable speed drive ATV930 110 kW, heavy duty 380...480 V Variable speed drive ATV930 132 kW, heavy duty 380...480 V
Accessory / separate part destination	Variable speed drive
Range Compatibility	Altivar ATV610 Altivar Process ATV600 Altivar Process ATV900

Complementary

Kit composition	Instruction sheet Fixing accessories All the mechanical parts including a pre-cut plate for fixing the cable glands
Net Weight	19.8 lb(US) (9 kg)

Ordering and shipping details

Category	US1CP4E22205
Discount Schedule	CP4E
GTIN	3606485410876
Returnability	Yes
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	12.402 in (31.500 cm)
Package 1 Width	14.606 in (37.100 cm)
Package 1 Length	15.945 in (40.500 cm)
Package weight(Lbs)	23.067 lb(US) (10.463 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	18
Package 2 Height	43.307 in (110.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	444.232 lb(US) (201.500 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**Efdd96fa-877d-491d-af5a-b4069bcf028e**
EU RoHS Directive	**Compliant**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Again

Repack and remanufacture

Take-back	**No**