# Product data sheet

Specifications



## Padlocking kit, Harmony XB4, for 22mm emergency stop push button, yellow

ZBZ3605

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range Compatibility** | Harmony XB5<br>Harmony XB4 |
| **Accessory / separate part designation** | Padlockable metal guard |
| **Accessory / Separate Part Type** | Guard |
| **Product or Component Type** | Padlocking kit |
| **Accessory / separate part category** | Locking accessories |
| **Product Compatibility** | XB5BS8444<br>XB4BS9445<br>XB4BS8444<br>XB4BS8445<br>XB4BS84441<br>XB5BS9445<br>XB5BS84441<br>XB5BS8445<br>ZB5BS844<br>ZB4BS944<br>ZB4BS844<br>ZB5BS944 |

## Complementary

| | |
|---|---|
| **Material** | Metal |
| **Accessory / separate part destination** | Emergency stop push-button<br>For standard head |
| **Additional information** | Telescopic guard |
| **Standards** | ISO 13850<br>IEC 60204-1 |
| **Color** | Yellow |
| **Sale per indivisible quantity** | 1 |
| **Net Weight** | 0.099 lb(US) (0.045 kg) |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10CS222469 |
| **Discount Schedule** | 0CS2 |
| **GTIN** | 3389119020480 |
| **Returnability** | Yes |
| **Country of origin** | FR |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 1.339 in (3.400 cm) |
| **Package 1 Width** | 2.047 in (5.200 cm) |
| **Package 1 Length** | 2.244 in (5.700 cm) |
| **Package weight(Lbs)** | 1.517 oz (43.000 g) |
| **Unit Type of Package 2** | S03 |
| **Number of Units in Package 2** | 200 |
| **Package 2 Height** | 11.8 in (30 cm) |
| **Package 2 Width** | 11.8 in (30 cm) |
| **Package 2 Length** | 15.7 in (40 cm) |
| **Package 2 Weight** | 20.097 lb(US) (9.116 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **0.4 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **0.4 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **0 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **0 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **Yes** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |
| California proposition 65 | **WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **13** |
| Circularity Profile | **End of Life Information** |
| Take-back | **No** |

Image of product / Alternate images

**Alternative**











