T0R Series

Temp Recessed Value

Wide range of thermistor options
Set-point & override options
Rugged, low-profile design deters vandalism





DESCRIPTION

The T0R series is designed for use in energy management systems in buildings. The flush mount sensor housing accommodates a wide range of thermistor options for sensing room temperature. Optional set-point slider and override button can be added for additional control.

APPLICATIONS

- Room temperature measurement for building automation control
- Low profile tamper resistant design is ideal for schools and public areas



Optional Set-Point slider and Override Button



Gasket seals element from wall drafts. 45 degree terminals for ease of wireing



Buy American Act Certified

FEATURES


- Fits in any standard j-box or low voltage bracket.
- No exposed screws; unobtrusive tamper resistant design

ORDERING

T0R- ☐ ☐ ☐

Temperature	**Override**	**Setpoint**
C= 100PtRTD	A= None	A= None
D= 1000PtRTD	B= Normally Open Contacts (N.O.)	B= 1K Ω setpoint slider
E= 10K Type 2		C= 10K Ω setpoint slider
F= 10K Type 3		D= 5K Ω setpoint slider
G= 10K W/ 11K		E= 20K Ω setpoint slider
H= 3K		T= 200-900 Ω setpoint slider
I = 2K2		
J = 1K8		
K = 20K		
L= 100K		

DIMENSIONS



Warning: The datasheet is designed for reference only. Refer to installation instructions that accompany the product and heed all safety instructions. Product improvement is a continuing process at Senva. Changes may occur to products without prior notice.

SPECIFICATIONS

4.45"h x 2.7"w x 0.5"d (depth measured from wall)
ABS Plastic
See thermistor ratings for more info

** Product improvement is a continual process at Senva and product features and specification may change without prior notice. Refer to instructions that accompany the product for installation and wiring.*