



# Certificate of Compliance

<b>Certificate:</b>	70200132	<b>Master Contract:</b>	155307
<b>Project:</b>	80257677	<b>Date Issued:</b>	2025-09-15
<b>Issued to:</b>	<b>MSA - The Safety Company</b> <b>1000 Cranberry Woods Dr</b> <b>Cranberry Township,</b> <b>Pennsylvania 16066</b> <b>United States</b>	<b>Issued by:</b>	<i>Henry Tran</i> Henry Tran

**Attention:** Vinny Iachini

*The products listed below are eligible to bear the CSA Mark shown*



## **PRODUCTS**

Class 7217 03 OCCUPATIONAL HEALTH AND SAFETY PRODUCTS - Self Retracting Devices

**V-TEC-EDGE/V-EDGE Series; Class SRL-LE: (see Note #1 for more details, where applicable)**

Model(s)
63406-00XCA, 63410-00XCA, 63415-00XCA, VTLEG-021-PX-C, VTLEG-022-PX-C, VTLEW-021-PX-C, VTLEW-022-PX-C

Note #1: Suffix X is an alphabetic character (i.e. A, B, C,...), which denotes the type of CSA Certified connectors (i.e. Snap Hooks, Carabiners, ....) used at either end of the SRDs; Suffix CA denotes the SRD is distributed in Canadian market.

**V-TEC Series; Class SRL: (see Note #1 for more details, where applicable)**

Model(s)
63206-00XCA, 63207-00XCA, 63210-00XCA, 63215-00XCA, 63306-00XCA, 63310-00XCA, 63315-00XCA



**Certificate:** 70200132

**Master Contract:** 155307

**Project:** 80257677

**Date Issued:** 2025-09-15

Note #1: Suffix X is an alphabetic character (i.e. A, B, C,...), which denotes the type of CSA Certified connectors (i.e. Snap Hooks, Carabiners, ....) used at either end of the SRDs; Suffix CA denotes the SRD is distributed in Canadian market.

**Workman Series; Class SRL**

Model(s)
10119507, 10120724, 10121778, 10121834

**MSA Rescuer Series; Class SRL-R**

Model(s)
10158180, 10217197

**Standard Type Series; Class SRL (see Note #1 for more details, where applicable)**

Model(s)
62810-00XCA, 62816-00XCA, 62826-00XCA, 62841-00XCA

Note #1: Suffix 'X' is an alphabetic character (i.e. A, B, C,...), which denotes the type of CSA Certified connectors (i.e. Snap hooks, Carabiners,...) used at either end of the SRDs; Suffix 'CA' denotes the SRD is distributed in Canadian market.

**V-SHOCK Series; Class SRL (see Note #2 for more details, where applicable)**

Model(s)
VSOHW-011-xx-C, VSOHW-012-xx-C, VSOHW-021-xx-C, VSHW-022-xx-C

Note #2: Suffix 'xx' are alphabetic characters (i.e. NB, NE, NM, PB, PE, PM, ....), which denotes the type of CSA Certified connectors (i.e. Snap Hooks, Carabiners,...) used at either end of the SRDs.

**V-SHOCK Series; Class SRL-LE (see Note #2 for details, where applicable)**

Model(s)
VSLEW-011-xx-C, VSLEW-012-xx-C, VSLEW-021-xx-C, VSLEW-022-xx-C

Note #2: Suffix 'xx' are alphabetic characters (i.e. NB, NE, NM, PB, PE, PM,...), which denotes CSA Certified connectors (i.e. Snap Hooks, Carabiners,...) used at either end of the SRDs.

**V-SHOCK Series; Class SRL-LE**

Model(s)
----------



**Certificate:** 70200132

**Master Contract:** 155307

**Project:** 80257677

**Date Issued:** 2025-09-15

VSLEG-061-NE-C, VSLEG-101-NE-C, VSLEG-151-NE-C
--

**V-TEC Series; Class SRL (see Note #3 for more details, where applicable)**

Model(s)
----------

VTOHW-011-XX-C, VTOHW-012-XX-C
--------------------------------

Note #3: Suffix 'XX' denotes the combination of alphabetic characters of A, B, C, D, E, G, H, M, N, Q, R and Z, where applicable.

**V-TEC Series; Class SRL (see Note #4 for more details, where applicable)**

Model(s)
----------

VTOHG-031-XX-C
----------------

Note #4: Suffix 'XX' denotes the combination of alphabetic characters of C, D, E, and M, where applicable.

**V-TEC Series; Class SRL (see Note #5 for more details, where applicable)**

Model(s)
----------

VTOHR-071-XX-C, VTOHR-101-XX-C, VTOHR-151-XX-C
--

Note #5: Suffix 'XX' denotes the combination of alphabetic characters of D and E, where applicable.

**V-TEC Series; Class SRL: (see Note #6 for more details, where applicable)**

Model(s)
----------

VTOHW-031-XX-C, VTOHW-032-XX-C
--------------------------------

Note #6: Suffix 'XX' denotes the combination of alphabetic character of A, B, C, D, E, M, R, Z.

**V-TEC Arc Flash Series; Class SRL: (see Note #7 for more details, where applicable)**

Model(s)
----------

VTOHW-021-XX-CF, VTOHW-022-XX-CF
----------------------------------

Note #7: Suffix 'XX' denotes the combination of alphabetic character of A, B, C, D, E, M, R, Z.

**APPLICABLE REQUIREMENTS**



**Certificate:** 70200132

**Project:** 80257677

**Master Contract:** 155307

**Date Issued:** 2025-09-15

---

CSA Z259.2.2-17 - Self-Retracting Devices



**Certificate:** 70200132


**Master Contract:** 155307

**Project:** 80257677

**Date Issued:** 2025-09-15

Notes:

Products certified under Class(es) C721703 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). [www.scc.ca](http://www.scc.ca)





## Supplement to Certificate of Compliance

Certificate: 70200132

Master Contract: 155307

*The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.*

### Product Certification History

Project	Date	Description
80257677	2025-09-15	<p>Class 7217-03; SMTC Submission; Update Report 70200132 to include the certification updates as per CSA Z259.2.2-17 as below</p> <p>(1).-Transferring the factory location to Factory ID #4755551 (MSA-Queretaro Mexico) from Factory ID # 4612439 (MSA-Devizezes United Kingdom) on "Standard Type" Series -Class SRL, which carrying Model #62810-00XCA, 62816-00XCA, 62826-00XCA, 62841-00XCA, as per CSA Z259.2.2-17; Verification testing is required.</p> <p>(2)- Minor documentational updates on V-TEC (SRL &amp; PFL), V-TEC- Edge, V-SHOCK (SRL &amp; PFL) and Standard Type SRL Series; testing is not required. (Note: For Model identifications on the applicable Series, referring to Test History Section in Descriptive Report).</p> <p>(3). - Delisting certain SRLs Models as per Mfg's request via e-mail dated September 8, 2025; For 'Delisting' Model IDs, referring to Test History section in descriptive report.</p>
80244957	2025-04-15	<p>Class 7217-03; SMTC Submission; Update Report 70200132 to include the certification updates as per CSA Z259.2.2-17 as below</p> <p>(1). -Alternate Pawl Spring on V-Shock Series: Model #VSOHW-011-xx-C, VSOHW-012-xx-C, VSOHW-021-xx-C, and VSOHW-022-xx-C (under Class SRL). and VSLEW-011-xx-C, VSLEW-012-xx-C, VSLEW-021-xx-C and VSLEW-022-xx-C (under Class SRL-LE).</p> <p>(2). - Verification testing is required; Certification Record remained unchanged; Mfg. at Queretaro - Mexico.</p>
80244956	2025-03-07	<p>Class 7217-03; SMTC Submission; Update Report 70200132 to include the certification as per CSA Z259.2.2-17 as below</p> <p>(1).- V-TEC Series (Web Version): Class SRL: 2.0 m(AF Web); Carrying Model #VTOHW-021-XX-CF (Single Version) and VTOHW-022-XX-CF (Twin Version) with Suffix 'xx' denotes the CSA Certified Connectors with MSA Code as A, B, C, D, E, M, R or M); Products are manufactured at Queretaro - Mexico.</p> <p>(2).- Testing at MSA-Ryan (SMTC Qualified Testing Facility)and CSA-Toronto.</p> <p>(3).- Comparison Testing at CSA-Toronto.</p>



**Certificate:** 70200132

**Master Contract:** 155307

**Project:** 80257677

**Date Issued:** 2025-09-15

---

80232137	2024-12-23	<p>Class 7217-03; SMTC Submission; Update Report 70200132 to include certification as per CSA Standard Z259.2.2-17 as below:</p> <p>(1).- V-TEC Series (Web Version): Class SRL: 3.0 m (Web); Carrying Model #VTOHW-031-XX-C and VTOHW-032-XX-C (with Suffix 'xx' denotes the CSA Certified Connectors with MSA Code as A, B, C, D, E, M, R or M); Products are manufactured at Queretaro - Mexico.</p> <p>(2).- Full Testing is required at MSA-Ryan - SMTC Qualified Testing Facility.</p> <p>(3).- Comparison Testing at CSA-Toronto</p>
80226768	2024-09-23	<p>Class 7217-03; SMTC Submission; Update Report 70200132 to include certification update for transferring production to MSA-Mexico Factory Location on the models as below as per CSA Z259.2.2-17:</p> <p>(1).- V-Edge/V-Tec-Edge Series: Model #63406-00XCA, 63410-00XCA, 63415-00XCA.</p> <p>(2).- V-Tec Series: Model #63206-00XCA, 63306-00XCA, 63207-00XCA, 63210-00XCA, 63215-00XCA, 63310-00XCA, 63315-00XCA.</p> <p>(3).- Verification testing is required; Certification record remained unchanged.</p> <p>(4).- Factory: MSA de Mexico, S.A. de C.V., Querétaro, Mexico; Factory ID #4755551.</p>
80212176	2024-08-01	<p>Class 7217-03; SMTC Submission; Update Report 70200132 to include certification as per CSA Standard Z259.2.2-17 as below: (1).- V-TEC-Edge Series (Cable Version): Class SRL-LE: 2.4 m (Cable); Carrying Model # VTLEG-021-PX-C, VTLEG-022-PX-C, (Factory: Queretaro - Mexico). (2).- V-Tec-Edge Series (Web Version): Class SRL-LE: 2.4 m (Web); Carrying Model #VTLEW-021-PX-C, VTLEW-022-PX-C (Factory: Jacksonville-USA).</p> <p>(3).- Verification testing is required and being witnessed by CSA Group at SMTC Qualified Laboratory - MSA 's Ryan Lab</p>
80208594	2024-05-17	<p>Class 7217-03; Update Report 70200132 to include certification of "V-TEC" Series, carrying Model # VTOHR-071-XX-C, VTOHR-101-XX-C, VTOHR-151-XX-C that are manufactured at Factory ID 4755551 as per CSA Z259.2.2-17.</p> <p>Models: VTOHR-071-XX-C, VTOHR-101-XX-C, VTOHR-151-XX-C</p>
80202345	2024-04-10	<p>Class 7217-03; Model Certification – Update Report 70200132 to include the followings:</p> <p>(1).- V-TEC Series: Class SRL: 1.8 m V-TEC Web PFL, carrying Models, VTOHW-011-XX-C and VTOHW-012-XX-C, to be manufactured at Factory # 4755551 (F2), MSA de Mexico, S.A. de C.V., located at Avenida del Conde #6, Fraccionamiento Parque Industrial el Marques, El Marques, Queretaro 76246, Mexico, as per CSA Z259.2.2-17; Verification testing is required.</p> <p>(2).- To include ‘Minor Changes’ without testing on “Sealed SRLs”, “V-SHOCK”, “V-TEC” (3 m Cable PFL) and “V-TEC-Edge” Series; Testing is not required; Certification documentations updates (only).</p>



**Certificate:** 70200132

**Master Contract:** 155307

**Project:** 80257677

**Date Issued:** 2025-09-15

---

80189155	2024-02-23	Class 7217-03; Model Certification – Update Report 70200132 to include certification of "V-TEC" Series, carrying Model #VTOHG-031-XX-C ( with 5mm 7x19 Galv Cable, P/N 00900-61) as per CSA Z259.2.2-17; Manufactured at Factory # Factory #4755551 (F2). Note: Certification under "Model Certification" Program (i.e all tests are carried out at CSA-Toronto).
80178310	2023-08-21	Class 7217-03; Update Report 70200132 to include the followings: (1).- Certification of "V-TEC" Series, carrying Models as per CSA Z259.2.2-17 as below: - Model #VTOHW-011-XX-C (1.8 m V-TEC Web PFL ; Single Leg). - Model #VTOHW-012-XX-C (1.8 m V-TEC Web PFL; Twin Leg). (2).- To include Updated Mfg Drawing #63406-00-08, 63410-00-11 & 63415-00-10, 63406-02-09, 63410-02-02 & 63415-02-02.
80167269	2023-08-10	Class 7217-03; SMTC submission – Update Report 70200132 to include the followings: (1).- V-TEC-EDGE Series: To add V-TEC-EDGE Series as primary Series identification on "V-EDGE Series, which as "Secondary". (2).- To include "Updated" Drawings on V-TEC Series, Standard Type Class Self Retracting Lanyards Series, MSA Rescuer Series. (3).- To include Updated Drawings on Component List of V-TEC EDGE / V-EDGE Series, V-TEC and V-SHOCK Series and Standard Type Class SRL Series. Note: See Test History Section in Descriptive Report for more details.
80142090	2023-06-12	Class 7217-03 - SMTC Submission; Update Report 70200132 to include certification updates as follow: (1) Certification of V-Shock Series, carrying Class SRL Model# VSOHW-011-xx-C (Single), VSOHW-012-xx-C (Twin), VSOHW-021-xx-C (Single) and VSOHW-022-xx-C (Twin) and Class SRL-LE Mode# VSLEW-011-xx-C (Single), VSLEW-012-xx-C (Twin), VSLEW-021-xx-C (Single), VSLEW-022-xx-C (Twin), VSLEG-061-NE-C (20ft/6m), VSLEG-101-NE-C (30ft/10m) and VSLEG-151-NE-C (50ft/15m), that are manufactured at Factory ID 4755551 as per CSA Z259.2.2-17. (2) Add Factory ID 4755551 (MSA de Mexico) under Class 7217-03. IFE waived. (3) Testing of connector MSA P/N 10236084 (Bexus P/N AC9012) and P/N 10236022 (Bexus P/N AC9012-ZP) that are used on V-Shock Series Class SRL-LE twin leg models as per CSA Z259.12-16. (4) Add alternate threads P/N 10236041, 10236042, 10236026 by Coats Mexico and P/N 10236096 and 10236097 by A&E Threads.
80135958	2022-09-08	Class 7217-03 - SMTC Submission; Update Report 70200132 to change Lifeline Cable to 5.0 mm (Part #00900-61) to be compatible with V-Edge Series, carrying Model # 63062-00XCA and 63162-00XCA as per CSA Z259.2.2-17; This project is utilized to resolve Non-Conformances, which addressed during SMTC audit under Project 80124425; To include Updated Drawings for Model #63410-00XCA and 63415-00XCA (testing is not required, just documentations update only); Certification Record remained unchanged.



**Certificate:** 70200132

**Master Contract:** 155307

**Project:** 80257677

**Date Issued:** 2025-09-15

---

80063412	2021-05-17	Class 7217-03; SMTC Submission; Update Report 70200132 to include certification updates as follow: (1) Change product name to “MSA Rescuer” from ”Workman Rescuer”. (2) Certification of Model # 10217197 (Class SRL) as per CSA Z259.2.2- 17. (3) Include CSA Certified Connectors. See details in Test History in Descriptive report. (4) To include updated Drawings. See details in Test History in Descriptive report.
80044333	2020-08-28	Class 7217-03 – SMTC Submission; Updating Report # 70200132 to include Certification of SRL Model # 63032-00XCA (2m V-Tec Arc Flash PFL), 63207-00XCA (7m cable V-TEC SRL), 62841-00XCA (40m Sealed SRL), 63230-00XCA (30m Standard SRL - Galvanized cable) and 63330- 00XCA (30m Standard SRL - Stainless Steel cable) as per CSA Standard Z259.2.2-17;. This Project is carried out under SMTC Certification Program; This Project is utilized to delist the SRLs, which are listed under Report (or Certificate) # 1987365 and 1064727 (for Mode ID #s, see Descriptive Report). Report 70200132 supersedes Report # 1064727 and 1987365.
80031783	2020-04-24	Class 7217-03; Updating Report # 70200132 to include Certification of SRL Model # 63206-00XCA ( 6m V-Tec Galvanize cable), 62826- 00XCA ( 25 m sealed SRL) as per CSA Standard Z259.2.2-17; and Applicable tests are conducted on Model 63032-00XCA (2 m Arc Flash PFL) as per CSA Standard Z259.2.2-17 for future certification . This Project is carried out under WMTC Certification Program.
70205438	2020-04-15	Class 7217-03; Update Report 70200132 to include Certification of the following SRLs as per CSA Standard 259.2.2-17: • Model #10158180 (Workman Rescuer with SS Cable). • Model #10119507 (Workman 30 ft SRL with Galv. Cable). • Model # 10120724 (Workman 30 ft SRL with SS. Cable). • Model #10121834 (Workman 50 ft SRL with Galv. Cable). • Model # 10121778 (Workman 50 ft SRL with SS. Cable).
80000085	2019-12-31	Class 7217-03; Update Report 70200132 to include certification of SRL as per CSA Standard Z259.2.2-17 under WMTC Program as follows: - V-Tec Series: Model #63210-00XCA, 63310-00XCA, 63215-00XCA, and 63315-00XCA. - V-Edge Series: Model #63410-00XCA and 63415-00XCA
70202340	2019-11-07	Class 7217-03; Update Report 70200132 to include Certification of V- Edge Series with alternate webbing Supplier for the lifeline as per CSA Standard Z259.2.2-17; This certification is carried out under WMTC Program; The Witness Test Facility is “MSA, located at 1100 Cranberry Woods Drive, Cranberry Township, PA 16066 USA. MSA Project # 18-65.
70205436	2019-09-04	Class 7217-03; Update Report 70200132 to include Certification of the following SRLs as per CSA Standard Z259.2.2-17: • Model # 62810-00XCA (9 m Sealed SRLs with SS Cable). • Model # 62816-00XCA (15 m Sealed SRLs with SS Cable). • Model # 62007-



**Certificate:** 70200132

**Master Contract:** 155307

**Project:** 80257677

**Date Issued:** 2025-09-15

---

00XCA (7 m Web SRL).

- |          |            |  |
|----------|------------|--|
| 70205437 | 2019-02-28 | Class 7217-03; Update Report 70200132 to include Certification of the following SRLs as per CSA Standard 259.2.2-17: • Model # 63013-00 (Single) and 63113-00 (Twin) with ‘Original’ and “Alternate” construction (3 m V-Tec Web). • Model # 64013-00 (Single) and 64113-00 (Twin) with ‘Original’ and “Alternate” construction (3 m V-Shock Web). • Model # 63203-00 (Single) with ‘Original’ construction (3 m V-Tec Galv. Cable). • Model # 63306-00 (Single) with ‘Original’ construction (6 m V-Tec SS Cable). • Model # 63011-00 (Single) and 63111-00 (Twin) with ‘Original’ and “Alternate” construction (1.8 m V-Tec Web). • Model # 64011-00 (Single) and 64111-00 (Twin) with ‘Original’ and “Alternate” construction (1.8 m V-Shock Web).  |
| 70200132 | 2018-10-17 | Class 7217-03, Certification of Certification of “V-Edge” Series: Class SRL-LE: Cable Type; 2.4 m PERSONAL FALL LIMITER, carrying Model # 63062-00, 63162-00; “V-Edge” Series: Class SRL-LE: Cable Type; 6 m PERSONAL FALL LIMITER, carrying Model # 63406-00; “V-Edge” Series: and Class SRL-LE: Web Type; 2.4 m PERSONAL FALL LIMITER, carrying Model #, 10192007, 10192010, 10192013, 10192016, 10192023, 10192026, 10192033, 10192036, 10192040, 10192043, 10192049, 10192052, 10192520, 10192517, as per CSA Standard Z259.2.2-17, ; This project is to transfer and merge data collected in projects 70176608 and 70187674, originally opened under Latchways former Master Contract number, into MSA 's correct Master Contract number. Project also covers addition Engineering time required to complete the project; This project is carried out under WMTC Program. |