

	SDS - SHOWSHEEN FINISHING MIST SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	1/9

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Absorbine® ShowSheen® Finishing Mist
 Product number : 440950, 440951

1.2. Recommended use and restrictions on use

Recommended use : Hair conditioning and detangling
 Restrictions on use : None known

1.3. Supplier

Manufacturer

W.F. Young, Inc.
 302 Benton Drive
 East Longmeadow, MA 01028
 USA
 T (413) 526-9999 x 468 - F (413) 526-9869
www.wfyoung.com

1.4. Emergency telephone number

Emergency number : Company Hotline: +1 (413) 526-9999

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Gases under pressure Compressed gas : Contains gas under pressure; may explode if heated

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning
 Hazard statements (GHS US) : Contains gas under pressure; may explode if heated
 Precautionary statements (GHS US) : Protect from sunlight. Store in a well-ventilated place.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	SDS - SHOWSHEEN FINISHING MIST SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	2/9

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Wash skin with plenty of water. Get medical advice if skin irritation persists.
- First-aid measures after eye contact : Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
- Chronic symptoms : No chronic health hazards are likely for this material.

4.3. Immediate medical attention and special treatment, if necessary

Not required.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None.

5.2. Specific hazards arising from the chemical

- Fire hazard : This product is not classified as flammable or combustible.
- Explosion hazard : Contents under pressure, may rupture if heated.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Hydrocarbon. Silicon oxides.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Cool down the containers exposed to heat with a water spray. Fight fire with normal precautions from a reasonable distance.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. Use shielding to protect from bursting cans.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
---	--	--

 <p>W.F. YOUNG ESTD 1892</p>	<p>SDS - SHOWSHEEN FINISHING MIST</p> <p>SAFETY DATA SHEET</p> <p>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</p>	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	3/9

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep unnecessary and unprotected personnel away from the spillage. Use personal protective equipment as required.

6.1.1. For non-emergency personnel

Emergency procedures : Avoid breathing mist, vapors. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Remove all sources of ignition. Dike and contain spill.
 Methods for cleaning up : Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Absorb and/or contain spill with inert material, then place in suitable container.
 Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety procedures. Avoid breathing mist, vapors. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition.
 Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Keep away from heat and direct sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Protect from physical damage.
 Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
---	--	--

 <p>W.F. YOUNG ESTD 1892</p>	<p>SDS - SHOWSHEEN FINISHING MIST</p> <p>SAFETY DATA SHEET</p> <p>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</p>	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	4/9

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Not required for normal conditions of use. In case of repeated or prolonged contact wear gloves
Eye protection:
No special eye protection equipment recommended under normal conditions of use
Skin and body protection:
None under normal conditions
Respiratory protection:
No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: White. Liquid.
Color	: White
Odor	: Fresh
Odor threshold	: No data available
pH	: 5 – 7
Melting point	: Not applicable
Freezing point	: 0 °C
Boiling point	: 100 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 17 mm Hg at 20°C
Relative vapor density at 20°C	: > 1
Relative density	: 1.003 @25 °C
Solubility	: Emulsifiable.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: None.

9.2. Other information

Gas group : Compressed gas

<p>Creator</p> <p>Victor Vides Regulatory Manager</p>	<p>Controller</p> <p>Victor Vides Regulatory Manager</p>	<p>Approver</p> <p>Michael Carlson Director of Quality</p>
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	SDS - SHOWSHEEN FINISHING MIST SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	5/9

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat and flame. Do not puncture or incinerate containers.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
	pH: 5 – 7
Serious eye damage/irritation	: Not classified
	pH: 5 – 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not applicable
Viscosity, kinematic	: No data available
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Chronic symptoms	: No chronic health hazards are likely for this material.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	SDS - SHOWSHEEN FINISHING MIST SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	6/9

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

Absorbine® ShowSheen® Finishing Mist

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on global warming : No known effects from this product.





SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of in accordance with applicable federal, state, and local regulations.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
1950	UN1950	1950	1950
14.2. Proper Shipping Name			
Aerosols, Ltd Qty	AEROSOLS, Ltd Qty	AEROSOLS, Ltd Qty	Aerosols, non-flammable, Ltd Qty
14.3. Transport hazard class(es)			
2.2	2.2	2.2	2.2
			

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
---	--	--



SDS - SHOWSHEEN FINISHING MIST

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0017
Create Date:	6/12/2010
Revision Date:	3/21/2024
Revision Number:	9
Page:	7/9

DOT	TDG	IMDG	IATA
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
These products are shipped by ground as limited quantities under 49CFR 173.306(a).			

14.6. Special precautions for user

DOT
 UN-No.(DOT) : UN1950
 DOT Packaging Exceptions (49 CFR 173.xxx) : 306
 DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 75 kg
 DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 150 kg
 DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
 DOT Vessel Stowage Other : 25 - Protected from sources of heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14, 126 - Segregation same as for Class 9, miscellaneous hazardous materials

TDG
 UN-No. (TDG) : UN1950
 TDG Special Provisions : 80 - Despite section 1.17 of Part 1, Coming into Force, Repeal, Interpretation, General Provisions and Special Cases, a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with section 5.11 of Part 5, Means of Containment, except that the requirement in subsection 5.11(6) for aerosol containers to be tightly packed in a wood, fibreboard or plastic box does not apply to a user or purchaser who transports no more than six aerosol containers. Note that subsection 5.11(6) includes two requirements, one for a valve protection cap and one for containment, and that the exemption for aerosol containers in special provision 80 applies only to the containment requirement in that subsection; the requirement for a valve protection cap continues to apply. For a similar rule respecting aerosol containers, see subparagraph 1.15(1)(a)(i) of Part 1, Coming into Force, Repeal, Interpretation, General Provisions and Special Cases, 107 - (1) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2, (Classification), do not apply to the handling, offering for transport or transporting of UN1950, AEROSOLS, and UN2037, GAS CARTRIDGES, that contain dangerous goods included in Class 2.1 or Class 2.2 and that are transported on a road vehicle, a railway vehicle or a ship on a domestic voyage, if the aerosols or gas cartridges have a capacity less than or equal to 50 mL. (2) Subsection (1) does not apply to self-defence spray. SOR/2014-306 UN1950, UN2037 SOR/2014-306

Explosive Limit and Limited Quantity Index : 1 L
 Excepted quantities (TDG) : E0
 Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index : 75 L
 Emergency Response Guide (ERG) Number : 126

IMDG
 Special provision (IMDG) : 63, 190, 277, 327, 344, 381, 959

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	SDS - SHOWSHEEN FINISHING MIST SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	8/9

Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

IATA

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provision (IATA)	: A98, A145, A167, A802
ERG code (IATA)	: 2L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	SDS - SHOWSHEEN FINISHING MIST SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0017
		Create Date:	6/12/2010
		Revision Date:	3/21/2024
		Revision Number:	9
		Page:	9/9

SECTION 16: Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Safety Data Sheet (SDS), USA

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approver Michael Carlson Director of Quality
--	---	---