54# synthetic paper (strong adhesive removable glue, stick to the curved surface)

Sticker A

Sticker B



FRONT STICKERS PLACEMENT

BACK STICKER PLACEMENT



Sticker C

File Name:	17980-047_12L_PL022426
Brand:	BS
Category:	Potty
Product Name:	Neutral FullComfort Potty
Package Designer:	Nureen B/Nico L
Product Manager:	Jennifer S
Engineer:	Enter Name
Languages:	Languages on Package 3/12
Dimensions:	see die linez

Packaging Prints
CMYK

Cyan
Magenta
Yellow
Black



pressSIGN CMYK_Colourbar_ISO 12647-2 Coated White Backing v6_labels_below i1Pro Contrast Bars.eps

pressSIGN CMYK K50 CY CMY M75 Y25 K C25 MY CMY C50 CMY M Y50 K25 CM P C75 M50 Y K75

pressSIGN CMYK_Colourbar_ISO 12647-2 Coated White Backing v6_labels_below.eps

pressSIGN CMYK K50 CY CMY M75 Y25 K C25 MY CMY C50 CMY M Y50 K25 CM P C75 M50 Y K75

There are two color bars on this proof and in the art file. One to be used with X-rite I1 Pro Spectrophotometer. The other can be used with most other spectrophotometers.
Printers must repeat one of the two color bars all the way across the width (gripper edge) of the press sheets on sample runs and production runs. Failure to comply will result in the remaking of film and/or plates at your cost.

数码稿以及设计文件包含了两种色带。一种适用于X-rite (爱色丽) I1 Pro 分光光度计，另一种适用于其它大部分的分光光度计。在打样或者批量生产时，印刷厂必须选择其中一种色带并重复添加直到覆盖整张纸的宽度（叼口边）。
没有按照上述要求而导致重新出菲林、出版的费用将由印刷厂承担。