



BOSCH



VAC090AH

9-Gallon Dust Extractor



MOVE TOWARD COMPLIANCE
WITH PRO+GUARD™
DUST SOLUTIONS

9-GALLON DUST EXTRACTOR

VAC090AH

150 CFM

PRO-GUARD
PERFORMANCE • COMPLIANCE • SAFETY



POWERFUL 120-VOLT MOTOR

Allows effective dust extraction at an airflow of 150 CFM

POWER TOOL ACTIVATION

EASY-TO-CHANGE HEPA FILTER



AUTOMATIC FILTER CLEANING (AFC)

Activates every 15 seconds allowing the flat pleated filter to be cleaned through a reversed airflow



POWER BROKER DIAL

For allocating power between vacuum cleaner and connected power tool

WET-VACUUMING WATER LEVEL SENSOR

Automatically shuts down vacuum when water reaches a maximum height to protect motor



AUTOMATIC FILTER CLEANING ON/OFF BUTTON

HOSE AND CORD STORAGE

- ▶ Secure vacuum hose wrap
- ▶ Power cord hook

ROBUST WHEELS

- ▶ Jobsite tested rear wheels
- ▶ Front casters with brakes





SPECIFICATIONS

AMPERAGE	9.5-7.5*
RATING	120V
FREQUENCY	60 Hz
CANISTER VOLUME (GROSS)	9.0
AIRFLOW (MAX.)	150 CFM (70 ltr./sec.)
STATIC WATER LIFT (MAX.)	97"
NO. OF FILTER CARTRIDGES	1
SOUND PRESSURE LEVEL	71 db
HOSE LENGTH	10.0 ft.
HOSE PORT INSIDE DIAMETER	2-1/4"
HEIGHT	22.7 in.
WEIGHT	28.0 Lbs.

*Depending on Power Broker setting

INCLUDES

VAC090AH 9-Gallon Dust Extractor **VAC090AH**, HEPA Filter, Fleece Filter Bag **VB090F**, 10.0 Ft. Vacuum Hose **VH1035**, Anti-Static Bend Nozzle **VX100**, Power Tool Adapter Nozzle **VX120**

L-BOXX INTEGRATION

Instantly creates a mobile workstation





Robert Bosch Tool Corporation

1800 W. Central Rd.
Mount Prospect, IL 60056
www.boschtools.com

2017-448