



B_1_Mucinex_IS_Spray_Front.jpg
2000 x 2000 | 391.5 KB

500 DOSES

Drug Facts	Purposes
Active ingredients Benzocaine 5% Menthol 2%	Oral pain reliever Oral pain reliever
Uses Temporarily relieves occasional minor irritation and pain associated with: ■ sore throat ■ sore mouth ■ canker sores	
Warnings Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: ■ pale, gray, or blue colored skin (cyanosis) ■ headache ■ rapid heart rate ■ shortness of breath ■ dizziness or lightheadedness ■ fatigue or lack of energy Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butabaine, benzocaine, or other "caine" anesthetics. Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.	
Do not use ■ for teething ■ in children under 6 years of age	

Drug Facts (continued)
When using this product
do not exceed recommended dosage
Stop use and ask a doctor or dentist if
■ sore mouth symptoms do not improve in 7 days
■ irritation, pain, or redness persists or worsens
■ swelling, rash, or fever develops
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
adults and children 12 years of age and older: apply to affected area (one spray), gargle, swish around in the mouth, or allow to remain in place at least 1 minute then spit out. Use up to 4 times daily or as directed by a doctor.
children 6 to under 12 years of age: supervise use
children under 6 years of age: do not use

Other information
■ store at 20°-25°C (68°-77°F)

Inactive ingredients
anhydrous citric acid, octylpyridinium chloride, dibasic sodium phosphate, edetate disodium flavor, hydrochloric acid*, polyethylene glycol, propylene glycol, purified water, sodium hydroxide*, sacralose
*may contain this ingredient

Questions? 1-866-MUCINEX (1-866-682-4639)

B_2_Mucinex_IS_Spray_Drug_Facts.jpg
2000 x 2000 | 1009.1 KB

#1 Pharmacist Recommended Brand 2023-2024
Pharmacy Times
Celebrating 126 Years

#1 COUGH & COLD BRAND DOCTORS TRUST

10VIA, ProVoice Survey, Dec. 2022
U.S. News & World Report/Pharmacy Times 2023-2024

B_3_Mucinex_IS_Spray_RTb.jpg
2001 x 2000 | 1.7 MB

FAST-ACTING SORE THROAT PAIN RELIEF

INSTANT COOLING SENSATION

STARTS WORKING ON CONTACT

TARGETED APPLICATION

B_4_Mucinex_IS_Spray_Product Benefits.jpg
2000 x 2000 | 363.8 KB

EASY TO USE SPRAY PUMP

ALCOHOL FREE

WINTERFRESH FLAVOR

500 DOSES!

B_5_Mucinex_IS_Spray_Product Benefits 2.jpg
2000 x 2000 | 356.5 KB

SORE THROAT RELIEF IN 3 EASY STEPS

STEP 1 SPRAY AFFECTED AREA

STEP 2 SWISH OR ALLOW TO REMAIN IN MOUTH AT LEAST 1 MINUTE, THEN SPIT OUT

STEP 3 SOOTHE

B_6_Mucinex_IS_Spray_Step_Process.jpg
2000 x 2000 | 423.8 KB

FSA & HSA ELIGIBLE

SAVE UP TO 30%*

WHEN YOU PAY WITH YOUR FSA/HSA CARD!

1. Add Your FSA/HSA Card To Your Account
2. Shop FSA/HSA Eligible Products
3. Use Your FSA/HSA card at checkout

COVER YOUR OUT-OF-POCKET EXPENSES WITH PRE-TAX DOLLARS

*Plan details may vary, so save your receipts and speak with your health plan or benefits provider about the OTCs and personal healthcare products that are eligible in your plan.

B_7_Mucinex_IS_Spray_FSA_HSA.jpg
2000 x 2000 | 1.1 MB

YOU'VE GOT SYMPTOMS. WE'VE GOT RELIEF.

USE AS DIRECTED

B_8_Mucinex_IS_Spray_Family.jpg
2001 x 2000 | 1.8 MB



B_9_Mucinex_IS_Spray_Front2.jpg
2000 x 2000 | 189.6 KB



B_10_Mucinex_IS_Spray_Back.jpg
2000 x 2000 | 129.3 KB



B_11_Mucinex_IS_Spray_2_Powerful_A.jpg
2000 x 2000 | 1.2 MB



B_12_Mucinex_IS_Spray_2_Powerful_B.jpg
2000 x 2000 | 626.2 KB