

	Absorbine® CoolDown® After Workout Rinse SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	1/11

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Absorbine® CoolDown® After Workout Rinse
 Product number : 427870

1.2. Recommended use and restrictions on use

Recommended use : Products for animals, Body Rinse
 Restrictions on use : Not for Human Use

1.3. Supplier

Manufacturer

W.F. Young, Inc.
 302 Benton Drive
 East Longmeadow, MA 01028
 USA
 T (413) 526-9999 x 468 - F (413) 526-9869
www.wfyoung.com

1.4. Emergency telephone number

Emergency number : Company Hotline: +1 (413) 526-9999

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture



GHS US classification

Flammable liquids Category 3	H226	Flammable liquid and vapor
Eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :  

Signal word (GHS US) : Warning

Hazard statements (GHS US) : H226 - Flammable liquid and vapor
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 - Keep container tightly closed.
 P240 - Ground/Bond container and receiving equipment.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Absorbine® CoolDown® After Workout Rinse SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	2/11

P241 - Use explosion-proof electrical/ventilating/lighting equipment.
 P242 - Use only non-sparking tools.
 P243 - Take precautionary measures against static discharge.
 P261 - Avoid breathing mist, vapors, spray.
 P264 - Wash hands thoroughly after handling.
 P272 - Contaminated work clothing must not be allowed out of the workplace.
 P280 - Wear protective gloves, protective clothing, eye protection.
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 - If eye irritation persists: Get medical advice/attention.
 P363 - Wash contaminated clothing before reuse.
 P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO₂) to extinguish.
 P403+P235 - Store in a well-ventilated place. Keep cool.
 P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None known.

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Ethanol	CAS-No.: 64-17-5	15 - 40
Polyoxyl 40 hydrogenated castor oil	CAS-No.: 61788-85-0	1 - 10
Rosemary Oil	CAS-No.: 8000-25-7	1 – 5
Lavandula angustifolia oil	CAS-No.: 8000-28-0	1 – 5
Mentha Piperita Oil	CAS-No.: 8006-90-4	1 – 5

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Absorbine® CoolDown® After Workout Rinse SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	3/11

- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : Causes eye irritation. May cause an allergic skin reaction. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
- Inhalation : May cause minor irritation to the respiratory tract and to other mucous membranes.
- Skin : May cause an allergic skin reaction. May cause slight irritation to the skin.
- Eyes : Causes serious eye irritation.
- Ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
- Chronic symptoms : No chronic health hazards are likely for this material.

4.3. Immediate medical attention and special treatment, if necessary

Not required. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

- Fire hazard : Flammable liquid and vapor. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
- Explosion hazard : Product is not explosive.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2).

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Cool down the containers exposed to heat with a water spray.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Keep unnecessary and unprotected personnel away from the spillage. Do not attempt to take action without suitable protective equipment.

6.1.1. For non-emergency personnel

- Emergency procedures : No open flames, no sparks, and no smoking. Ventilate spillage area. Avoid breathing vapors, mist. Do not touch or walk on the spilled product. Avoid contact with eyes, skin and clothing. Evacuate unnecessary personnel.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <p>W.F. YOUNG ESTD 1892</p>	<p>Absorbine® CoolDown® After Workout Rinse</p> <p>SAFETY DATA SHEET</p> <p>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</p>	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	4/11

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill. Collect spillage.
 Methods for cleaning up : Ventilate area. Absorb and/or contain spill with inert material, then place in suitable container. Use personal protective equipment as required. Notify authorities if product enters sewers or public waters.
 Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For waste disposal after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Avoid contact with eyes, skin and clothing. Avoid breathing vapors. Ensure adequate ventilation. Flammable vapors may accumulate in the container. Ground/bond container and receiving equipment. Use only non-sparking tools. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Empty containers retain product residue and can be hazardous. Handle in accordance with good industrial hygiene and safety procedures. Wash hands with water and soap.
 Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.
 Storage conditions : Store in a well-ventilated place. Protect from physical damage. Keep cool. Keep container tightly closed. Keep away from ignition sources.
 Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

	Absorbine® CoolDown® After Workout Rinse SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	5/11

Ethanol (64-17-5)

Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA)	1900 mg/m ³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation. Use explosion-proof equipment.
 Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear impervious gloves. Consult supplier for specific recommendations.

Eye protection:

Chemical goggles. Use suitable eye protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Thermal hazard protection:

Not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
 Appearance : Viscous liquid.
 Color : Blue
 Odor : Herbal
 Odor threshold : No data available
 pH : No data available
 Melting point : Not applicable
 Freezing point : No data available
 Boiling point : No data available
 Flash point : 45.56 °C
 Relative evaporation rate (butyl acetate=1) : No data available
 Flammability (solid, gas) : Not applicable.
 Vapor pressure : No data available

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 W.F. YOUNG <small>ESTD 1892</small>	Absorbine® CoolDown® After Workout Rinse SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	6/11

Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: Not oxidising.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Rosemary Oil (8000-25-7)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



Absorbine® CoolDown® After Workout Rinse

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0031
Create Date:	8/23/2016
Revision Date:	8/15/2025
Revision Number:	4
Page:	7/11

Ethanol (64-17-5)

LD50 oral rat	15010 mg/kg body weight
LD50 oral	8300 mg/kg body weight
LC50 Inhalation - Rat (Vapours)	≈ 116.9 mg/l/4h

Lavandula angustifolia oil (8000-28-0)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Mentha Piperita Oil (8006-90-4)

LD50 oral rat	2650 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Polyoxyl 40 hydrogenated castor oil (61788-85-0)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Ethanol (64-17-5)

NOAEL (subchronic,oral,animal/male,90 days)	< 9700 mg/kg body weight
NOAEL (subchronic,oral,animal/female,90 days)	> 9400 mg/kg body weight

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: Causes eye irritation. May cause an allergic skin reaction. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Inhalation	: May cause minor irritation to the respiratory tract and to other mucous membranes.
Skin	: May cause an allergic skin reaction. May cause slight irritation to the skin.
Eyes	: Causes serious eye irritation.
Ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: No chronic health hazards are likely for this material.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director



Absorbine® CoolDown® After Workout Rinse

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0031
Create Date:	8/23/2016
Revision Date:	8/15/2025
Revision Number:	4
Page:	8/11

Ethanol (64-17-5)

LC50 - Fish [1]	14.2 g/l Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	> 100 mg/l
NOEC (chronic)	9.6 mg/l Daphnia magna (Water flea)

Lavandula angustifolia oil (8000-28-0)

LC50 - Fish [1]	29.173 mg/l
EC50 - Crustacea [1]	21.995 g/l
ErC50 algae	13 mg/l

Mentha Piperita Oil (8006-90-4)

LC50 - Fish [1]	3.4 mg/l
EC50 - Crustacea [1]	2.7 mg/l
EC50 72h - Algae [1]	2.61 mg/l

Polyoxyl 40 hydrogenated castor oil (61788-85-0)

LC50 - Fish [1]	> 1 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	> 1 mg/l Daphnia magna (Water flea)

12.2. Persistence and degradability

Absorbine® CoolDown® After Workout Rinse

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

Rosemary Oil (8000-25-7)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Ethanol (64-17-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Lavandula angustifolia oil (8000-28-0)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Mentha Piperita Oil (8006-90-4)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Polyoxyl 40 hydrogenated castor oil (61788-85-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

Ethanol (64-17-5)

Bioaccumulative potential	Low bioaccumulation potential.
---------------------------	--------------------------------

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director



Absorbine® CoolDown® After Workout Rinse

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0031
Create Date:	8/23/2016
Revision Date:	8/15/2025
Revision Number:	4
Page:	9/11

Lavandula angustifolia oil (8000-28-0)

Partition coefficient n-octanol/water (Log Pow) 4.8

Mentha Piperita Oil (8006-90-4)

Partition coefficient n-octanol/water (Log Pow) 4.38

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available



SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Dispose of in accordance with applicable federal, state, and local regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not applicable	Not applicable	Not applicable	1170
14.2. Proper Shipping Name			
LTD QTY	LTD QTY	LTD QTY	Ethanol solution (LTD QTY)
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	3
			 
14.4. Packing group			
Not applicable	Not applicable	Not applicable	III
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Absorbine® CoolDown® After Workout Rinse SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	10/11

14.6. Special precautions for user

DOT

Inner Package Limit : 5 L
Total Package Limit : 30 kg

TDG

Inner Package Limit : 5 L
Total Package Limit : 30 kg

IMDG

Special provision (IMDG) : 144, 223
 Limited quantities (IMDG) : 5 L
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T2
 Tank special provisions (IMDG) : TP1
 EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
 EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
 Stowage category (IMDG) : A
 Properties and observations (IMDG) : Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.

IATA

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y344
 PCA limited quantity max net quantity (IATA) : 10L
 PCA packing instructions (IATA) : 355
 PCA max net quantity (IATA) : 60L
 CAO packing instructions (IATA) : 366
 CAO max net quantity (IATA) : 220L
 Special provision (IATA) : A3, A58, A180
 ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

No additional information available

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

	Absorbine® CoolDown® After Workout Rinse SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0031
		Create Date:	8/23/2016
		Revision Date:	8/15/2025
		Revision Number:	4
		Page:	11/11

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Ethanol(64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Full text of hazard classes and H-statements	
H226	Flammable liquid and vapor
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

Safety Data Sheet (SDS), USA

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---