

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	1/12

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Absorbine® Hooflex® Magic Cushion® Xtreme
 Product number : 446041, 446051, 446065

1.2. Recommended use and restrictions on use

Recommended use : Products for animals, topical treatment
 Restrictions on use : None known

1.3. Supplier

Manufacturer

W.F. Young, Inc.
 302 Benton Drive
 East Longmeadow, MA 01028
 USA
 T (413) 526-9999 x 468 - F (413) 526-9869
www.wfyoung.com

1.4. Emergency telephone number

Emergency number : Company Hotline: +1 (413) 526-9999

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Specific target organ toxicity (repeated exposure) Category 1	H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (oral)

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
 Hazard statements (GHS US) : H302 - Harmful if swallowed
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	2/12

Precautionary statements (GHS US)

- H319 - Causes serious eye irritation
- H372 - Causes damage to organs (thyroid gland) through prolonged or repeated exposure (oral)
- : P260 - Do not breathe vapors.
- P264 - Wash hands thoroughly after handling.
- P270 - Do not eat, drink or smoke when using this product.
- P272 - Contaminated work clothing must not be allowed out of the workplace.
- P280 - Wear protective gloves, protective clothing, eye protection.
- P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.
- P330 - Rinse mouth.
- P302+P352 - If on skin: Wash with plenty of water.
- P362+P364 - Take off contaminated clothing and wash it before reuse.
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P314 - Get medical advice/attention if you feel unwell.
- P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None known.

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Rosin	CAS-No.: 8050-09-7	30 – 60
Gum turpentine oil	CAS-No.: 8006-64-2	27
Iodine	CAS-No.: 7553-56-2	1.29

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret
 Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Rinse skin with water/shower. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	3/12

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes eye irritation. Causes skin irritation. May cause an allergic skin reaction. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Harmful if swallowed. Causes damage to organs (thyroid gland) (oral).

Inhalation : None under normal use. At high concentrations, the vapors can be irritating to the respiratory system.

Skin : Causes skin irritation. May cause an allergic skin reaction.

Eyes : Causes eye irritation.

Ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

Chronic symptoms : Causes damage to organs through prolonged or repeated exposure.

4.3. Immediate medical attention and special treatment, if necessary

Not required. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Not classified. Could burn but does not ignite readily.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Iodine vapor. Toxic vapors may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep unnecessary and unprotected personnel away from the spillage. Do not attempt to take action without suitable protective equipment.

6.1.1. For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Ventilate spillage area. Avoid breathing vapors. Do not touch or walk on the spilled product. Evacuate unnecessary personnel.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	4/12

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow product to spread into the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain and collect as any solid.
 Methods for cleaning up : Ventilate area. Mechanically recover the product. Use personal protective equipment as required. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Avoid release to the environment.
 Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure adequate ventilation. Avoid breathing vapors. Avoid contact with skin and eyes. Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety procedures.
 Hygiene measures : Contaminated work clothing must not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Protect from physical damage. Keep cool.
 Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ABSORBINE® HOOFLEX® MAGIC CUSHION® EXTREME	
No additional information available	
Rosin (8050-09-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Resin acids, as total Resin acids
ACGIH OEL TWA	0.001 mg/m ³ (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Asthma; resp & eye irr; dermal & resp sens. Notations: DSEN; RSEN
Regulatory reference	ACGIH 2022

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



**Absorbine® Hooflex® Magic
Cushion® Xtreme US**

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0054
Create Date:	10/8/2013
Revision Date:	4/9/2025
Revision Number:	4
Page:	5/12

Gum turpentine oil (8006-64-2)

USA - ACGIH - Occupational Exposure Limits

Local name	Turpentine
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022

USA - OSHA - Occupational Exposure Limits

Local name	Turpentine
OSHA PEL (TWA)	560 mg/m ³
OSHA PEL (TWA)	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Iodine (7553-56-2)

USA - ACGIH - Occupational Exposure Limits

Local name	Iodine, as I
ACGIH OEL TWA [ppm]	0.001 ppm (IFV - Inhalable fraction and vapor)
ACGIH OEL STEL [ppm]	0.1 ppm (V - Vapor fraction)
Remark (ACGIH)	TLV® Basis: Thyroid & maternal repro eff; fetal & neonatal dam. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023

USA - OSHA - Occupational Exposure Limits

Local name	Iodine
OSHA PEL (Ceiling)	1 mg/m ³
OSHA PEL C [ppm]	0.1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation.
Environmental exposure controls : Do not allow product to spread into the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear impervious gloves.

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director



**Absorbine® Hooflex® Magic
Cushion® Xtreme US**

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0054
Create Date:	10/8/2013
Revision Date:	4/9/2025
Revision Number:	4
Page:	6/12

Respiratory protection:

No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Thermal hazard protection:

Not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Brown. Paste.
Color	: Brown
Odor	: Pine
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: This product is not classified as flammable or combustible. Capable of being set on fire.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Not oxidising.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	7/12

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
 Acute toxicity (dermal) : Not classified
 Acute toxicity (inhalation) : Not classified

ABSORBINE® HOOFLEX® MAGIC CUSHION® EXTREME

ATE US (oral)	1720.935 mg/kg body weight
---------------	----------------------------

Rosin (8050-09-7)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402 method)

Gum turpentine oil (8006-64-2)

LD50 oral rat	> 500 – ≤ 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402 method)
LC50 Inhalation - Rat	13.7 mg/l/4h (OECD 403 method)

Iodine (7553-56-2)

LD50 oral rat	315 mg/kg
LD50 dermal rabbit	1425 mg/kg
LC50 Inhalation - Rat	> 4.588 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.
 Serious eye damage/irritation : Causes serious eye irritation.
 Respiratory or skin sensitization : May cause an allergic skin reaction.
 Germ cell mutagenicity : Not classified
 Carcinogenicity : This product does not contain any component that is considered a carcinogen by IARC, ACGIH, OSHA or NTP. . Not classified
 Reproductive toxicity : Not classified
 STOT-single exposure : Not classified

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



Absorbine® Hooflex® Magic Cushion® Xtreme US

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0054
Create Date:	10/8/2013
Revision Date:	4/9/2025
Revision Number:	4
Page:	8/12

Iodine (7553-56-2)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Causes damage to organs (thyroid gland) through prolonged or repeated exposure (oral).

Iodine (7553-56-2)

NOAEL (oral,rat,90 days)	10 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: Causes eye irritation. Causes skin irritation. May cause an allergic skin reaction. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Harmful if swallowed. Causes damage to organs (thyroid gland) (oral).
Inhalation	: None under normal use. At high concentrations, the vapors can be irritating to the respiratory system.
Skin	: Causes skin irritation. May cause an allergic skin reaction.
Eyes	: Causes eye irritation.
Ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Chronic symptoms	: Causes damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
-------------------	--

Rosin (8050-09-7)

LC50 - Fish [1]	5.4 mg/l Danio rerio (Zebrafish)
-----------------	----------------------------------

Gum turpentine oil (8006-64-2)

LC50 - Fish [1]	29 mg/l Danio rerio (Zebrafish)
EC50 - Crustacea [1]	8.8 mg/l Daphnia magna (Water flea)

Iodine (7553-56-2)

LC50 - Fish [1]	1.67 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	0.55 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	0.13 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

Iodine (7553-56-2)

Persistence and degradability	Biodegradation is not applicable to inorganic compounds.
-------------------------------	--

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director



**Absorbine® Hooflex® Magic
Cushion® Xtreme US**

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0054
Create Date:	10/8/2013
Revision Date:	4/9/2025
Revision Number:	4
Page:	9/12

12.3. Bioaccumulative potential

Rosin (8050-09-7)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

Iodine (7553-56-2)

Partition coefficient n-octanol/water (Log Pow)	2.46
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations



13.1. Disposal methods

Waste treatment methods : Dispose of in accordance with applicable federal, state, and local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not applicable	Not regulated	3077	3077
14.2. Proper Shipping Name			
Not applicable	Not regulated	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Rosin)	Environmentally hazardous substance, solid, n.o.s. (Rosin)
14.3. Transport hazard class(es)			
Not applicable	Not regulated	9	9
Not applicable	Not regulated		
14.4. Packing group			
Not applicable	Not regulated	III	III

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	10/12

DOT	TDG	IMDG	IATA
14.5. Environmental hazards			
Not applicable	Not regulated	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
Note: Inner packages containing net quantities of less than 5 kg/5 L are exempt per IMDG Code 2.10.2.7 and ICAO Special Provision A197.			

14.6. Special precautions for user

DOT
Not applicable

TDG
Not regulated

IMDG

- Special provision (IMDG) : 274, 335, 966, 967, 969
- Limited quantities (IMDG) : 5 kg
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : LP02, P002
- Packing provisions (IMDG) : PP12
- IBC packing instructions (IMDG) : IBC08
- IBC special provisions (IMDG) : B3
- Tank instructions (IMDG) : BK1, BK2, BK3, T1
- Tank special provisions (IMDG) : TP33
- EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
- EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
- Stowage category (IMDG) : A
- Stowage and handling (IMDG) : SW23

IATA

- PCA Excepted quantities (IATA) : E1
- PCA Limited quantities (IATA) : Y956
- PCA limited quantity max net quantity (IATA) : 30kgG
- PCA packing instructions (IATA) : 956
- PCA max net quantity (IATA) : 400kg
- CAO packing instructions (IATA) : 956
- CAO max net quantity (IATA) : 400kg
- Special provision (IATA) : A97, A158, A179, A197, A215
- ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

ABSORBINE® HOOFLEX® MAGIC CUSHION® EXTREME

SARA Section 311/312 Hazard Classes	Refer to Section 2 for OSHA Hazard Classification.
-------------------------------------	--

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	11/12

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Rosin (8050-09-7)

Listed on the Canadian DSL (Domestic Substances List)

Gum turpentine oil (8006-64-2)

Listed on the Canadian DSL (Domestic Substances List)

Iodine (7553-56-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

ABSORBINE® HOOFLX® MAGIC CUSHION® EXTREME

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Listed on the Canadian DSL (Domestic Substances List)

Rosin (8050-09-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Gum turpentine oil (8006-64-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Iodine (7553-56-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

	Absorbine® Hooflex® Magic Cushion® Xtreme US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0054
		Create Date:	10/8/2013
		Revision Date:	4/9/2025
		Revision Number:	4
		Page:	12/12

Component	State or local regulations
Gum turpentine oil(8006-64-2)	U.S. - New Jersey - Right to Know Hazardous Substance List
Iodine(7553-56-2)	U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Full text of H-phrases	
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H372	Causes damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), USA

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---