

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
 Product name : UltraShield® Insecticide & Repellent  
 Product number : 430840

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Residual Insecticide Use  
 Restrictions on use : Read and understand the entire label before using. Use only according to label directions. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### 1.4. Supplier's details

##### Supplier

W.F. Young, Inc.  
 302 Benton Drive  
 East Longmeadow, MA 01028  
 USA  
 T (413) 526-9999 x 468 - F (413) 526-9869  
[www.wfyoung.com](http://www.wfyoung.com)

##### Distributor

Saddlery Trading Company  
 14 Exeter Way  
 Caloundra Qld 4551, Australia

#### 1.5. Emergency phone number

Emergency number : Company Hotline: +1 (413) 526-9999

Country/Area	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	

### SECTION 2 Hazard identification

#### 2.1. Classification of the substance or mixture

##### GHS classification

Flammable liquid, Category 3 H226 Flammable liquid and vapour.  
 Full text of H-statements: see section 16

#### 2.2. Label elements

##### GHS labelling

Hazard pictograms (GHS AU) :



Signal word (GHS AU) : Warning  
 Hazard statements (GHS AU) : H226 - Flammable liquid and vapour.  
 Precautionary statements (GHS AU) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

P233 - Keep container tightly closed.  
P240 - Ground and Bond container and receiving equipment.  
P241 - Use explosion-proof electrical equipment.  
P242 - Use non-sparking tools.  
P243 - Take action to prevent static discharges.  
P280 - Wear eye protection.  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P370+P378 - In case of fire: Use Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or waterspray to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Isopropanol	CAS-No.: 67-63-0	7-13
Surfactant (WFY-1)*	CAS-No.: Trade Secret	1-5
Piperonyl butoxide	CAS-No.: 51-03-6	1
Permethrin	CAS-No.: 52645-53-1	0.5
Pyrethrins	CAS-No.: 8003-34-7	0.1

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. Get medical advice if skin irritation persists.

First-aid measures after eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth out with water. Get medical advice/attention.

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

### 4.2. Most important symptoms/effects, acute and delayed

Inhalation	: May cause minor irritation to the respiratory tract and to other mucous membranes.
Skin	: May cause slight irritation to the skin.
Eyes	: Direct contact with the eyes is likely to be irritating.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: None known.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically. If medical advice is needed, have product container or label at hand.
-----------------------------------	--

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray or alcohol-resistant foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Flammable liquid and vapour. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
Explosion hazard	: Intense heat may cause container to burst.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO <sub>2</sub> ). Nitrogen oxides. Hydrocarbon. Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Stop leak if safe to do so. Do not touch or walk on the spilled product.
------------------	---

#### For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Avoid prolonged contact with eyes, skin and clothing. Do not breathe mist, vapours. Ventilate spillage area.

#### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
Environmental precautions	: Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### 6.2. Methods and materials for containment and cleaning up

For containment	: Stop leak without risks if possible. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Use non-sparking tools. Absorb and/or contain spill with inert material, then place in suitable container.
Other information	: Dispose of materials or solid residues at an authorised site.

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

For further information refer to section 13.

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid prolonged contact with eyes, skin and clothing. Wear personal protective equipment. Do not breathe mist, vapours. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Ground/bond container and receiving equipment. Use only non-sparking tools. Keep container tightly closed. Flammable vapours may accumulate in the container. Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

#### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions	: Store in a cool, dry (preferably locked) place that is away from heat or open flame in an area that is protected from freezing (above 32°F) and is also inaccessible to children and animals. Do not use or store near heat or open flame. Keep away from open flames, hot surfaces and sources of ignition. Do not store near or use with oxidizing agents. When not in use, keep containers tightly closed. Keep out of reach of children.
--------------------	--

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

Pyrethrins (8003-34-7)	
<b>Australia – Occupational Exposure Limit (OEL)</b>	
Local name	Pyrethrum
OEL TWA	5 mg/m <sup>3</sup>
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Pyrethrum
ACGIH® TLV® TWA	5 mg/m <sup>3</sup>
Remark (ACGIH®)	TLV® Basis: Liver dam; LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
Isopropanol (67-63-0)	
<b>Australia – Occupational Exposure Limit (OEL)</b>	
Local name	Isopropyl alcohol
OEL TWA	400 ppm
OEL STEL	500 ppm (15 min average value)
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	2-Propanol
ACGIH® TLV® TWA	491 mg/m <sup>3</sup>

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

Isopropanol (67-63-0)	
ACGIH® TLV® TWA	200 ppm
ACGIH® TLV® STEL	984 mg/m <sup>3</sup>
ACGIH® TLV® STEL	400 ppm
Remark (ACGIH®)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2022
USA - ACGIH - Biological Exposure Indices	
Local name	2-Propanol
BEI	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B, Ns
Regulatory reference	ACGIH 2025

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Use explosion-proof equipment. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

<b>Hand protection:</b>
Wear impervious gloves. Contact your glove supplier for selection assistance.
<b>Eye protection:</b>
Wear security glasses which protect from splashes
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state : Liquid

Colour : White

Odour : Characteristic

Odour threshold : No data available

pH : 5.58 (Data from similar product)

Melting point : Not applicable

Freezing point : No data available

Boiling point : 100 °C (212°F) (estimated value)

Flash point : 38.1 °C (100.58°F) (closed cup) (Data from similar product)

Flammability (solid, gas) : Flammable liquid. does not sustain combustion.

Vapour pressure : No data available

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 0.987 g/cm <sup>3</sup> (8.236 lb/gallon) (Data from similar product)
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 2.495 mm <sup>2</sup> /s (40°C/104°F) (Data from similar product)
Explosive limits	: Lower explosion limit: 2 vol % (Isopropanol) Upper explosion limit: 12 vol % (Isopropanol)
Particle characteristics	: No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases. Aldehydes.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

UltraShield® EX Insecticide & Repellent	
LD50 oral rat	> 5000 mg/kg (US EPA OCSPP 870.1100) (Data from similar product)
LD50 dermal rat	> 5000 mg/kg (US EPA OCSPP 870.1200) (Data from similar product)
LC50 inhalation rat (dust/mist)	>2.13 mg/l/4h (US EPA OCSPP 870.1300) (Data from similar product)
Permethrin (52645-53-1)	
LD50 oral rat	600 mg/kg
LD50 dermal rat	2500 mg/kg

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

<b>Permethrin (52645-53-1)</b>	
LD50 dermal rabbit	> 2000 mg/kg
<b>Pyrethrins (8003-34-7)</b>	
LD50 oral rat	1030 mg/kg
LD50 dermal rat	2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	3.4 mg/l/4h
<b>Piperonyl butoxide (51-03-6)</b>	
LD50 oral rat	5630 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5.9 mg/l/4h
<b>Isopropanol (67-63-0)</b>	
LD50 oral rat	5840 mg/kg
LD50 oral	4384 mg/kg
LD50 dermal rabbit	12800 mg/kg
LC50 Inhalation - Rat [ppm]	1666.66 ppm/1h
Skin corrosion/irritation	: Not classified (This product was tested and based on available data, the classification criteria are not met. ; Data from similar product) pH: 5.58 (Data from similar product)
Serious eye damage/irritation	: Not classified (This product was tested and based on available data, the classification criteria are not met. ; Data from similar product). pH: 5.58 (Data from similar product)
Respiratory or skin sensitisation	: This product is not expected to cause skin sensitization based on test data from the US EPA OCSP 870.2600 Skin Sensitization study. Data from similar product
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Permethrin (52645-53-1)</b>	
IARC group	3 - Not classifiable
<b>Piperonyl butoxide (51-03-6)</b>	
IARC group	3 - Not classifiable
<b>Isopropanol (67-63-0)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
<b>Isopropanol (67-63-0)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
<b>Surfactant (WFY-1)</b>	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

Piperonyl butoxide (51-03-6)	
LOAEL (dermal, rat/rabbit, 90 days)	≥ 1000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days)
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days)

Aspiration hazard : Not classified

UltraShield® EX Insecticide & Repellent	
Viscosity, kinematic	2.495 mm <sup>2</sup> /s (40°C/104°F) (Data from similar product)
Inhalation	: May cause minor irritation to the respiratory tract and to other mucous membranes.
Skin	: May cause slight irritation to the skin.
Eyes	: Direct contact with the eyes is likely to be irritating.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: None known.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Ecology - general	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Avoid release to the environment. DO NOT contaminate wetlands or watercourses with this product or used container.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Permethrin (52645-53-1)	
LC50 - Fish [1]	0.00079 mg/l <i>Lepomis macrochirus</i> (Bluegill)

Pyrethrins (8003-34-7)	
LC50 - Fish [1]	0.0051 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
EC50 - Crustacea [1]	0.0014 mg/l <i>Mysis</i> shrimp
LC50 - Fish [2]	0.016 mg/l <i>Cyprinodon variegatus</i> (sheepshead minnow)
EC50 - Crustacea [2]	0.0116 mg/l <i>daphnia</i>
NOEC chronic fish	0.0019 mg/l <i>Pimephales promelas</i> (Fathead minnow)
NOEC chronic crustacea	0.00086 mg/l <i>Daphnia magna</i> (Water flea)

Piperonyl butoxide (51-03-6)	
LC50 - Fish [1]	5.37 mg/l <i>Lepomis macrochirus</i> (Bluegill)
EC50 - Crustacea [1]	510 µg/l <i>Daphnia magna</i> (Water flea)
LC50 - Fish [2]	3.94 mg/l <i>Cyprinodon variegatus</i> (sheepshead minnow)
EC50 72h - Algae [1]	3.89 mg/l <i>Pseudokirchneriella subcapitata</i>
NOEC (chronic)	0.03 mg/l <i>Daphnia magna</i> (Water flea)
NOEC chronic fish	0.18 mg/l <i>Pimephales promelas</i> (Fathead minnow)

Isopropanol (67-63-0)	
LC50 - Fish [1]	10000 mg/l <i>Pimephales promelas</i> (Fathead minnow)

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

Isopropanol (67-63-0)	
EC50 - Crustacea [1]	1000 mg/l
LC50 - Fish [2]	9640 mg/l Pimephales promelas (Fathead minnow)
ErC50 algae	1000 mg/l
NOEC chronic crustacea	100 mg/l

### 12.2. Persistence and degradability

UltraShield® EX Insecticide & Repellent	
Persistence and degradability	No additional information available.
Permethrin (52645-53-1)	
Persistence and degradability	Rapidly degradable
Pyrethrins (8003-34-7)	
Persistence and degradability	Pyrethrins have low persistence in the environment due to rapid breakdown in presence of UV light.
Surfactant (WFY-1)	
Persistence and degradability	No additional information available.
Piperonyl butoxide (51-03-6)	
Persistence and degradability	Not rapidly degradable
Isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

Isopropanol (67-63-0)	
BCF - Fish [1]	3
Partition coefficient n-octanol/water (Log Kow)	0.05

### 12.4. Mobility in soil

Isopropanol (67-63-0)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.5

### 12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

## SECTION 13 Disposal considerations

Waste treatment methods	: Dispose of in accordance with applicable federal, state, and local regulations.
Sewage disposal recommendations	: Do not dispose of waste into sewer. Disposal must be done according to official regulations.

# UltraShield® EX Insecticide & Repellent




## Safety Data Sheet

According to Australia Model WHS Regulations.

Product/Packaging disposal recommendations : Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. If empty: Place in trash or offer for recycling if available. If partly filled: Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options. Never place unused product down any indoor or outdoor drain. DO NOT contaminate wetlands or watercourses with this product or used container.

### SECTION 14 Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
<b>14.1. UN number</b>		
3082	3082	3082
<b>14.2. Proper Shipping Name</b>		
Environmentally hazardous substance, liquid, n.o.s. (Pyrethrins ; Permethrin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pyrethrins ; Permethrin)	Environmentally hazardous substance, liquid, n.o.s. (Pyrethrins ; Permethrin)
<b>14.3. Transport hazard class(es)</b>		
9	9	9
		
<b>14.4. Packing group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
Hazchem or Emergency Action Code: <b>·3Z</b>		
Note: Inner packages with less than 5 liters of liquid are exempt from being shipped as a marine pollutant per IMDG Code 2.10.2.7 and ICAO Special Provision A197.		

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

#### ADG

No data available

#### IMDG

Special provisions (IMDG) : 274, 335, 375, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE  
EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS  
Stowage category (IMDG) : A

### IATA

Special provisions (IATA) : A97, A158, A197, A215  
PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
ERG code (IATA) : 9L

## SECTION 15 Regulatory information

### 15.1. Safety, health, and environmental regulations

#### 15.1.1. AU-Regulations

##### Montreal Protocol (Ozone Depleting Substances)

None Present

##### The Stockholm Convention (Persistent Organic Pollutants)

None present

##### The Rotterdam Convention (Prior Informed Consent)

None present

##### Basel Convention

None present

##### International Convention for the Prevention of Pollution from Ships (IMO)

None listed

##### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Not applicable

#### 15.1.2. National regulations

##### Australian Inventory of Chemical Substances

This product is registered with the APVMA and the approval number is 86134/114757. All the components in this product are listed on the AICS inventory.

## SECTION 16 Other Information

According to Australia Model WHS Regulations.

### Full text of hazard classes and H-statements

H226	Flammable liquid and vapour
------	-----------------------------

# UltraShield® EX Insecticide & Repellent

## Safety Data Sheet

According to Australia Model WHS Regulations.

---

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.