

	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	1/13

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
 Product name : Horseman's One Step® Leather Cleaner & Conditioner Cream
 Product code : 428320, 428320E, 428325

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Intended for general public
 Recommended use : Leather cleaner and conditioner
 Restrictions on use : None known

1.4. Supplier's details

Manufacturer

W.F. Young, Inc.
 302 Benton Drive
 East Longmeadow, MA 01028
 USA
 T (413) 526-9999 x 468 - F (413) 526-9869
www.wfyoung.com

1.5. Emergency phone number

Emergency number : Company Hotline: +1 (413) 526-9999

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment — Acute Hazard, Category 2	H401	Toxic to aquatic life.
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412	Harmful to aquatic life with long lasting effects.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
 Hazard statements (GHS US) : H315 - Causes skin irritation
 H318 - Causes serious eye damage

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	2/13

Precautionary statements (GHS US)

- H401 - Toxic to aquatic life
- H412 - Harmful to aquatic life with long lasting effects
- : P264 - Wash hands thoroughly after handling.
- P273 - Avoid release to the environment.
- P280 - Wear eye protection, protective gloves.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 - Immediately call a POISON CENTER or doctor/physician.
- P302+P352 - If on skin: Wash with plenty of soap and water.
- P332+P313 - If skin irritation occurs: Get medical advice or attention.
- P362+P364 - Take off contaminated clothing and wash it before reuse.
- P501 - Dispose of contents and container to in accordance with local and national regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
White Mineral Oil (Petroleum)	CAS-No.: 8042-47-5	30-40
Alcohols, C12-14-secondary, ethoxylated	CAS-No.: 84133-50-6	3-7
Glycerin	CAS-No.: 56-81-5	1-5
1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,Ndimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts	CAS-No.: 68139-30-0	1-5
Docusate Sodium	CAS-No.: 577-11-7	0.5-1.5
Sodium Hydroxide	CAS-No.: 1310-73-2	0.1-1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret
 Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Move the affected person to fresh air. Get medical attention if symptoms occur.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	3/13

- First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice if skin irritation persists. Take off contaminated clothing and wash it before reuse.
- First-aid measures after eye contact : Immediately flush thoroughly with water for at least 20 minutes, while holding the eye lids open to be sure the material is washed out. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

- Symptoms/effects : May cause severe eye irritation with possible eye damage. May cause irritation to skin. Ingestion may cause nausea, vomiting and diarrhea.
- Chronic symptoms : None known.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

- Other medical advice or treatment : Immediate medical attention is required for eye contact.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Specific hazards arising from the chemical

- Fire hazard : This product is not classified as flammable or combustible. Prolonged exposure to fire may cause containers to rupture/explode.
- Hazardous decomposition products in case of fire : Thermal decomposition generates: Carbon oxides (CO, CO₂). Hydrocarbon. Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Cool down the containers exposed to heat with a water spray. Do not allow run-off from firefighting to enter drains or water courses.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not touch or walk on the spilled product. Avoid contact with eyes, skin and clothing. Wear suitable protective clothing.

For non-emergency personnel

- Emergency procedures : Avoid contact with skin and eyes. Avoid breathing dust, vapors. Ventilate spillage area.

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

- Environmental precautions : Avoid release to the environment.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	4/13

6.2. Methods and materials for containment and cleaning up

For containment	: Stop leak if safe to do so. Collect spillage.
Methods for cleaning up	: Absorb and/or contain spill with inert material, then place in suitable container.
Other information	: Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust, vapors. Ensure good ventilation of the work station.
Hygiene measures	: Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions	: Store in dry, well-ventilated area. Store at room temperature. Keep container closed when not in use. Keep out of the reach of children.
Specific end uses	: Leather care products.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

White Mineral Oil (Petroleum) (8042-47-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Mineral oil, excluding metal working fluids Pure, highly and severely refined
ACGIH® TLV® TWA	5 mg/m³ (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Oil mist, mineral
OSHA PEL (TWA)	5 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Glycerin (56-81-5)	
USA - OSHA - Occupational Exposure Limits	
Local name	Glycerin (mist)
OSHA PEL (TWA)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



Horseman's One Step® Cream Leather Cleaner & Conditioner-US

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0062
Create Date:	6/21/2007
Revision Date:	8/4/2025
Revision Number:	8
Page:	5/13

Glycerin (56-81-5)

USA - Cal/OSHA - Occupational Exposure Limits

Local name	Glycerin mist
Cal/OSHA PEL (OEL TWA)	10 mg/m ³ (Total dust) 5 mg/m ³ (Respirable fraction)
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)

Sodium Hydroxide (1310-73-2)

USA - ACGIH - Occupational Exposure Limits

Local name	Sodium hydroxide
ACGIH® TLV® C	2 mg/m ³
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2024

USA - OSHA - Occupational Exposure Limits

Local name	Sodium hydroxide
OSHA PEL (TWA)	2 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

- Appropriate engineering controls : Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:

Wear impervious gloves. Contact your glove supplier for selection assistance.

Eye protection:

Wear safety goggles or other eye protection to prevent eye contact.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 W.F. YOUNG <small>ESTD 1892</small>	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	6/13

Appearance	: White. Paste.
Color	: White
Odor	: Characteristic
Odor threshold	: No data available
pH	: 9.8
Melting point	: No data available
Freezing point	: -17.8 °C
Boiling point	: No data available
Flash point	: > 93.3 °C
Relative evaporation rate (butyl acetate=1)	: < 1
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 0.5 mm Hg @ 20°C (68°F)
Relative vapor density at 20°C	: > 1
Relative density	: 0.888
Solubility	: Emulsifiable.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: > 20.5 mm ² /s @ 40°C (104°F)
Explosion limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidizers. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--



Horseman's One Step® Cream Leather Cleaner & Conditioner-US

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0062
Create Date:	6/21/2007
Revision Date:	8/4/2025
Revision Number:	8
Page:	7/13

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

White Mineral Oil (Petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h No mortality

1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,Ndimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts (68139-30-0)	
LD50 oral rat	2950 mg/kg

Glycerin (56-81-5)	
LD50 oral rat	27200 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Female, Experimental value, Oral)
LD50 oral	25000 mg/kg body weight
LD50 dermal	56750 mg/kg (4 day(s), Guinea pig, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 5.85 mg/l

Docusate Sodium (577-11-7)	
LD50 oral rat	> 3000 mg/kg
LD50 dermal rabbit	> 2525 µg/kg

Alcohols, C12-14-secondary, ethoxylated (84133-50-6)	
LD50 oral rat	> 412 mg/kg
LD50 dermal rat	> 14000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.06 mg/l/4h

Sodium Hydroxide (1310-73-2)	
LD50 oral	Corrosive material. Acute toxicity (oral) Classification not possible
LD50 dermal	Corrosive material. Acute toxicity (dermal) Classification not possible.

Skin corrosion/irritation : Causes skin irritation.
pH: 9.8

Serious eye damage/irritation : Causes serious eye damage.
pH: 9.8

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 W.F. YOUNG <small>ESTD 1892</small>	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	8/13

STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

White Mineral Oil (Petroleum) (8042-47-5)	
NOAEL (oral,rat,90 days)	≥ 1200 mg/kg body weight

Docusate Sodium (577-11-7)	
NOAEL (oral,rat,90 days)	750 mg/kg body weight OECD 408

Aspiration hazard : Not classified

Horseman's One Step® Leather Cleaner & Conditioner Cream	
Viscosity, kinematic	> 20.5 mm ² /s @ 40°C (104°F)

White Mineral Oil (Petroleum) (8042-47-5)	
Hydrocarbon	Yes

Symptoms/effects : May cause severe eye irritation with possible eye damage. May cause irritation to skin. Ingestion may cause nausea, vomiting and diarrhea.
Chronic symptoms : None known.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Avoid release to the environment.
Hazardous to the aquatic environment, short-term (acute) : Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

White Mineral Oil (Petroleum) (8042-47-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l

1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,Ndimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts (68139-30-0)	
EC50 - Crustacea [1]	11 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	0.32 mg/l Pseudokirchneriella subcapitata
EC50 72h - Algae [2]	0.046 mg/l Pseudokirchneriella subcapitata

Glycerin (56-81-5)	
LC50 - Fish [1]	54000 mg/l (96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	> 10000 mg/l (24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 - Other aquatic organisms [1]	> 10000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 10000 mg/l

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



Horseman's One Step® Cream Leather Cleaner & Conditioner-US

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0062
Create Date:	6/21/2007
Revision Date:	8/4/2025
Revision Number:	8
Page:	9/13

Docusate Sodium (577-11-7)

LC50 - Fish [1]	49 mg/l
EC50 - Crustacea [1]	15.2 mg/l Daphnia magna
ErC50 algae	82.5 mg/l
NOEC (chronic)	9 mg/l 21d

Sodium Hydroxide (1310-73-2)

EC50 - Crustacea [1]	40.4 mg/l
----------------------	-----------

12.2. Persistence and degradability

Horseman's One Step® Leather Cleaner & Conditioner Cream

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

White Mineral Oil (Petroleum) (8042-47-5)

Persistence and degradability	Inherently biodegradable.
-------------------------------	---------------------------

1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,Ndimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts (68139-30-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Glycerin (56-81-5)

Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.87 g O ₂ /g substance
Chemical oxygen demand (COD)	1.16 g O ₂ /g substance
ThOD	1.217 g O ₂ /g substance
BOD (% of ThOD)	0.71

Docusate Sodium (577-11-7)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Alcohols, C12-14-secondary, ethoxylated (84133-50-6)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Sodium Hydroxide (1310-73-2)

Persistence and degradability	Biodegradation is not applicable to inorganic compounds.
-------------------------------	--

12.3. Bioaccumulative potential

Glycerin (56-81-5)

Partition coefficient n-octanol/water (Log Pow)	-1.75 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Not bioaccumulative.

Docusate Sodium (577-11-7)

Partition coefficient n-octanol/water (Log Pow)	2
---	---

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director



Horseman's One Step® Cream Leather Cleaner & Conditioner-US

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0062
Create Date:	6/21/2007
Revision Date:	8/4/2025
Revision Number:	8
Page:	10/13

Docusate Sodium (577-11-7)

Partition coefficient n-octanol/water (Log Kow)	2
---	---

12.4. Mobility in soil

Glycerin (56-81-5)

Surface tension	0.0634 N/m (20 °C, 1000 g/l)
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Refer to product label for additional information on use and handling. Dispose of in accordance with applicable federal, state, and local regulations.
Sewage disposal recommendations : Do not dispose of waste into sewer. Disposal must be done according to official regulations.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT
Not regulated

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	11/13

TDG
Not regulated

IMDG
Not regulated

IATA
Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

Horseman's One Step® Leather Cleaner & Conditioner Cream

SARA Section 311/312 Hazard Classes	Refer to Section 2 for OSHA Hazard Classification.
-------------------------------------	--

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Sodium Hydroxide (1310-73-2)

CERCLA RQ	1000 lb
-----------	---------

15.2. International regulations

CANADA

White Mineral Oil (Petroleum) (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List)

1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,Ndimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts (68139-30-0)

Listed on the Canadian DSL (Domestic Substances List)

Glycerin (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

Docusate Sodium (577-11-7)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-14-secondary, ethoxylated (84133-50-6)

Listed on the Canadian DSL (Domestic Substances List)

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

 W.F. YOUNG <small>ESTD 1892</small>	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	12/13

Sodium Hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Glycerin (56-81-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Sodium Hydroxide (1310-73-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Glycerin(56-81-5)	U.S. - New Jersey - Right to Know Hazardous Substance List
Sodium Hydroxide(1310-73-2)	U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16 Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Data sources : ECHA (European Chemicals Agency). Supplier's safety documents.

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H318	Causes serious eye damage
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

	Horseman's One Step® Cream Leather Cleaner & Conditioner-US SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0062
		Create Date:	6/21/2007
		Revision Date:	8/4/2025
		Revision Number:	8
		Page:	13/13

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---