 W.F. YOUNG <small>ESTD 1892</small>	Bigeloil® Liquid	Document Code:	SDS-0033
	SAFETY DATA SHEET	Create Date:	7/21/2007
	<small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Revision Date:	5/9/2025
		Revision Number:	11
		Page:	1/11

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Bigeloil® Liniment
Product number : 427950, 427952, 427954

1.2. Recommended use and restrictions on use

Recommended use : Topical products for animals.
Restrictions on use : Not for Human Use

1.3. Supplier

Manufacturer

W.F. Young, Inc.
302 Benton Drive
East Longmeadow, MA 01028
USA
T (413) 526-9999 x 468 - F (413) 526-9869
www.wfyoung.com

1.4. Emergency telephone number

Emergency number : Company Hotline: +1 (413) 526-9999

SECTION 2: Hazard(s) identification


2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2	Highly flammable liquid and vapor
Eye irritation Category 2	Causes serious eye irritation
Reproductive toxicity Category 2	Suspected of damaging fertility or the unborn child
Hazardous to the aquatic environment – Acute Hazard Category 3	Harmful to aquatic life
Hazardous to the aquatic environment – Chronic Hazard Category 3	Harmful to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling


Hazard pictograms (GHS US) : 

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Highly flammable liquid and vapor
Causes serious eye irritation
Suspected of damaging fertility or the unborn child
Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US) : Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

 W.F. YOUNG ESTD 1892	Bigeloil® Liquid	Document Code:	SDS-0033
	SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Create Date:	7/21/2007
		Revision Date:	5/9/2025
		Revision Number:	11
		Page:	2/11

Keep container tightly closed.
 Ground/Bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Wash hands thoroughly after handling.
 Avoid release to the environment.
 Wear protective gloves, protective clothing, eye protection.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 If exposed or concerned: Get medical advice/attention.
 In case of fire: Use alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO2) to extinguish.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None known.

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Ethanol	CAS-No.: 64-17-5	60 – 80
Menthol	CAS-No.: 2216-51-5	1 – 5
Salicylic acid	CAS-No.: 69-72-7	< 1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16


SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	Bigeloil® Liquid	Document Code:	SDS-0033
	SAFETY DATA SHEET	Create Date:	7/21/2007
	<small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Revision Date:	5/9/2025
		Revision Number:	11
		Page:	3/11

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes eye irritation. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Suspected of damaging fertility or the unborn child.

Inhalation : No adverse effects expected under normal conditions of use.

Skin : May cause slight irritation to the skin.

Eyes : Causes eye irritation.

Ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Ingestion may cause nausea, vomiting and diarrhea.

Chronic symptoms : Suspected of damaging the unborn child.

4.3. Immediate medical attention and special treatment, if necessary

Not required. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2).

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

SECTION 6: Accidental release measures


6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep unnecessary and unprotected personnel away from the spillage. Do not attempt to take action without suitable protective equipment.

6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Ventilate spillage area. Avoid breathing vapors. Do not touch or walk on the spilled product. Avoid contact with skin and eyes. Evacuate unnecessary personnel.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

 W.F. YOUNG ESTD 1892	Bigeloil® Liquid	Document Code:	SDS-0033
	SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Create Date:	7/21/2007
		Revision Date:	5/9/2025
		Revision Number:	11
		Page:	4/11

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill. Collect spillage.
 Methods for cleaning up : Ventilate area. Absorb and/or contain spill with inert material, then place in suitable container. Use personal protective equipment as required. Notify authorities if product enters sewers or public waters.
 Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Avoid contact with skin and eyes. Ensure adequate ventilation. Flammable vapors may accumulate in the container. Avoid breathing vapors. Handle in accordance with good industrial hygiene and safety procedures. Use explosion-proof equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Ground/bond container and receiving equipment.
 Hygiene measures : Contaminated work clothing must not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.
 Storage conditions : Store in a well-ventilated place. Protect from physical damage. Keep away from ignition sources. Keep cool. Keep container tightly closed.
 Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



W.F. YOUNG
ESTD 1892

Bigeloil® Liquid

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0033
Create Date:	7/21/2007
Revision Date:	5/9/2025
Revision Number:	11
Page:	5/11

Ethanol (64-17-5)

USA - OSHA - Occupational Exposure Limits

Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA)	1900 mg/m ³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation. Use explosion-proof equipment.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear impervious gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Thermal hazard protection:


Not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid. Yellow.
Color	: Yellow
Odor	: Pine
Odor threshold	: No data available
pH	: 3 – 5
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 35 °C
Flash point	: 14.4 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.888 @25 °C

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

 W.F. YOUNG <small>ESTD 1892</small>	Bigeloil® Liquid	Document Code:	SDS-0033
	SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Create Date:	7/21/2007
		Revision Date:	5/9/2025
		Revision Number:	11
		Page:	6/11

Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Lower explosion limit: 3 vol % Upper explosion limit: 19 vol %
Explosive properties	: Product is not explosive.
Oxidizing properties	: Not oxidising.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethanol (64-17-5)

LD50 oral rat	15010 mg/kg body weight
LD50 oral	8300 mg/kg body weight
LC50 Inhalation - Rat (Vapours)	≈ 116.9 mg/l/4h

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



W.F. YOUNG
ESTD 1892

Bigeloil® Liquid

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0033
Create Date:	7/21/2007
Revision Date:	5/9/2025
Revision Number:	11
Page:	7/11

Menthol (2216-51-5)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg body weight
LC50 Inhalation - Rat	≈ 5.289 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	5.289 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Salicylic acid (69-72-7)

LD50 oral rat	891 mg/kg body weight (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402 method)

Skin corrosion/irritation	: Not classified pH: 3 – 5
Serious eye damage/irritation	: Causes serious eye irritation. pH: 3 – 5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Menthol (2216-51-5)

NOAEL (oral,rat,90 days)	> 375 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: not determinable
--------------------------	--

Salicylic acid (69-72-7)

NOAEL (oral,rat,90 days)	50 mg/kg body weight
--------------------------	----------------------

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: Causes eye irritation. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Suspected of damaging fertility or the unborn child.
Inhalation	: No adverse effects expected under normal conditions of use.
Skin	: May cause slight irritation to the skin.
Eyes	: Causes eye irritation.
Ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Ingestion may cause nausea, vomiting and diarrhea.
Chronic symptoms	: Suspected of damaging the unborn child.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Ethanol (64-17-5)

LC50 - Fish [1]	14.2 g/l Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	> 100 mg/l

<p>Creator</p> <p>Victor Vides Regulatory Manager</p>	<p>Controller</p> <p>Victor Vides Regulatory Manager</p>	<p>Approvers</p> <p>Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director</p>
---	--	--



W.F. YOUNG
ESTD 1892

Bigeloil® Liquid

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0033
Create Date:	7/21/2007
Revision Date:	5/9/2025
Revision Number:	11
Page:	8/11

Ethanol (64-17-5)

NOEC (chronic)	9.6 mg/l Daphnia magna (Water flea)
----------------	-------------------------------------

Menthol (2216-51-5)

LC50 - Fish [1]	15.6 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	26.6 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	20 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	21.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Salicylic acid (69-72-7)

LC50 - Fish [1]	1370 mg/l Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	870 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

Bigeloil® Liniment

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

Ethanol (64-17-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Menthol (2216-51-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Salicylic acid (69-72-7)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

Ethanol (64-17-5)

Bioaccumulative potential	Low bioaccumulation potential.
---------------------------	--------------------------------


12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

<p>Creator</p> <p>Victor Vides Regulatory Manager</p>	<p>Controller</p> <p>Victor Vides Regulatory Manager</p>	<p>Approvers</p> <p>Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director</p>
---	--	--

 W.F. YOUNG ESTD 1892	Bigeloil® Liquid SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code: SDS-0033
		Create Date: 7/21/2007
		Revision Date: 5/9/2025
		Revision Number: 11
		Page: 9/11

SECTION 13: Disposal considerations






13.1. Disposal methods

Waste treatment methods : Dispose of in accordance with applicable federal, state, and local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not applicable	Not applicable	Not applicable	1170
14.2. Proper Shipping Name			
LTD QTY	LTD QTY	LTD QTY	Ethyl alcohol solution (LTD QTY)
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	3
			 
14.4. Packing group			
Not applicable	Not applicable	Not applicable	II
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			


14.6. Special precautions for user

DOT
 Inner Package Limit : 1L
 Total Package Limit : 30 kg

TDG
 Inner Package Limit : 1L
 Total Package Limit : 30 kg

IMDG
 Special provision (IMDG) : 144
 Limited quantities (IMDG) : 1 L
 Excepted quantities (IMDG) : E2
 Packing instructions (IMDG) : P001
 IBC packing instructions (IMDG) : IBC02
 Tank instructions (IMDG) : T4

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

 W.F. YOUNG <small>ESTD 1892</small>	Bigeloil® Liquid SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0033
		Create Date:	7/21/2007
		Revision Date:	5/9/2025
		Revision Number:	11
		Page:	10/11

Tank special provisions (IMDG) : TP1

IATA

PCA Excepted quantities (IATA) : E2
 PCA Limited quantities (IATA) : Y341
 PCA limited quantity max net quantity (IATA) : 1L
 PCA packing instructions (IATA) : 353
 PCA max net quantity (IATA) : 5L
 CAO packing instructions (IATA) : 364
 CAO max net quantity (IATA) : 60L
 Special provision (IATA) : A3, A58, A180
 ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Bigeloil® Liniment	
SARA Section 311/312 Hazard Classes	Refer to Section 2 for OSHA Hazard Classification.

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Ethanol (64-17-5)
Listed on the Canadian DSL (Domestic Substances List)


Menthol (2216-51-5)
Listed on the Canadian DSL (Domestic Substances List)

Salicylic acid (69-72-7)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---

 W.F. YOUNG <small>ESTD 1892</small>	Bigeloil® Liquid SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0033
		Create Date:	7/21/2007
		Revision Date:	5/9/2025
		Revision Number:	11
		Page:	11/11

National regulations

Bigeloil® Liniment

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.
 Listed on the Canadian DSL (Domestic Substances List)

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)

Salicylic acid (69-72-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Prop 65: This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

Component	State or local regulations
Ethanol(64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Safety Data Sheet (SDS), USA

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---