

 W.F. YOUNG <small>ESTD 1892</small>	Absorbine® Veterinary Liniment	Document Code:	SDS-0038
		Create Date:	6/19/2007
	SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Revision Date:	9/16/2025
		Revision Number:	18
		Page:	1/11

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
 Product name : Absorbine® Veterinary Liniment Liquid
 Product number : 427780,427790, 427862

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Products for animals, Topical treatment
 Restrictions on use : Not for Human Use

1.4. Supplier's details

Manufacturer

W.F. Young, Inc.
 302 Benton Drive
 East Longmeadow, MA 01028
 USA
 T (413) 526-9999 x 468 - F (413) 526-9869
www.wfyoung.com

1.5. Emergency phone number

Emergency number : Company Hotline: +1 (413) 526-9999

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquid, Category 2	H225	Highly flammable liquid and vapor.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336	May cause drowsiness or dizziness.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
 Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H336 - May cause drowsiness or dizziness

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--



W.F. YOUNG
ESTD 1892

Absorbine® Veterinary Liniment

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0038
Create Date:	6/19/2007
Revision Date:	9/16/2025
Revision Number:	18
Page:	2/11

Precautionary statements (GHS US)

- : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 - Keep container tightly closed.
- P240 - Ground/Bond container and receiving equipment.
- P241 - Use explosion-proof electrical equipment.
- P242 - Use non-sparking tools.
- P243 - Take action to prevent static discharges.
- P261 - Avoid breathing vapors.
- P264 - Wash hands thoroughly after handling.
- P271 - Use only outdoors or in a well-ventilated area.
- P272 - Contaminated work clothing must not be allowed out of the workplace.
- P280 - Wear protective gloves, protective clothing, eye protection.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 - If eye irritation persists: Get medical advice or attention.
- P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
- P362+P364 - Take off contaminated clothing and wash it before reuse.
- P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
- P312 - Call a doctor if you feel unwell.
- P370+P378 - In case of fire: Use carbon dioxide (CO₂), powder, alcohol-resistant foam, water spray to extinguish.
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 - Store in a well-ventilated place. Keep cool.
- P405 - Store locked up.
- P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Acetone	CAS-No.: 67-64-1	60-80
DL-menthol	CAS-No.: 1490-04-6	1-5
4-Chloro-3,5-dimethylphenol	CAS-No.: 88-04-0	0.1-<1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

<p>Creator</p> <p>Victor Vides Regulatory Manager</p>	<p>Controller</p> <p>Victor Vides Regulatory Manager</p>	<p>Approvers</p> <p>Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director</p>
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	Absorbine® Veterinary Liniment SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0038
		Create Date:	6/19/2007
		Revision Date:	9/16/2025
		Revision Number:	18
		Page:	3/11

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

- Inhalation : Inhalation of mists or vapors at elevated temperatures may cause respiratory irritation. Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness.
- Skin : May cause an allergic skin reaction.
- Eyes : Causes eye irritation.
- Ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
- Chronic symptoms : None known.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

- Other medical advice or treatment : Not required. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

- Fire hazard : Flammable liquid and vapor. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
- Explosion hazard : Product is not explosive.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2).

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Cool down the containers exposed to heat with a water spray.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.

<p>Creator</p> <p>Victor Vides Regulatory Manager</p>	<p>Controller</p> <p>Victor Vides Regulatory Manager</p>	<p>Approvers</p> <p>Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director</p>
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	Absorbine® Veterinary Liniment SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0038
		Create Date:	6/19/2007
		Revision Date:	9/16/2025
		Revision Number:	18
		Page:	4/11

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Keep unnecessary and unprotected personnel away from the spillage. Do not touch or walk on the spilled product.
- For non-emergency personnel**
- Emergency procedures : Avoid contact with eyes, skin and clothing. Wear suitable protective clothing. Avoid breathing vapors. Ventilate spillage area.
- For emergency responders**
- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

- For containment : Dike and contain spill. Collect spillage.
- Methods for cleaning up : Use non-spraking tools. Absorb and/or contain spill with inert material, then place in suitable container.
- Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing vapors. Ensure adequate ventilation. Flammable vapors may accumulate in the container. Handle in accordance with good industrial hygiene and safety procedures. Use explosion-proof equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Ground/bond container and receiving equipment.
- Hygiene measures : Contaminated work clothing must not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in dry, cool, well-ventilated area. Protect from physical damage. Keep away from ignition sources. Keep container tightly closed. Keep out of the reach of children.
- Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

<p>Creator</p> <p>Victor Vides Regulatory Manager</p>	<p>Controller</p> <p>Victor Vides Regulatory Manager</p>	<p>Approvers</p> <p>Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director</p>
---	--	--



W.F. YOUNG
ESTD 1892

Absorbine® Veterinary Liniment

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0038
Create Date:	6/19/2007
Revision Date:	9/16/2025
Revision Number:	18
Page:	5/11

Acetone (67-64-1)

USA - ACGIH - Occupational Exposure Limits

Local name	Acetone
ACGIH® TLV® TWA	250 ppm
ACGIH® TLV® STEL	500 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2024

USA - ACGIH - Biological Exposure Indices

Local name	Acetone
BEI (BLV)	25 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift - Notations: Ns
Regulatory reference	ACGIH 2024

USA - OSHA - Occupational Exposure Limits

Local name	Acetone
OSHA PEL (TWA)	2400 mg/m³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation. Use explosion-proof equipment.
 Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:

Wear impervious gloves.

Eye protection:

Wear safety goggles or other eye protection to prevent eye contact.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Thermal hazard protection:

Not applicable.

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---



W.F. YOUNG
ESTD 1892

Absorbine® Veterinary Liniment

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0038
Create Date:	6/19/2007
Revision Date:	9/16/2025
Revision Number:	18
Page:	6/11

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Green. Thin liquid.
Color	: Green
Odor	: Menthol
Odor threshold	: No data available
pH	: 3.5
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 56.1 °C (132.98°F)
Flash point	: -6 °C (21.2°F)
Relative evaporation rate (butyl acetate=1)	: < 1
Flammability (solid, gas)	: Highly flammable liquid and vapor.
Vapor pressure	: 17 mm Hg at 20°C
Relative vapor density at 20°C	: 2
Relative density	: 0.888 @25 °C
Solubility	: partly miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.32 cP at 20°C
Explosion limits	: Lower explosion limit: 2.5 vol % Upper explosion limit: 12.8 vol %
Explosive properties	: Product is not explosive.
Oxidizing properties	: Not oxidising.
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director



W.F. YOUNG
ESTD 1892

Absorbine® Veterinary Liniment

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0038
Create Date:	6/19/2007
Revision Date:	9/16/2025
Revision Number:	18
Page:	7/11

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
 Acute toxicity (dermal) : Not classified
 Acute toxicity (inhalation) : Not classified

4-Chloro-3,5-dimethylphenol (88-04-0)	
LD50 oral rat	≥ 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	7.9 mg/l/4h

DL-menthol (1490-04-6)	
LD50 oral rat	3180 mg/kg body weight
LC50 Inhalation - Rat	≈ 5.289 mg/l/4h (OECD 403 method)

Acetone (67-64-1)	
LD50 oral rat	5800 mg/kg
LC50 Inhalation - Rat	76 mg/l

Skin corrosion/irritation : Not classified
 pH: 3.5

Serious eye damage/irritation : Causes serious eye irritation.
 pH: 3.5

Respiratory or skin sensitization : May cause an allergic skin reaction.
 Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Acetone (67-64-1)	
LOAEL (animal/female, F0/P)	11298 mg/kg body weight mouse
NOAEL (animal/male, F0/P)	900 mg/kg body weight rat

STOT-single exposure : May cause drowsiness or dizziness.

Acetone (67-64-1)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Inhalation : Inhalation of mists or vapors at elevated temperatures may cause respiratory irritation. Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 W.F. YOUNG ESTD 1892	Absorbine® Veterinary Liniment SAFETY DATA SHEET According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0038
		Create Date:	6/19/2007
		Revision Date:	9/16/2025
		Revision Number:	18
		Page:	8/11

Skin : May cause an allergic skin reaction.
 Eyes : Causes eye irritation.
 Ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
 Chronic symptoms : None known.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
 Hazardous to the aquatic environment, short-term (acute) : Not classified
 Hazardous to the aquatic environment, long-term (chronic) : Not classified

4-Chloro-3,5-dimethylphenol (88-04-0)	
LC50 - Fish [1]	≈ 1.4 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
EC50 72h - Algae [1]	3.8 mg/l <i>Scenedesmus subspicatus</i>
DL-menthol (1490-04-6)	
LC50 - Fish [1]	22.3 mg/l <i>Danio rerio</i> (Zebrafish)
EC50 - Crustacea [1]	26.6 mg/l <i>Daphnia magna</i> (Water flea)
EC50 72h - Algae [1]	16013 mg/l <i>Desmodesmus subspicatus</i>
Acetone (67-64-1)	
NOEC (chronic)	≥ 79 mg/l <i>Daphnia magna</i> (Water flea)

12.2. Persistence and degradability

Absorbine® Veterinary Liniment Liquid	
Persistence and degradability	No additional information available.
4-Chloro-3,5-dimethylphenol (88-04-0)	
Persistence and degradability	Inherently biodegradable.
DL-menthol (1490-04-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	92 % 28 days
Acetone (67-64-1)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

No additional information available

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--



W.F. YOUNG
ESTD 1892

Absorbine® Veterinary Liniment

SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0038
Create Date:	6/19/2007
Revision Date:	9/16/2025
Revision Number:	18
Page:	9/11

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects





Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Dispose of in accordance with applicable federal, state, and local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flammable vapors may accumulate in the container.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
UN1090	UN1090	1090	1090
14.2. Proper Shipping Name			
Acetone	ACETONE	ACETONE	Acetone
14.3. Transport hazard class(es)			
3	3	3	3
			
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
Note: This product is eligible for shipment as a Limited Quantity.			

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

No data available

TDG

No data available

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

 W.F. YOUNG <small>ESTD 1892</small>	Absorbine® Veterinary Liniment SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0038
		Create Date:	6/19/2007
		Revision Date:	9/16/2025
		Revision Number:	18
		Page:	10/11

IMDG

No data available

IATA

No data available

SECTION 15 Regulatory information

15.1. Federal regulations

Absorbine® Veterinary Liniment Liquid

SARA Section 311/312 Hazard Classes	Refer to Section 2 for OSHA Hazard Classification.
-------------------------------------	--

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Acetone (67-64-1)

CERCLA RQ	5000 lb
-----------	---------

15.2. International regulations

CANADA

4-Chloro-3,5-dimethylphenol (88-04-0)

Listed on the Canadian DSL (Domestic Substances List)

DL-menthol (1490-04-6)

Listed on the Canadian DSL (Domestic Substances List)

Acetone (67-64-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Absorbine® Veterinary Liniment Liquid

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.
 Listed on the Canadian DSL (Domestic Substances List)

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 W.F. YOUNG <small>ESTD 1892</small>	Absorbine® Veterinary Liniment SAFETY DATA SHEET <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0038
		Create Date:	6/19/2007
		Revision Date:	9/16/2025
		Revision Number:	18
		Page:	11/11

4-Chloro-3,5-dimethylphenol (88-04-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Acetone(67-64-1)	U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16 Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Full text of hazard classes and H-statements	
H225	Highly flammable liquid and vapor
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

Safety Data Sheet (SDS), USA

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director