

Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 40000005228 Date of first issue: 01/03/2017

#### **SECTION 1. IDENTIFICATION**

GOJO® MULTI GREEN® Hand Cleaner Product name

GOJO® MULTI GREEN® Eco Hand Cleaner

## Manufacturer or supplier's details

Company name of supplier GOJO Industries, Inc.

Address One GOJO Plaza, Suite 500

Akron, Ohio, 44311

Telephone 1 (330) 255-6000

Emergency telephone num-

: CHEMTREC 1-800-424-9300 ber

CHEMTREC +1-703-527-3887: Outside USA & CANADA

#### Recommended use of the chemical and restrictions on use

Recommended use Skin-care

Restrictions on use This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or

instruction sheet.

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Serious eye damage Category 1

**GHS** label elements



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

Hazard pictograms

L.

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Laureth-6	68439-50-9	>= 5 - < 10
Limonene	5989-27-5	>= 0.1 - < 1
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 -<1

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if irritation develops and persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed, DO NOT induce vomiting.

Rinse mouth with water.



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

Protection of first-aiders

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

None known.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Do not swallow.

Avoid contact with eyes.

Keep container closed when not in use.

Conditions for safe storage : Keep in properly labelled containers.

Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Limonene	5989-27-5	TWA	20 ppm	CA AB OEL
			111 mg/m3	
		TWA	20 ppm	CA AB OEL
			111 mg/m3	
		TWA	20 ppm	ACGIH

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye protection : Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Protective measures : Wear suitable protective equipment.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : green, opaque

Odour : citrus

Odour Threshold : No data available



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

pH : 6-9

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

98 °C

Flash point : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.033 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : not determined

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 25000 - 45000 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Eye contact Skin contact

### Acute toxicity

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

Laureth-6:

Acute oral toxicity : LD50 (Rat): > 500 - 2,000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 1.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Limonene:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

ıcıty

Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:** 

Acute oral toxicity : LD50 (Rat): 1,050 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Result: No skin irritation

**Components:** 

Laureth-6:

Species: Rabbit

Result: No skin irritation

Remarks: Based on data from similar materials



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

#### Limonene:

Species: Rabbit Result: Skin irritation

### **Sodium Hydroxymethylglycinate:**

Species: Rabbit Result: Skin irritation

## Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

### Laureth-6:

Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

#### Limonene:

Species: Rabbit

Result: No eye irritation

### Sodium Hydroxymethylglycinate:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

## **Product:**

Result: Does not cause skin sensitisation.

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

### **Components:**

### Laureth-6:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

Limonene:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

Sodium Hydroxymethylglycinate:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Laureth-6:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Limonene:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Transgenic rodent somatic cell gene mutation as-

say

Species: Rat

Application Route: Ingestion

Result: negative

Sodium Hydroxymethylglycinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammali an liver cells in vivo

Species: Rat Result: negative

Carcinogenicity

Not classified based on available information.



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

### **Components:**

#### Limonene:

Species: Mouse

Application Route: Ingestion Exposure time: 103 weeks

Result: negative

### Reproductive toxicity

Not classified based on available information.

### **Components:**

### Sodium Hydroxymethylglycinate:

Effects on foetal develop: Species: Rat

ment Application Route: Ingestion

Result: negative

### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

## **Components:**

## Limonene:

Species: Rat

NOAEL: 600 mg/kg

**Application Route: Ingestion** 

Exposure time: 13 w

## **Aspiration toxicity**

Not classified based on available information.

### **Components:**

### Limonene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### Components:

## Laureth-6:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Remarks: Based on data from similar materials

Limonene:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 0.72 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.36 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

### **Sodium Hydroxymethylglycinate:**

Toxicity to fish : LC50: > 10 - 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Toxicity to algae ErC50 (Desmodesmus subspicatus (Scenedesmus subspi-

> catus)): > 10 - 100 mg/lExposure time: 72 h

EC50: > 100 mg/l Toxicity to bacteria

Exposure time: 120 h

### Persistence and degradability

### Components:

Laureth-6:

Biodegradability Result: rapidly degradable

Remarks: Based on data from similar materials

Limonene:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 80 % Exposure time: 28 d



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:** 

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

Laureth-6:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): < 500

Remarks: Based on data from similar materials

Limonene:

Partition coefficient: n-

octanol/water

log Pow: 4.38

Sodium Hydroxymethylglycinate:

Partition coefficient: n-

octanol/water

: log Pow: < 3

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

**National Regulations** 

**TDG** 



Version Revision Date: SDS Number: Date of last issue: 01/03/2017 1.1 02/12/2018 400000005228 Date of first issue: 01/03/2017

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

### The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

CH INV On the inventory, or in compliance with the inventory

AICS On the inventory, or in compliance with the inventory

DSL On the inventory, or in compliance with the inventory

ISHL On the inventory, or in compliance with the inventory

KECI On the inventory, or in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

ENCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

NZIoC On the inventory, or in compliance with the inventory

### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Tox-



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/03/2017

 1.1
 02/12/2018
 400000005228
 Date of first issue: 01/03/2017

icology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 02/12/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN