



FULL SIZE HEADBOARD AND FOOTBOARD






Assemble the left lower posts (A) and the right lower posts (B) to the headboard panel (F) with 4pcs Bolt (L) then fastened using allen wrench (U).






Assemble the left extention leg (C) and the right extention leg (D) to the footboard panel (G) with 4pcs bolt (N) then fastened using allen wrench (U).




4


Assemble the side rails (H) to the left lower post (A) and the right lower post (B) with 4pcs bolt (M) and 4pcs washer (R);assemble the side rails (H) to the left extention leg (C) and the right extention (D) with 4pcs bolt (M) and 4pcs washer (R); then fastened using allen wrench (U).




Assemble the support leg (J) to the slats (I) with 3pcs bolt (O) and 3pcs wrench (R) then fastened using allen wrench (U).




Assemble the slats (I) to the side rails (H) with 6pcs bolt (O) ,12pcs washer (R) ,6pcs nuts (T), then fastened using allen wrench (U) and wrench (V).



Assemble the finial (K) to left lower posts (A).right lower posts (B),left extention leg (C) and right extention leg (D).





Completed.




Cleaning&Care

KING SIZE HEADBOARD AND FOOTBOARD





Assemble the left lower posts (A) and the right lower posts (B) to the headboard panel (F) with 4pcs Bolt (L) then fastened using allen wrench (U).




Assemble the cushion (E) to the left lower posts and the right lower posts with 2pcs bolt (O), 2pcs bolt (P) with 4pcs bolt (Q) and 4pcs flat washer (S) then fastened using allen wrench (U).


O

2pcs
P


2pcs




Assemble the left extention leg (C) and the right extention leg (D) to the footboard panel (G) with 4pcs bolt (N) then fastened using allen wrench (U).




Assemble the side rails (H) to the left lower post (A) and the right lower post (B) with 4pcs bolt (M) and 4pcs washer (R);assemble the side rails (H) to the left extention leg (C) and the right extention (D) with 4pcs bolt (M) and 4pcs washer (R);then fastened using allen wrench (U).




Assemble the support leg (J) to the slats (I) with 6pcs bolt (O) and 6pcs wrench (R) then fastened using allen wrench (U).




Assemble the slats (I) to the side rails (H) with 6pcs bolt (O) ,12pcs washer (R) ,6pcs nuts (T), then fastened using allen wrench (U) and wrench (V).



Assemble the finial (K) to the upper posts left lower posts (A) right lower posts (B), left extention leg (C) and right extention leg (D).





Completed.




Cleaning&Care

QUEEN SIZE HEADBOARD AND FOOTBOARD






Assemble the left lower posts (A) and the right lower posts (B) to the headboard panel (F) with 4pcs Bolt (L) then fastened using allen wrench (U).




Assemble the cushion (E) to the left lower posts (A) and the right lower posts(B) with 2pcs bolt (O), 2pcs bolt (P) with 4pcs bolt (Q) and 4pcs flat washer (S) then fastened using allen wrench (U) . 0 2pcs 2pcs (B) 4pcs Q S 4pcs (E) S Q (A) This screwdriver is not provided


Assemble the left extention leg (C) and the right extention leg (D) to the footboard panel (G) with 4pcs bolt (N) then fastened using allen wrench (U).




Assemble the side rails (H) to the left lower post (A) and the right lower post (B) with 4pcs bolt (M) and 4pcs washer (R);assemble the side rails (H) to the left extention leg (C) and the right extention (D) with 4pcs bolt (M) and 4pcs washer (R); then fastened using allen wrench (U).




Assemble the support leg (J) to the slats (I) with 3pcs bolt (O) and 3pcs wrench (R) then fastened using allen wrench (U).




Assemble the slats (I) to the side rails (H) with 6pcs bolt (O) ,12pcs washer (R) ,6pcs nuts (T), then fastened using allen wrench (U) and wrench (V).



Assemble the finial (K) to left lower posts (A).right lower posts (B),left extention leg (C) and right extention leg (D).




Completed.



Cleaning & Care


TWIN SIZE HEADBOARD AND FOOTBOARD






1pc


Assemble the left lower posts (A) and the right lower posts (B) to the headboard panel (F) with 4pcs Bolt (K) then fastened using allen wrench (T).



Assemble the cushion (E) to the left lower posts (A) and the right lower posts (B) with 2pcs bolt (N), 2pcs bolt (O) with 4pcs bolt (P) and 4pcs flat washer (R) then fastened using allen wrench (T).




Assemble the left extention leg (C) and the right extention leg (D) to the footboard panel (G) with 4pcs bolt (M) then fastened using allen wrench (T).




Assemble the side rails (H) to the left lower post (A) and the right lower post (B) with 4pcs bolt (L) and 4pcs washer (Q); assemble the side rails (H) to the left extention leg (C) and the right extention (D) with 4pcs bolt (L) and 4pcs washer (Q); then fastened using allen wrench (T).

8pcs


8pcs



Assemble the slats (I) to the side rails (H) with 6pcs bolt (N) ,12pcs washer (Q) ,6pcs nuts (S), then fastened using allen wrench (T) and wrench (U).



Assemble the finial (J) to left lower posts (A) and right lower posts (B), left extention leg (C) and right extention leg (D).



Cleaning&Care