



**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2024

Version number: 1.00

Revision: 06.11.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier** For consumer use only.
- **Trade name:** *Guild Lane Gloss Clear Coat*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Surface Coating
- **Application of the substance / the mixture** Surface Coating
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
J PERKINS (DISTRIBUTION) LTD.  
Northdown Business Park,  
Ashford Road,  
Lenham, Kent  
ME17 2DL  
UNITED KINGDOM  
TEL: +44 (0)1622 854 300  
EMAIL: sales@jperkins.com
- **Further information obtainable from:** sales@jperkins.com
- **1.4 Emergency telephone number:** +44 (0)1622 854 300 (business hours)

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the GB CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.  
EUH210 Safety data sheet available on request.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2024

Version number: 1.00

Revision: 06.11.2023

Trade name: **Guild Lane Gloss Clear Coat**

(Contd. of page 1)

**· Dangerous components:**

CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23	1,2-Propanediol substance with a Community workplace exposure limit	>10-≤25%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol ⚠ Eye Irrit. 2, H319	>1-≤2.5%
CAS: 532-32-1 EINECS: 208-534-8 Reg.nr.: 01-2119460683-35-XXXX	sodium benzoate ⚠ Eye Irrit. 2, H319	>1-≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****· 4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not induce vomiting; call for medical help immediately and show safety datasheet or label.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

**SECTION 5: Firefighting measures****· 5.1 Extinguishing media**

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Put on breathing apparatus

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage****· 7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Hygiene measures:

Wash hands before breaks and at the end of workday.

- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 3)

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2024

Version number: 1.00

Revision: 06.11.2023

Trade name: **Guild Lane Gloss Clear Coat**

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed and in a well-ventilated place.  
Keep away from heat.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

#### 57-55-6 1,2-Propanediol

WEL	Long-term value: 474* 10** mg/m <sup>3</sup> , 150* ppm *total vapour and particulates **particulates
-----	--

#### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL	Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm
-----	--

- **DNELs**

#### 57-55-6 1,2-Propanediol

Oral	DNEL	85 mg/day (Con)
Dermal	DNEL	213 mg/day (Con)
Inhalative	DNEL	50 mg/m <sup>3</sup> (Con)
		168 mg/m <sup>3</sup> (Ind)

#### 112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL	1.25 mg/day (Con)
Dermal	DNEL	10 mg/day (Con)
		20 mg/day (Ind)
Inhalative	DNEL	34 mg/m <sup>3</sup> (Con)
		67.5 mg/m <sup>3</sup> (Ind)

#### 532-32-1 sodium benzoate

Oral	DNEL	16.6 mg/day (Con)
Dermal	DNEL	31.25 mg/day (Con)
		62.5 mg/day (Ind)
Inhalative	DNEL	1.5 mg/m <sup>3</sup> (Con)
		3 mg/m <sup>3</sup> (Ind)

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

- **Respiratory protection:**

If spraying this product, an ABEK respirator to EN141 and EN405 is normally sufficient. If in doubt, consult a respirator manufacturer and show this safety data sheet.

(Contd. on page 4)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2024

Version number: 1.00

Revision: 06.11.2023

Trade name: **Guild Lane Gloss Clear Coat**

(Contd. of page 3)

- **Protection of hands:**  
Not required.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Eye protection:** Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· <b>Form:</b>	Liquid
· <b>Colour:</b>	Clear
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value at 20 °C:** 8.5

##### · Change in condition

· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Initial boiling point and boiling range:</b>	100 °C

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Auto-ignition temperature:** 371 °C

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

##### · Explosion limits:

· <b>Lower:</b>	2.6 Vol %
· <b>Upper:</b>	12.6 Vol %

· **Vapour pressure at 20 °C:** 23 hPa

· <b>Density at 20 °C:</b>	1.056 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.

· **Solubility in / Miscibility with water:** NOT MISCIBLE

· **Partition coefficient: n-octanol/water:** Not determined.

##### · Viscosity:

· <b>Dynamic at 20 °C:</b>	2,500 mPas
· <b>Kinematic:</b>	Not determined.

##### · Solvent content:

· <b>Organic solvents:</b>	13.2 %
· <b>Water:</b>	52.6 %

· **Solids content:** 34.1 %

(Contd. on page 5)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2024

Version number: 1.00

Revision: 06.11.2023

Trade name: **Guild Lane Gloss Clear Coat**

(Contd. of page 4)

**· 9.2 Other information**

No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
No dangerous decomposition products when stored and handled correctly

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

**· LD/LC50 values relevant for classification:****57-55-6 1,2-Propanediol**

Oral	LD50	22,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rab)

**112-34-5 2-(2-butoxyethoxy)ethanol**

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rbt)

**532-32-1 sodium benzoate**

Oral	LD50	>2,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rab)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 6)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2024

Version number: 1.00

Revision: 06.11.2023

Trade name: **Guild Lane Gloss Clear Coat**

(Contd. of page 5)

- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |  |                 |
|--|-----------------|
| · <b>14.1 UN-Number</b>  | Void            |
| · <b>ADR, IMDG, IATA</b>   | Void            |
| · <b>14.2 UN proper shipping name</b>  | Void            |
| · <b>ADR, IMDG, IATA</b>   | Void            |
| · <b>14.3 Transport hazard class(es)</b>   | Void            |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void            |
| · <b>Class</b>   | Void            |
| · <b>14.4 Packing group</b>  | Void            |
| · <b>ADR, IMDG, IATA</b>   | Void            |
| · <b>14.5 Environmental hazards:</b>   | Not applicable. |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | Void            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· <b>Regulated explosives precursors</b>
<i>None of the ingredients is listed.</i>

· <b>Regulated poisons</b>
<i>None of the ingredients is listed.</i>

· <b>Reportable explosives precursors</b>
<i>None of the ingredients is listed.</i>

(Contd. on page 7)

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2024

Version number: 1.00

Revision: 06.11.2023

Trade name: **Guild Lane Gloss Clear Coat**

(Contd. of page 6)

· **Reportable poisons**

None of the ingredients is listed.

· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **National regulations:**· **Technical instructions (air):**

Class	Share in %
Wasser	52.6
NK	13.2

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Full text of H-Statements referred to under sections 2 and 3:**

H319 Causes serious eye irritation.

· **Department issuing SDS:** Product safety department: LABORATORY· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2