Swatches Wall Tile

Available Colors Brilliant Deduction Necessary Objects Neutral Territory 3 x 12 Gloss Finish Only 3 x 12 Gloss and Satin Finish 3 x 12 Gloss and Satin Finish **NECO1** ▶ Cotton* **NEU11** ▶ Shadow **BRI21** ▶ Cobalt **BRI23** ▶ Lipstick Red* **NECO2** ▶ Eggshell **NEU12** ▶ Warm Silver* **NEU16** ▶ Sea Ice **NECO3** ▶ Stone* **BRI24** ▶ Pineapple **BRI25** ▶ Petrol NECO4 ▶ Coal* * These colors coordinate with the Snippet Series **BRI26** ▶ Spruce

Features and Benefits

- •12 versatile hues, three chromatic series, one amazing wall tile line
- Available in multiple finishes helping boost the versatility even more. All are available in 3"x12" field tile.
- Satin or gloss finish for 8 of the 12 colors (gloss only on others)
- Amplify your color swatch by mixing and matching with Snippet, Crossville's 3"x12" wall tile featuring a distinctive left and right triangle pattern.
- Globally sourced



Swatches Wall Tile



Sizes*

shown in NEC03

Sizes

Nominal Size (in)	Actual Size (mm)	Thickness (mm)	Finish
3 x 12	73 x 298	8	Gloss/Satin*

This product is calibrated (non-rectified)

Crossville recommends a minimum 2mm grout joint.

* Satin is not available in the Brilliant Deduction colors

Field Tile- Calibrated

Nominal Size (in)	Actual Size (mm)	Thickness (mm)	Finish
3 x 12 Single Bullnose	73 x 298	8	Satin/Gloss



3 x 12 Single Bullnose

 $\dagger\,$ The 3 x 12 Single Bullnose is not available in the Brilliant Deduction colors

Shade & Texture Index

Swatches has a shade variation of V1.



This tile product is produced with a V1 variation. Differences among pieces from the same production run are minimal. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Product Performance

Breaking Strength	>200 lbf	ASTM C648
Chemical Resistance	Unaffected	ASTM C650
Water Absorption	14.0% - 20.0%	ASTM C373
Scratch Hardness	7	Mohs Scale

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.





Crossville, Inc.

PO Box 1168 Crossville, TN 38557 **Phone** 931.484.2110 **Fax** 931.456.2956

E-Mail Crossc@CrossvilleInc.com

Web CrossvilleInc.com

Application Areas

Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/ shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/ Fountains
Satin/Gloss		✓					

NOTE: Trim applications will differ from field tile applications for the same series.

For more information on ANSI- A362.3 visit our website at https://www.crossvilleinc.com/Resources/Tile-101/DCOF?tab=1

Recommended Use

Swatches tile is recommended for interior vertical surfaces in residential and commercial applications.

Care and Maintenance

Regular cleaning is the best way to keep Swatches tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent water spots. No waxes or sealers are needed. More information regarding the care and maintenance of Crossville* products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2022 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Crossville* Sample Express

Visit the website to learn more: CrossvilleInc.com/Products/Swatches

Loose Samples for

Sizes may vary depending on product series Max. of 4 large field tile per order

Standard Shipping

FedEX Ground

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com.

Trade Organizations













