

2MP TVI Turret IR Light Camera


TVI2T-NC



Specifications

Camera	TVI2T-NC
Lens	2.8mm
Active Pixel	1920*1080
SYNC.	Internal
Resolution	1080P
IR led	2pcs Array IR LED
VIDEO.OUT	A/C/T/CVBS
Minimum Illumination	0.005Lux(F1.2)
S/N Ratio	48dB(min)(AGC closed)
DWDR	CLOSE/OPEN
3DNR	AUTO/MANUAL(0-10)
AWB	GRAY WORLD/PRO/MWB
EXPOSURE MODE	GLOBAL/BLC
OSD	Yes
Language	Eng/Chin1/Chin2/Pycc/esp/Fran/POL/ITAL/PORT/Japan/Korean/E^^HN
Day/Night	Ext /AUTO /Color/MONO
Power Input	DC12V± 1V
Power Dissipation	300mA
Transmission distance	75-5 300M
Operation Temperature	Temperature -45 ~ +55 ,Humidity less than 85%RH
Dimension	32*32/38*38*1.6(H)

Dimensions



Warranty

All Illumivue products come with a 3-year limited liability warranty. This warranty includes parts and labor repairs on all components found to be defective in material or workmanship under normal conditions of use. This warranty shall not apply to products which have been abused, modified, or disassembled. Warranty items only by authorized resellers. Warranty not eligible for products purchased through non-authorized online sellers.

A product that fails under conditions other than those covered will be repaired at the current price of parts and labor in effect at the time of repair. Such repairs are warranted for 90 days from the date of reshipment to the buyer. If the unit is delivered by mail, customers agree to insure the unit or assume the risk of loss or damage in transit. Under no circumstances will a unit be accepted without a return authorization number. The warranty is in lieu of all other warranties expressed or implied, including without limitations, any other implied warranty or fitness or merchantability for any particular purpose, all of which are expressly disclaimed. Proof of sale may be required in order to claim warranty.