XOU15BCSF_ UNDERCOUNTER BEVERAGE CENTER







Zero clearance hinges for a flush installation

Fully extending telescoping shelves reveal everthing

Intuitive digital touch contols

Secure door lock

15" UNDERCOUNTER BEVERAGE CENTER

Store up to 66 (12oz) cans at a frosty 34° to 50°F and still find just what your are looking for. The clear glass shelves fully extend while fully loaded enabling you to see the entire contents at a glance. No more fumbling around or emptying the unit to find what you want.


And because beverages come in all shapes and sizes, the shelves of your XO beverage center can quickly adjust to 15 different positions.


WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES OUR LASTING COMMITMENT TO YOU




XOU15BCSF_*

*Specify R for right hand hinge - or - L for left hand hinge







FEATURES

Full extension clear glass shelves hold: (66) 12oz cans at 34° to 50° F

CAPACITY

Zero clearance hinges for flush integration* Secure door lock

FEATURES

- Non-reversible door specify right or left hinge
- Library quiet 39 dBA operation
- Elegant tri-color interior illumination
- Removable 3 bottle wine rack
- Intuitive digital touch controls
- 6 1/2' Power Cord with low profile 90° flat plug
- Low E Glass blocks harmful UV light
- Alarm Functions
- Energy Saver and Sabbath Mode

* Note: zero clearance hinges are visible just above and below the door



xoappliance.com | 800.966.8300

SPECIFICATIONS

ELECTRICAL 120V 60HZ 4.35 AMP*

R600A

DIMENSIONS	W	34 1/8" 14 15/16" 23 1/4"
ROUGH IN	W	34 1/4" min 15" 24"

REFRIGERANT







XO is exclusively distributed by EASTERN MARKETING CORP. 24 Eisenhower Parkway Roseland, NJ 07068

ROUGH IN DIMENSIONS

7"

(178mm)

4" (102mm)

34 1/4" (870mm)



15" (381mm)

() ()

WHEN INSTALLING WITH THE HINGE SIDE NEXT TO A WALL -LEAVE 1-3/4" CLEARANCE GAP FOR CABINET HANDLES

DOOR MUST BE ABLE TO OPEN A MINIMUM OF 90°.

IF THE DOOR CANNOT OPEN FULLY YOU CANNOT EXTEND THE SHELVES



NEED MORE SPACE -CUT INTO AN ADJOINING

CABINET TO REACH AN

ALL XO UNDERCOUNTER UNITS ARRIVE PRE-WIRED WITH LOW PROFILE PLUGS FOR EASY INSTALLATION

the next level in luxury appliances

xoappliance.com | 800.966.8300