



Optima® Soap Dispenser

ESD-200-LT-CP

Product description

Less (specify separately) Transformer, Polished Chrome Finish, Optima® Deck-Mounted Liquid Soap Dispenser.

Compliances & Certifications



(WELL Building Standard)

Code 3346052

Finish

 Polished Chrome (CP)

Downloads

- [ESD 200_250_300_350 Installation Instructions.pdf](#)
- [ESD-200-250-300-350 Repair and Maintenance Guide.pdf](#)
- [Faucet and Soap Dispenser Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Details

- Finish: Polished Chrome (CP)
- Power Type: Hardwired
- Height: 4.25" (108mm)
- Width: 1.8" (46mm)
- Maximum Deck Thickness: 2.00" (51mm)
- Sensor Type: IR
- Transformer: Less (specify separately)
- Soap Type: Liquid

Features

Sensor Activated, Electronic, Chrome Plated Die Cast Body, Hand Washing Liquid Soap Dispenser with the following features:

- Touch-free operation improves hand washing hygiene
- Modular One-piece Construction and easily attaches to sink deck surface
- Active Infrared Sensor
- Powered by a 120 V AC Plug-in Transformer
- Low Soap Level Indicator
- Black Plastic Throat Plate
- All mounting hardware included
- All electronics sealed
- Easy Loading Disposable Soap Refills
- New Pump and Delivery Tube with each Refill
- Unit supplied with one 800 ml. Container of Lotion Soap


Recommended specifications

Sloan Optima Liquid Soap Dispenser model number ESD-200. Chrome plated finish with black plastic throat plate. This model requires the ESD-227 Transformer or the ESD236 Multi-Pack Adapter Box for operation.

Soap Refills

- ESD-217 (800 ml)
- ESD-232 (1600 ml)
- ESD-231 (800 ml)
- ESD-233 (1600 ml)

Matching Faucets

Name	Description	
 ETF-80	Optima® Hardwired-Powered Deck-Mounted Mid Body Faucet	View

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

