



APC NetShelter SX, Server Rack Enclosure, 42U, Black, 1991H x 600W x 1070D mm

AR3100HACS

Overview

Lead time Usually in Stock

Main

Product or Component Type	Rack enclosure
Number of rack unit	42U
Provided equipment	Casters Doors Ground studs Installation guide Leveling feet Mounting Hardware Roof
	Side Panels

Physical

Height	78.4 in (199.1 cm)
Width	23.6 in (60 cm)
Depth	42.1 in (107 cm)
Net Weight	275.78 lb(US) (125.09 kg)
Color	Black
Mounting preference	No preference
Mounting Mode	Not rack-mountable
mounting location	Front
Maximum Mounting Depth	35.79 in (90.91 cm)
minimum mounting depth	7.4 in (18.8 cm)
rack width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 14 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	2250 lb(US) (1020.6 kg) dynamic 3750 lb(US) (1701.0 kg) static
Net Depth with Stabilizing Feet	42.13 in (1070.10 mm)

Conformance

Standards EIA-310D

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ordering and shipping details

GTIN 731304241553

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	83.4 in (211.8 cm)
Package 1 Width	48.0 in (121.9 cm)
Package 1 Length	35.4 in (89.9 cm)
Package 1 Weight	318.68 lb(US) (144.55 kg)

Contractual warranty

Warranty 5 year repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Product data sheet AR3100HACS

Image of product / Alternate images

Alternative

