



Send Us a Text: 1-812-652-2525
(US and Canada Only.
Carrier Fees May Apply)



Find Us Online: www.safety1st.com
Email Us: support@djgusa.com



Give Us a Call: 1-800-544-1108
(Toll Free, US and Canada Only)


Replacement Parts List

(on select models)

- Seat Pad Set
- Belt Positioning Clip
- Instructions

For parts availability and questions, call, text, or chat.

If requested color is not available, similar color will be substituted. Applicable tax and shipping and handling will also be added.



Store 'n Go Sport Store 'n Go Sport DLX Booster Car Seat

Your model may look different than one shown on cover.

Read all instructions BEFORE USING this car seat.
KEEP INSTRUCTIONS FOR FUTURE USE.

 Failure to follow the warnings on the labels and in the instruction manual can result in serious injury or death to your child. Serious injury may include paralysis and/or permanent brain injury.



4358-8739A
06.16.26

	Getting Started	1
	Parts of the Booster Seat	1
	Booster Seat Requirements.....	3
	General Use.....	4
	Preparing Seat	4
	Installing Seat Pad.....	4
	Attaching Headrest to Backrest.....	6
	Attaching Backrest to Seat Base	6
	Adjusting Backrest	7
	Adjusting Headrest	7
	Removing Backrest.....	8
	Using Storage Drawer	9
	Removing Seat Pad for Cleaning	10
	Vehicle Belt Information	12
	Backed Booster Seat Mode.....	13
	Backed Booster Seat Child Fit Requirements	14
	Backed Booster Seat Use in Vehicle	15


	Backless Booster Seat Mode	17
	Backless Booster Seat Child Fit Requirements.....	18
	Backless Booster Seat Use in Vehicle	19
	Safety Information.....	21
	Child Restraint Use	21
	Vehicle Seating Position	22
	Installation in Vehicle	23
	Replacement and Expiration	24
	Registration and Safety Notices	25
	Aircraft Information	26
	Dorel Juvenile Group Information.....	27
	Warranty.....	28

©2026 Dorel Juvenile Group, Inc. Safety 1st™ and the Safety 1st logo and design are trademarks of Dorel Juvenile Group, Inc. (800) 544-1108 www.safety1st.com. Styles and colors may vary. Los estilos y los colores pueden variar. Made in USA from American and imported parts (including seat pad). Hecho en EE.UU. a partir de piezas americanas e importadas (incluyendo la almohadilla del asiento). Distributed by (distribuido por) Dorel Juvenile Group, Inc., 2525 State St., Columbus, IN 47201-7494. Dorel Juvenile Canada, 2233 Argentea Road, Suite 110, Mississauga, ON L5N 2X7. Representante exclusivo en Chile: DOREL JUVENILE CHILE S.A. Av. del Parque 4161, oficina 602 A, Huechuraba, Santiago, Chile - Fono: 56 2 24971500 - www.infanti.cl - www.dorel.cl. Importado y distribuido en Perú por: COMEXA COMERCIALIZADORA EXTRANJERA S.A. SUCURSAL DEL PERÚ - Los Libertadores 455, San Isidro, Lima 27, Lima, Perú RUC 20431062870 - Fono: 4413029 - www.infanti.com.pe. En Centro América, Caribe y Ecuador por: Best Brands Group S.A. - Av. Balboa, Bay Mall Plaza, Planta Baja, local 9, Panamá. - Fono: (507) 300 2884. En Colombia por: Baby Universe S.A.S. - Via 40 No. 77-29, Barranquilla, Colombia - Fono: (575) 353 1110 Importador: DJGM, S.A. DE C.V. Gabriel Mancera No. 1041 Col. Del Valle, Benito Juárez C.P. 03100 México, Ciudad de México R.F.C. DJG140305GN Tel. (55) 67199202




Parts of the Booster Seat

Front View




Backless Booster




1

Back View



Plastic Snap Strip For
Seat Base Pad



2



⚠ WARNING

Failure to follow these instructions may result in serious injury or death to your child. Serious injury can include paralysis and/or permanent brain injury.

Be certain to measure your child's weight and height (do not guess) before using this car seat.


Your child's height, weight, and age determine how a car seat should be placed in the vehicle. Children vary widely in body size, shape, and temperament—**please consult your doctor before switching between any modes within the limits and fit requirements of the car seat.**

School-Aged Children

Children can only use a belt-positioning booster car seat once they outgrow forward-facing harness weight or height limits. Children must use the belt-positioning booster mode until the vehicle's lap and shoulder seat belt fit them properly without the belt-positioning booster.



NOTE: Depending on your model you may need to prepare the seat for use.

Installing Seat Pad




1. Insert Plastic Snap Strip into Front of Seat Pad

Push locking tabs in the holes on the front of the seat base pad as shown.




2. Attach Seat Base Pad

Push in the locking tabs into the holes on the front of the seat base.





3. Fasten Elastic Straps to Bottom of Seat Base



4. Attach Headrest Pad

Gently pull pad onto headrest.
From the back of headrest,
fasten the elastic straps.



5. Attach Backrest Pad

Slide backrest pad onto one
side of the backrest. Pull pad
tight and slide the pad over
the other side of the backrest.

Bottom of the headrest pad
should be behind the backrest
pad as shown.

From the back of the booster
seat, fasten the four elastic
straps on the backrest pad.


WARNING

DO NOT use booster seat without the seat pad.
Failure do this can result in serious injury or
death. Serious injury can include paralysis and/or
permanent brain injury.

NOTE: The backrest and headrest are removable. The
headrest and backrest **MUST ALWAYS** be used together.

To use as a backed booster, attach headrest to backrest
and backrest to seat base as follows.


Attaching Headrest to Backrest



If headrest has been removed from backrest:


With the headrest and backrest
facing up, slide the headrest
into the track on the back of the
headrest. Pull headrest adjuster
lock out and pull headrest down
into a lock position.

Attaching Backrest to Seat Base



1. Find Backrest Connection Slot

Lift flap on seat pad as
shown to reveal backrest
connection slot.




2. Attach Backrest to Seat Base

Insert the hook on the
backrest into the backrest
connection slot.

Make sure backrest is
laying flat (horizontal)
when connecting.


NOTE: Make sure seat pad does not get caught between the moving parts. The backrest may not connect properly if the pad is in the way.



3. Rotate Backrest Up Until It Clicks into Place

Tuck seat pad flap under backrest flap.

Adjusting Backrest



Rotate Backrest Forward or Back to Desired Position


The backrest should be flush with vehicle seat back angle.

Adjusting Headrest




Raise or Lower Headrest to Selected Position

This booster seat has multiple headrest positions. Grasp top of headrest and push down with one hand while pulling out on the headrest adjustment lock with the other.




Raise and lower headrest into selected position. Release the headrest adjustment lock into one of the many headrest heights.

Make sure headrest is locked by sliding headrest up and down. Headrest may move slightly when it is locked.




1. Unlock the Backrest

Locate the backrest lock and push the tab up. At the same time, lay the base down so that the seat is flat.




2. Remove Backrest from Seat Base

With the seat base and backrest lying flat, lift up on the backrest to release the backrest hook from the seat base.



To open storage drawer:

Squeeze up on the drawer lock and pull out.




To close storage drawer:

Push in drawer until it is flush with the seat.


⚠ WARNING

Only use storage drawer for storing your child's gear. Keep storage drawer closed when not in use.


Failure to do this can result in serious injury. Serious injury can include paralysis and/or permanent brain injury.



1. Unfasten the Elastic Strap on Bottom of Base



2. Pull the Lock Tabs Out of Front of Base





3. Remove Plastic Snap Strip from Front of Seat Pad

Pull locking tabs out of the holes on the front of the seat base pad, as shown.

Remove plastic snap strip.


Place the snap strip in the storage drawer so it does not become lost.



4. Remove Backrest Pad



Pull backrest pad out from around backrest shell.

From the back of the booster seat, unfasten the four elastic straps on the backrest pad.




5. Unfasten Elastic Straps

From the back of headrest, unfasten the elastic straps.



6. Remove Headrest Pad

Gently pull pad off headrest.



Your vehicle's features may be considerably different than those pictured here.

Consult your vehicle owner's manual to help identify your vehicle's specific features and locations.

Not all vehicle belts and seating positions will work with booster seats.

You must review your vehicle's owner manual for vehicle seat belt use with booster seats.

Cleaning Seat Pad

Machine wash separately with cold water on a gentle cycle. Do not use bleach. Tumble dry separately for 10–12 minutes on low heat. Remove immediately.

Replacing Pad

To replace the pad, see pages 4–5.

WARNING

DO NOT use booster seat without the seat pad. Failure to do this can result in serious injury or death. Serious injury can include paralysis and/or permanent brain injury.


Never Use With This Booster Seat

Lap Belt Only



Inflatable Seat Belts






**40–100 lb (18.1–45.4 kg) and
43.4–57 in. (110.1–144.8 cm)**

In this car seat, your child can remain in the Booster Seat until they fit the vehicle's lap and shoulder seat belt properly without a Booster Seat **OR** outgrow any one of the following:

- Weight limit: 100 lb (45.4 kg); **OR**
- Height limit: 57 in. (144.8 cm); **OR**
- Backed Booster Seat Child Fit Requirements PAGE 14

⚠ WARNING



Warning! Use only the vehicle's lap and shoulder belt system when restraining the child in this booster seat.


DO NOT use only the lap belt when using this seat as a booster seat.

The shoulder belt **MUST** always be adjusted snugly across the child's chest.




NEVER place shoulder belt under the child's arms or behind their back.

DO NOT use this booster seat if the top of your child's ears are above the top of the booster seat's headrest.



1. Check the Head Position

The top of your child's ears should **NEVER be above** the top of the booster seat's headrest. Adjust the headrest if needed (see page 7).



2. Check the Vehicle Position

DO NOT use the booster seat if your child's head is less than 5 in. (12.7 cm) below the roof of the vehicle.



3. Check the Shoulder Belt Position

The shoulder belt should lay snugly across the center of your child's shoulder and across their chest.



4. Check Headrest Position

Adjust the headrest to the proper height (see page 7). The shoulder belt-positioning guide should be slightly above your child's shoulders.




5. Check the Lap Belt Position

The lap belt should lay snugly across your child's hips, **NOT on their stomach.**



To attach headrest to backrest, see page 6.



1. Place Booster Seat Forward-Facing Flush Against Vehicle Seat Back

The vehicle seat back **MUST** be in the upright position, but you can adjust the angle slightly to better match the angle of the booster seat.

Refer to the vehicle owner's manual for how to adjust the vehicle seat back.



2. Have Your Child Sit in Booster Seat

The top of your child's ears should never be above the top of the booster seat's headrest.

DO NOT use the booster seat if your child's head is less than

5 in. (12 cm) below the roof of the car. To adjust the headrest, see page 7.




3. Position Lap Belt on Child

Route lap portion of the lap/shoulder belt under both armrests.


The shoulder belt **MUST GO UNDER** the armrest on the vehicle buckle side.

The lap belt should lay snugly across the child's upper thighs and not on the stomach, as shown.



4. Buckle Vehicle Belt

Pull the shoulder belt up to tighten it. Consult your vehicle owner's manual for proper seat belt usage.



5. Position Shoulder Belt on Child

Pull up on the shoulder belt to tighten. The shoulder belt should lay snugly across the center of the child's shoulders and across the chest and not on the face or neck.

To help position the shoulder belt, you may need to secure the shoulder belt in one of the two shoulder belt-positioning guides behind headrest pad.




6. Adjust Headrest to Proper Height

The shoulder belt-positioning guide should be slightly above your child's shoulders. See page 7 for details on adjusting the headrest.

FINISHED!



Check periodically to ensure your child has not moved out of position and loosened the shoulder belt.



Keep the booster seat securely belted through the belt-positioning guide even when unoccupied.



**40–100 lb (18.1–45.4 kg) and
43.4–57 in. (110.1–144.8 cm)**

In this car seat, your child can remain in the Booster Seat until they fit the vehicle's lap and shoulder seat belt properly without a Booster Seat **OR** outgrow any one of the following:

- Weight limit: 100 lb (45.4 kg); **OR**
- Height limit: 57 in. (144.8 cm); **OR**
- Backless Booster Seat Child Fit Requirements PAGE 18

⚠ WARNING

Warning! Use only the vehicle's lap and shoulder belt system when restraining the child in this booster seat.




DO NOT use only the lap belt when using this seat as a booster seat. The shoulder belt **MUST** always be adjusted snugly across the child's chest.



NEVER place shoulder belt under the child's arms or behind their back.


DO NOT use this booster seat if the top

of your child's ears are above the top of the vehicle seat's headrest.



1. Check the Head Position

The top of your child's ears should **NEVER be above** the top of the vehicle seat's headrest.




2. Check the Vehicle Position

DO NOT use the booster seat if your child's head is less than 5 in. (12.7 cm) below the roof of the vehicle.



3. Check the Shoulder Belt Position

The shoulder belt should lay snugly across the center of your child's shoulder and across their chest.




4. Check the Lap Belt Position

The lap belt should lay snugly across your child's hips, **NOT on their stomach.**



To remove backrest from seat base, see page 8.



1. Place Backless Booster Seat Forward-Facing Flush Against Vehicle Seat Back and Bottom

The vehicle seatback **MUST** be upright.



2. Have Your Child Sit in Booster Seat

Their back should sit flat against the vehicle seat back and their bottom flat against the booster seat base.

The top of your child's ears should never be above the top of the vehicle seat's headrest.

DO NOT use the booster seat if your child's head is less than 5 in. (12.7 cm) below the roof of the car.




3. Position Lap Belt on Child

Route lap portion of the lap/shoulder belt under both armrests.

The shoulder belt **MUST GO UNDER** the armrest on the vehicle buckle side.

The lap belt should lay snugly across your child's hips, not on their stomach.



4. Buckle Vehicle Belt

Pull the shoulder belt up to tighten it. Consult your vehicle owner's manual for proper seat belt usage.



5. Position Shoulder Belt on Child


Pull up on the shoulder belt to tighten. The shoulder belt should lay snugly across the center of the child's shoulders and across the chest and not on the face or neck.

NOTE: If the shoulder belt lays incorrectly, attach the backrest (see page 6–7) or order a belt-positioning clip by using the Replacement Parts List or by calling Consumer Care at 1-800-544-1108.

FINISHED!



Check periodically to ensure your child has not moved out of position and loosened the shoulder belt.



Keep the booster seat securely belted even when unoccupied.



⚠ WARNING

NEVER take your child out of the child restraint while the vehicle is moving.

NEVER leave your child unattended.

Placing your child in a hot child restraint may result in burns.

DO NOT use a child restraint with damaged or missing parts.

DO NOT substitute parts or try to modify the child restraint in any way.

DO NOT use any child restraint accessory except those approved by Dorel Juvenile Group.

NEVER allow any child to play with this child restraint; it is not a toy.

DO NOT remove or cover up any of the warning labels on the child restraint.

This child restraint has been certified for use in passenger vehicles. **DO NOT** use in a boat, on a motorcycle, or in a cargo van or bus where there are no seat belts.

Read all instructions for additional warnings.

⚠ WARNING

Check the vehicle owner's manual for more information about air bag/child restraint use.



Use the child restraint only on vehicle seats that face forward.



DO NOT use on seats that face the sides or rear of the vehicle.

For vehicles without a back seat, refer to your vehicle owner's manual.



According to accident statistics, children are safer when properly restrained in the rear seating positions than in the front seating positions.

Rear seating positions are statistically safer, whether you have air bags, advanced air bags, or no air bags at all.

If you are not sure where to place the car seat in your vehicle:

- Consult your vehicle owner's manual; **OR**
- Contact Dorel Juvenile Group Consumer Care Department; **OR**
- Visit your local Child Passenger Inspection Station. Go to <https://www.nhtsa.gov/vehicle-safety/car-seats-and-booster-seats> to find your closest station.

**⚠ WARNING**

Check the vehicle belt before each use. Use only if the belt can be tightened properly and securely.

Even when unoccupied, this booster seat **MUST** be firmly secured to the vehicle with the vehicle seat belt.

In a crash or sudden stop, an unsecured booster seat could injure occupants.

To avoid your child being seriously burned, take the following precautions:

- Park in the shade or where the sun does not directly hit the car seat.
- Cover the car seat with a sheet or blanket when not in use.
- Check for hot seat and buckles before placing child in car seat.

To help protect your vehicle seat's upholstery from damage:

You may use an accessory approved by Dorel Juvenile Group or a single layer towel underneath and behind car seat.

DO NOT risk your child's safety.

To keep your child as safe as possible, Dorel Juvenile Group strongly recommends replacing the car seat even after a minor crash, even if it was not occupied at the time.

Replacement After a Minor Crash

The National Highway Traffic Safety Administration states that for a crash to be considered minor **ALL of the following MUST be true:**

- Vehicle able to drive away from the crash site; **AND**
- Vehicle door nearest the car seat was not damaged; **AND**
- No passengers were injured; **AND**
- Airbags did not deploy; **AND**
- There is no visible damage to the car seat.

If the crash your car seat was involved in meets **ALL** the criteria, you may not need to replace the car seat.

If one or more of these criteria are not true or if you are uncertain of any of your answers, replace the car seat immediately.

Replacement After a Moderate to Severe Crash

You **MUST** replace this car seat if it has been in a moderate to severe car crash.

This car seat is intended to protect a child in a single crash. During a crash, the car seat and all of its parts absorb crash energy which can deform or weaken it. Damage is not always visible. A damaged car seat **MUST** be replaced immediately.



Expiration

On the side of the car seat, there is a date of manufacture label as shown.

DO NOT use this car seat more than 10 years after the date of manufacture.



Please complete the postage-paid registration card that came with your booster seat, and send it to us. Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Send your name, address, email address if available and the restraint's model number and manufacturing date to:

Dorel Juvenile Group, Inc.
Consumer Care Department
PO Box 2609
Columbus, IN 47202-2609

or call 1-800-544-1108 or register online at
www.djgusa.com/registration/carseat/us.

For recall information, call the U.S. Government's Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153), or go to www.NHTSA.gov.



This booster seat is not certified for aircraft use because aircraft seats do not have shoulder belts.

Consumer: Just fill in your name, address and email. Please print (use dark ink).

Your Name

Your Street Address


City State Zip Code

Email Address (optional)

Model Number	Model Name	Manufacture Date
AB123-CDE	BRAND CAR SEAT	2024105101

L#11 B265035

Example of model number, manufacture date, and line code.



If you don't have the card or if your address changes, you will find the model number, manufacture date, and line code on the label located on side of shell.

Thank you for choosing this booster seat. The DJG family is committed to creating child restraints with the most comfort and convenience available today.

Remember, parents are a child's first teachers and examples. If you always buckle your seat belt, your child will think it is the natural thing to do. Make it a firm rule that the vehicle does not go until everyone is buckled up. Make no exceptions.

No one can predict if use of a child restraint will prevent injury or death in a particular crash. However, when combined with careful driving, proper use of a child restraint can lower a child's risk of injury or death in most crashes.

Your child's safety is worth the time it will take to read and follow these instructions. After reading, if you still have questions or have any concerns with this booster seat, please contact our Consumer Care Department at:

Website: www.safety1st.com

Telephone: 1-800-544-1108

Text: 1-812-652-2525

Email: support@djgusa.com

M-TH from 8 A.M. to 6 P.M. EST
FRI from 8 A.M. to 4:30 P.M. EST

Mailing Address:

Dorel Juvenile Group, Inc.
Consumer Care Department
P.O. Box 2609
Columbus, IN 47202-2609

Dorel Juvenile Group, Inc. (DJG) warrants this product to the original retail purchaser as follows:

This product is warranted against defective materials or workmanship for one year from the date of original purchase. **An original receipt is required to validate your warranty.** DJG will, at its option, provide replacement parts or replace this product. DJG reserves the right to substitute if the part or model has been discontinued.

To make a claim under this warranty you may write to DJG, Consumer Care Department, P. O. Box 2609, Columbus, IN 47202-2609; or call 1-800-544-1108 from 8:00 a.m. to 6:00 p.m. EST Monday through Thursday and from 8:00 a.m. to 4:30 p.m. on Friday.

Proof of purchase is required and shipping charges are the responsibility of the consumer.

Warranty Limitations: This warranty does not include damages which arise from misuse or abuse of this product.

Limitation of Damages: The warranty and remedies as set forth are exclusive and in lieu of all others, oral or written, expressed or implied. In no event will DJG or the dealer selling this product be liable to you for any damages, including incidental or consequential damages, arising out of the use or inability to use this product.

Limitation of warranties and other warranty terms and state law rights:

Any implied warranties, including implied warranties of the merchantability and fitness for a particular purpose, shall be limited to the duration and terms of the express written warranty. Some states do not allow limitations as to how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you.

This warranty gives you specific legal rights, and you may have other rights, which vary from state to state. Neither DJG nor the dealer selling this product authorized any person to create for it any other warranty, obligation, or liability in connection with this product.