



# Fletcher Glazed Ceramic

Design that shapes living.

www.virginiatile.com

# **FLETCHER**

Elevate the foundations of all your designs with our exquisite handmade porcelain mosaics. Featuring everyday colors and trending shapes, this collection is crafted to bring timeless beauty and classic charm to any installation.



# **FLETCHER** Virginia Tile Company


## COLORS





White VTC FLWH HERRING 12" x 12" x 8mm Herringbone

Gray VTC FLGY HERRING 12" x 12" x 8mm Herringbone



White VTC FLWH COMPLEX 11" x 13" x 8mm Complex

Gray VTC FLGY COMPLEX 11" x 13" x 8mm Complex





White Gray VTC FLWH EHEX VTC FLGY EHEX 10" x 14" x 8mm Elongated Hex 10" x 14" x 8mm Elongated Hex





Gray VTC FLGY HEX 11" x 13" x 8mm Hex

### SIZES | DESCRIPTION

2" x 6" x 8mm Elongated Hex Mosaic 3" x 4" x 8mm Complex Mosaic

2″ x 3″ x 8mm Hex Mosaic 1″ x 1″ x 7mm Herringbone Mosaic

White | 1 x 1 Gloss





Brown VTC FLBR HERRING 12" x 12" x 8mm Herringbone



Brown VTC FLBR COMPLEX 11" x 13" x 8mm Complex



VTC FLBR EHEX

10" x 14" x 8mm Elongated Hex



Brown VTC FLBR HEX 11" x 13" x 8mm Hex

FINISH

Gloss





# FEATURES & BENEFITS

- Enhance your designs with our handcrafted porcelain mosaics, offering timeless colors and trendy shapes for enduring beauty and elegance.
- Glossy finish: The glossy finish adds a touch of sophistication and elegance.
- Durable: Fletcher glossy wall tile is made from high-quality materials and is designed to last for many years.
- Easy to care for: Fletcher is easy to care for and can be cleaned with a damp cloth.





### Tiles, Mosaic and Trim\*

SIZE	ACTUAL	THICKNESS	FINISH
3″ x 4″ Complex Mosaic	11" x 13"	8mm	Gloss
2" x 6" Elongated Hex Mosaic	10" x 14"	8mm	Gloss
2″ x 3″ Hex Mosaic	10" x 13"	8mm	Gloss
1" x 1" Herringbone Mosaic	11" x 12"	7mm	Gloss

\* Not all sizes are available in all colors and finishes.

### Application\*\*

		WALL	FLOOR
Interior	Residential	•	
Interior	Commercial	•	
Interior	Heavy Commercial		
Exterior	Residential/Commercial		
** These recommendations are not defined by ANSI Standards			

Breaking Strength	N/A
Chemical Resistance	N/A
DCOF	N/A
Deep Scratch Resistance - Unglazed	N/A
Frost Resistance	N/A
Mohs Hardness - EN101	N/A
Water Absorption	N/A
Certifications	N/A
Country of Origin	N/A
Shade Variation Code	

**Performance Characteristics** 

Shade Variation Code

## A MIDWEST STAPLE.

Our 19 locations represent an expansive footprint, with an in-house transportation network directly servicing professionals in 16 states across the Midwest.

While our commercial programs and manufacturer partnerships extend to projects across North America.



#### ILLINOIS

Chicago Chicago IL 60654

Elk Grove Village Elk Grove Village IL 60007

#### INDIANA

Indianapolis 4161 96th Street Indianapolis, IN 46240

#### IOWA

Clive 2001 NW 92nd Court

#### KANSAS

Kansas City Dist. Center 5100 Kansas Ave Kansas City KS 66106

Wichita Wichita KS 67213

### MICHIGAN

Farmington Hills Farmington Hills MI 48335

Grand Rapids Grand Rapids MI 49512

28320 Plymouth Road Livonia MI 48150

Troy 900 W Maple Road Troy MI 48084

#### MINNESOTA

Plymouth 1820 Berkshire Lane North Plymouth MN 55441

#### MISSOURI

Springfield 2727 N LeCompte Road Springfield MO 65803


> St. Louis St. Louis MO 63132

## **CARE & MAINTENANCE**

Glazed tile products should be cleaned routinely with an all-purpose, low VOC, household or commercial cleaner. The product chosen should also be grout joint cleaning compatible. The type of product may vary depending on the tile application and use. A multipurpose spray cleaner, which removes soap scum, hard water deposits and mildew designed for everyday use can be used on wall tile areas in residential baths and showers. A cotton mop, cloth, sponge, or non-metallic brush should be used to apply and agitate cleaner. Rinse the area with clean water and dry thoroughly. Routine cleaners should never contain harsh chemicals as these can damage tile. Acids can damage grout and the glazed surface of the tile. Ammonia can discolor grout.

Regular dust mopping, sweeping, or vacuuming is recommended prior to cleaning with liquid products.

Unglazed tile should be cleaned routinely with concentrated tile cleaners with a neutral pH for safe regular use. These cleaners are better suited for removing grease, oils, and normal spills from unglazed products. Again, these products will vary depending on the application, amount of traffic and the use. The product chosen should also be compatible with the grout.



Livonia Dist. Center

9215 & 9245 Dielman Industrial Dr

#### NEBRASKA

Omaha Omaha NE 68127

#### OHIO

Brooklyn Heights 4749 Spring Road Brooklyn Heights OH 44131

Warrensville Heights 4670 Richmond Road Warrensville Heights OH 44128

#### OKLAHOMA

Oklahoma City 5600 SW 36th St, Suite C

Tulsa 11915 East 51st St Tulsa OK 74146

#### **WISCONSIN**

Menomonee Falls W135 N5511 Campbell Drive Menomonee Falls WI 53051

# VIRGINIATILE

Design that shapes living.

Virginia Tile brings you extraordinary tile and surface possibilities, empowered by vast selections, passionate people, and unmatched engagement. Bringing design to the surface.

www.virginiatile.com