



SIGNATURE SERIES

2021/2022 Precision Profiles and Transitions





Since 1968

Established in 1968 and headquartered in Los Angeles, California, Emser Tile® is a leading designer, producer and marketer of the world's finest tile and natural stone. By offering unparalleled service and a vast selection of products, Emser Tile is a comprehensive source for interior and exterior products that include porcelain, ceramic, glass, decorative accents, metal, quarry, mosaics, natural and engineered stone, cut-to-size products, setting materials and custom manufactured products made to your specifications. Our nationwide service network includes state of the art distribution centers and local sales and service locations to combine a strong national presence with tailored, local service. Building upon 50 years of service, our dedication and commitment to our customers remains as strong as ever and are the core of our business and our culture.

Our services are tailored to customers' specific requirements. Emser Tile offers exclusive programs that help retailers, home builders, commercial builders, contractors, architects and designers exceed their customers' expectations and requirements while keeping projects on schedule and within budget.

Our global network brings the latest trends, technologies and innovations for ceramic and porcelain tile, glass, natural stone, decorative, mosaic and metal products. We continue to offer the most compelling and extensive portfolio of colors, finishes, patterns and textures, accompanied by a broad assortment of coordinating trim and accent pieces.

Our expansive capacity translates into vast selection of products and immediate distribution. With Emser Tile, customers have quick access to unique and first-to-market products. With our local sales and service locations and global network of factory alliances, Emser Tile has the infrastructure to logistically support any size project on a domestic or international level.



CUBELINE 23



42 ANTI-SKID STEP STRIP

EMSER SIGNATURE SERIES

8

TRIMS FOR WALL, FLOOR AND COUNTERTOP APPLICATIONS


EDGE PROTECTOR TRIM	12
QUARTER CIRCLE TILE TRIM	16
FLOOR ACCENT PROFILE	22
CUBELINE	23
DECOLINE	28
CORNER PRO	28
CORNER ANGLE	29
CORNER ANGLE PLUS	29
SILL PROFILE	30
F-PROFILE	30
NEW NEW YORK EDITION	32
NEW LUXURY LINE	38

STAIR PROFILES

ANTI-SKID STEP STRIP	42
HD ANTI-SKID STEP STRIP	43
CLASSIC STAIR NOSE	44
DECO STAIR NOSE PROFILE	45
STEPLINE	47

TRANSITION AND RENOVATION PROFILES

ADJUSTABLE TRANSITION PROFILE	50
SELF-ADHESIVE TRANSITION PROFILE	50
TTRANSITION PROFILE <i>Gap-Covering</i>	51
DRIVE	51
REDUCER TRIM	52
CARPET TRIM	52
SKIRTING	53
NEW COVE	54



ULTRA-DRAIN 74



NEW COVE 54



68 AQUA-DECO

EXPANSION JOINTS AND SCREED ACCESSORIES

FLOOREX	58
HEAVY DUTY EXPANSION JOINT	59
SCREED EXPANSION JOINT	60
V-SCREED EXPANSION JOINT	60

AQUA PROFILES

AQUA-KEIL	64
AQUA-KEIL WALL	66
AQUA-DECO	68
AQUA GLASS	68
AQUA-KEIL GLASS	70

WATERPROOFING SYSTEMS

ULTRA-DRAIN	74
-------------	----

BALCONY AND TERRACE SYSTEMS

DE PROFILE	78
BALCONY-Gutter Quarter Circle Trim	79
BALCONY-Gutter Edge Protector	80
BALCONY-EDGE PROTECTOR PRO	82
BALCONY-EDGE PROTECTOR	84
BALCONY-EDGE PROTECTOR PLUS	85
BALCONY-GRAVEL DECK EDGE PRO	86
GRAVEL DECK EDGE	87
COVECOVER	88


Material surfaces	90
Common color/finish codes	94
Height conversion chart	94
Part number identification system	95
Freight and shipping charges	95





SHOWER + WALL
Marble | Bianco Gioia

FLOOR
Style II | Pure White



SIGNATURE SERIES

PREMIUM PROFILES AND TRANSITIONS

The Emser Tile® *Signature Series* is an expertly-curated collection of trims that contains bestselling tile transitions and profiles designed to meet and exceed the needs of the modern tile installer. During the careful selection of the shapes and finishes for the Emser Tile *Signature Series*, a tremendous emphasis was placed on satisfying commercial and residential market demands so that the perfect tile trim for every tile job would be easily within reach.

The Emser Tile *Signature Series* tile transitions and profiles are stocked at Emser locations nationwide. Additional styles, sizes, and finishes are readily available via special order.



SIGNATURE SERIES STOCKED ITEMS

EDGE PROTECTOR TRIM

ALUMINUM 8.0			ALUMINUM 8.0			ALUMINUM 8.0		
NATURAL			SATIN SILVER, ANODIZED			SHINY SILVER, ANODIZED		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 10 pcs.			Pack: 10 pcs.			Pack: 10 pcs.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
5/16	ZBL300-400-08025-1	9.01	5/16	ZBL300-410-08025-1	13.56	5/16	ZBL300-430-08025	15.21
3/8	ZBL300-400-10025-1	9.59	3/8	ZBL300-410-10025-1	14.50	3/8	ZBL300-430-10025-1	17.54
1/2	ZBL300-400-12525-1	10.06	1/2	ZBL300-410-12525-1	15.44	1/2	ZBL300-430-12525	18.71

ALUMINUM 8.0			ALUMINUM 8.0			ALUMINUM 8.0		
TITANIUM BRONZE, ANODIZED			WHITE, POWDER-COATED			BRUSHED NICKEL, ANODIZED		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 10 pcs.			Pack: 10 pcs.			Pack: 10 pcs.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
5/16	ZBL300-446-08025	16.85	5/16	ZBL300-450-08025-1	15.44	5/16	ZBL300-420B-08025	19.70
3/8	ZBL300-446-10025-1	17.07	3/8	ZBL300-450-10025	16.85	3/8	ZBL300-420B-10025	19.86
1/2	ZBL300-446-12525-1	17.72				1/2	ZBL300-420B-12525	20.57



SIGNATURE SERIES STOCKED ITEMS

EDGE PROTECTOR TRIM

ALUMINUM 8.0
 OIL RUBBED BRONZE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL300-449-10025	21.56

PVC 8.0
 WHITE

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL300-501-1025	5.84

ALUMINUM 8.0
 MATT BLACK, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL300-416-10025	17.39
½	ZBL300-416-12525	18.38

ALUMINUM 8.0
 SATIN GOLD, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL300-420-10025-1	14.97



Additional sizes and finishes of EDGE PROTECTOR TRIMS are available on page 12.

QUARTER CIRCLE TRIM

ALUMINUM 8.0
 SATIN SILVER, ANODIZED


Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL347-410-10025	19.99

ALUMINUM 8.0
 TITANIUM BRONZE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL347-446-10025	23.03



Additional sizes and finishes of QUARTER CIRCLE TRIMS are available on page 16.

REDUCER TRIM

ALUMINUM 8.0
 SATIN SILVER, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL217-410-10025	17.77



Additional sizes and finishes of REDUCER TRIMS are available on page 23.

CARPET TRIM

ALUMINUM 8.0
 SATIN SILVER, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¾	ZBL218-410-10025-1	17.07



Additional sizes and finishes of CARPET TRIMS are available on page 54.



Additional sizes and finishes of CARPET TRIMS are available on page 54.



TRIMS

WALL, FLOOR
& COUNTERTOP
APPLICATIONS



12 EDGE
PROTECTOR TRIM




23 CUBELINE




EDGE PROTECTOR TRIM

EDGE PROTECTOR TRIMS are designed to provide decorative protection for tile edges. Use EDGE PROTECTOR TRIMS where the tile edges are exposed to impact and where an attractive, professional finish is desired. Part numbers in **bold** indicate stocked Emser **Signature Series** item.



BRASS NATURAL			BRASS CHROME-PLATED			STAINLESS STEEL NATURAL		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 10 pcs.			Pack: 1 pc.			Pack: 10 pcs.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
1/8	ZBL300-300-03025	23.63	1/4	ZBL300-340-06025	72.51	1/8	ZBL300-280-02025	23.38
3/16	ZBL300-300-04525	26.42	1/16	ZBL300-340-08025	75.43	1/8	ZBL300-280-03025	24.56
1/4	ZBL300-300-06025-1	27.59	3/8	ZBL300-340-10025	76.02	3/16	ZBL300-280-04525-1	29.24
5/16	ZBL300-300-08025	30.41	7/16	ZBL300-340-11025	76.60	1/4	ZBL300-280-06025-1	29.82
3/8	ZBL300-300-10025	30.98	1/2	ZBL300-340-12525-1	77.19	5/32	ZBL300-280-07025	30.79
1/2	ZBL300-300-12525	32.17				5/16	ZBL300-280-08025-1	30.89
19/32	ZBL300-300-15025	36.14				11/32	ZBL300-280-09025	32.28
3/4	ZBL300-300-18525	37.77				3/8	ZBL300-280-10025-1	32.62
7/8	ZBL300-300-22025	46.42				7/16	ZBL300-280-11025	33.16
1	ZBL300-300-25025	47.95				1/2	ZBL300-280-12525-1	33.67
						17/32	ZBL300-280-14025	38.95
						19/32	ZBL300-280-15025	39.42
						5/8	ZBL300-280-16025	39.94
						3/4	ZBL300-280-18525	42.10
						13/16	ZBL300-280-20025	43.71
						7/8	ZBL300-280-22025-1	43.85
						1	ZBL300-280-25025	45.17
						1 3/16	ZBL300-280-30025	54.21



Expert tip:
The DA BENDER, a tool used at the jobsite to bend the BEND-EASE profiles, is featured on page 100. Brass, aluminum and stainless steel edge protectors are available in 8' length with an extra cut in the setting leg to facilitate bending. To order, add a »S« to the end of Part Number. (ex. ZBL300-300-10025S = 3/8" Edge Protector Brass Bendease). Profiles can take 1-2 weeks for delivery. The price for the »Bend-Ease« profiles is the standard price per piece plus \$ 6.48.



STAINLESS STEEL POLISHED			STAINLESS STEEL BRUSHED			STAINLESS STEEL ACID-RESISTANT (AISI 316)		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 10 pcs.			Pack: 10 pcs.			Pack: 10 pcs.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
1/8	ZBL300-286-03025	55.55	1/4	ZBL300-280-06025B	35.78	1/4	ZBL300-285-06025	46.09
3/16	ZBL300-286-04525	60.22	5/32	ZBL300-280-07025B	36.87	3/16	ZBL300-285-08025	47.72
1/4	ZBL300-286-06025	61.29	1/16	ZBL300-280-08025B	37.13	3/8	ZBL300-285-10025-1	49.60
5/16	ZBL300-286-08025	62.80	11/32	ZBL300-280-09025B	39.33	1/2	ZBL300-285-12525	51.56
3/8	ZBL300-286-10025-1	64.43	3/8	ZBL300-280-10025B	40.23	19/32	ZBL300-285-15025	53.63
7/16	ZBL300-286-11025	66.03	7/16	ZBL300-280-11025B	40.46			
1/2	ZBL300-286-12525	66.32	1/2	ZBL300-280-12525B	41.24			
19/32	ZBL300-286-15025	70.75	17/32	ZBL300-280-14025B	41.46			
3/4	ZBL300-286-18525	73.68	19/32	ZBL300-280-15025B	41.80			
7/8	ZBL300-286-22025	76.02	5/8	ZBL300-280-16025B	42.55			
			3/4	ZBL300-280-18525B	43.87			
			13/16	ZBL300-280-20025B	45.08			
			7/8	ZBL300-280-22025B	45.59			

ALUMINUM 8.0

NATURAL

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/16	ZBL300-400-02025	7.26
1/8	ZBL300-400-03025	7.48
3/16	ZBL300-400-04525	7.96
1/4	ZBL300-400-06025-1	8.42
5/16	ZBL300-400-08025-1	9.01
3/8	ZBL300-400-10025-1	9.59
7/16	ZBL300-400-11025	9.77
1/2	ZBL300-400-12525-1	10.06
19/32	ZBL300-400-15025-1	10.52
3/4	ZBL300-400-18525-1	11.11
13/16	ZBL300-400-20025	12.03
7/8	ZBL300-400-22025	12.52
1	ZBL300-400-25025	13.56
1 1/16	ZBL300-400-30025	14.50

ALUMINUM 8.0

SATIN SILVER, BRUSHED ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/16	ZBL300-410B-08025	31.73
3/16	ZBL300-410B-10025	32.17
7/16	ZBL300-410B-11025	32.64
1/2	ZBL300-410B-12525	33.31

ALUMINUM 8.0

SATIN SILVER, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/16	ZBL300-410-02025	11.36
1/8	ZBL300-410-03025	11.70
3/16	ZBL300-410-04525	11.94
1/4	ZBL300-410-06025	12.76
5/16	ZBL300-410-08025-1	13.56
3/8	ZBL300-410-10025-1	14.50
7/16	ZBL300-410-11025	14.97
1/2	ZBL300-410-12525-1	15.44
19/32	ZBL300-410-15025-1	16.02
3/4	ZBL300-410-18525-1	17.07
13/16	ZBL300-410-20025	18.06
7/8	ZBL300-410-22025	19.30
1	ZBL300-410-25025	20.35
1 1/16	ZBL300-410-30025	22.58

ALUMINUM 8.0

SHINY SILVER, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/4	ZBL300-430-06025-1	14.04
5/16	ZBL300-430-08025	15.21
3/8	ZBL300-430-10025-1	17.54
7/16	ZBL300-430-11025	17.95
1/2	ZBL300-430-12525	18.71
19/32	ZBL300-430-15025	19.15
3/4	ZBL300-430-18525	19.92

ALUMINUM 8.0

SATIN GOLD, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL300-420-04525	11.94
1/4	ZBL300-420-06025	12.76
5/16	ZBL300-420-08025	13.35
3/8	ZBL300-420-10025-1	14.97
1/2	ZBL300-420-12525	16.13
19/32	ZBL300-420-15025	16.85

ALUMINUM 8.0

SHINY GOLD, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/4	ZBL300-480-06025	13.80
5/16	ZBL300-480-08025	14.04
3/8	ZBL300-480-10025-1	15.80
1/2	ZBL300-480-12525	16.96

ALUMINUM 8.0

MATT BLACK, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/4	ZBL300-416-06025	16.56
5/16	ZBL300-416-08025	16.64
3/8	ZBL300-416-10025	17.39
7/16	ZBL300-416-11025	18.06
1/2	ZBL300-416-12525	18.38
19/32	ZBL300-416-15025	21.40
3/4	ZBL300-416-18525	23.04

ALUMINUM 8.0

BLACK, POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/4	ZBL300-456-06025	14.62
5/16	ZBL300-456-08025	15.44
3/8	ZBL300-456-10025-1	16.85
1/2	ZBL300-456-12525-1	18.71
19/32	ZBL300-456-15025	19.76
3/4	ZBL300-456-18525	20.86

ALUMINUM 8.0

ROYAL CHAMPAGNE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
5/16	ZBL300-470-08025	15.90
3/8	ZBL300-470-10025	16.46
7/16	ZBL300-470-11025	16.65
1/2	ZBL300-470-12525	17.36

ALUMINUM 8.0

TITANIUM BRONZE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/4	ZBL300-446-06025	16.72
5/16	ZBL300-446-08025	16.85
3/8	ZBL300-446-10025-1	17.07
1/2	ZBL300-446-12525-1	17.72
19/32	ZBL300-446-15025	17.92
3/4	ZBL300-446-18525	18.45

ALUMINUM 8.0

WHITE, POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL300-450-04525	14.39
1/4	ZBL300-450-06025	14.62
5/16	ZBL300-450-08025-1	15.44
3/8	ZBL300-450-10025	16.85
7/16	ZBL300-450-11025	17.78
1/2	ZBL300-450-12525-1	18.71
19/32	ZBL300-450-15025	20.47
3/4	ZBL300-450-18525	21.71

ALUMINUM 8.0

OIL RUBBED BRONZE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
1/4	ZBL300-449-06025	20.82
5/16	ZBL300-449-08025	21.01
3/8	ZBL300-449-10025	21.56
7/16	ZBL300-449-11025	22.21
1/2	ZBL300-449-12525-1	22.75
19/32	ZBL300-449-15025	23.28
3/4	ZBL300-449-18525	24.05

ALUMINUM 8.0		
BRUSHED NICKEL, ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
¼	ZBL300-420B-06025	19.45
⅜	ZBL300-420B-08025	19.70
½	ZBL300-420B-10025	19.86
⅝	ZBL300-420B-11025	19.92
¾	ZBL300-420B-12525	20.57
1⅞	ZBL300-420B-15025	20.97
2¼	ZBL300-420B-18525	21.70

ALUMINUM 8.0		
MATTE BLACK, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-416B-08025	41.18
½	ZBL300-416B-10025	41.62
⅝	ZBL300-416B-11025	42.27
¾	ZBL300-416B-12525	42.80

ALUMINUM 8.0		
SATIN GOLD, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-42GB-08025	33.00
½	ZBL300-42GB-10025	33.43
⅝	ZBL300-42GB-11025	33.92
¾	ZBL300-42GB-12525	34.62

ALUMINUM 8.0		
TITANIUM BRONZE, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-446B-08025	41.18
½	ZBL300-446B-10025	41.62
⅝	ZBL300-446B-11025	42.27
¾	ZBL300-446B-12525	42.80

ALUMINUM 8.0		
ROYAL CHAMPAGNE, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-470B-08025	33.00
½	ZBL300-470B-10025	33.43
⅝	ZBL300-470B-11025	33.92
¾	ZBL300-470B-12525	34.62

ALUMINUM 8.0		
SAND TROPEZ, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4571A-08025	36.14
½	ZBL300-4571A-10025	36.63
⅝	ZBL300-4571A-11025	36.81
¾	ZBL300-4571A-12525	38.69

ALUMINUM 8.0		
STONE GRAY, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4591A-08025	36.14
½	ZBL300-4591A-10025	36.63
⅝	ZBL300-4591A-11025	36.81
¾	ZBL300-4591A-12525	38.69

ALUMINUM 8.0		
GRAPHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4561A-08025	36.14
½	ZBL300-4561A-10025	36.63
⅝	ZBL300-4561A-11025	36.81
¾	ZBL300-4561A-12525	38.69

ALUMINUM 8.0		
OXIDE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4581A-08025	36.14
½	ZBL300-4581A-10025	36.63
⅝	ZBL300-4581A-11025	36.81
¾	ZBL300-4581A-12525	38.69

NEW ALUMINUM 8.0		
SUGAR WHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4512A-08025	36.14
½	ZBL300-4512A-10025	36.63
⅝	ZBL300-4512A-12525	38.69

NEW ALUMINUM 8.0		
QUARTZ, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4521A-08025	36.14
½	ZBL300-4521A-10025	36.63
⅝	ZBL300-4521A-12525	38.69

NEW ALUMINUM 8.0		
OYSTER WHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4511A-08025	36.14
½	ZBL300-4511A-10025	36.63
⅝	ZBL300-4511A-12525	38.69

NEW ALUMINUM 8.0		
INDUSTRIAL RUST, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4583A-08025	36.14
½	ZBL300-4583A-10025	36.63
⅝	ZBL300-4583A-12525	38.69

NEW ALUMINUM 8.0		
COAL BLACK, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4562A-08025	36.14
½	ZBL300-4562A-10025	36.63
⅝	ZBL300-4562A-12525	38.69

NEW ALUMINUM 8.0		
DARK CHOCOLATE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
⅜	ZBL300-4582A-08025	36.14
½	ZBL300-4582A-10025	36.63
⅝	ZBL300-4582A-12525	38.69

EDGE PROTECTOR TRIM

EDGE PROTECTOR TRIMS (PVC) are designed to provide a decorative finish and protection to the outside corners of tiled surfaces. The PVC EDGE PROTECTOR TRIMS maintain excellent surface quality and are durable against most solvents, weather, and UV rays. Part numbers in **bold** indicate stocked Emser *Signature Series* items.



PVC 8.0 WHITE

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL300-501-6025	5.51
⅜	ZBL300-501-8025	5.75
½	ZBL300-501-1025	5.84
¾	ZBL300-501-11025	5.91
1	ZBL300-501-12525-1	6.19

PVC 8.0 JASMINE


Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL300-5011-6025	5.51
⅜	ZBL300-5011-8025-1	5.75
½	ZBL300-5011-1025	5.84
¾	ZBL300-5011-11025	5.91
1	ZBL300-5011-12525-1	6.19

PVC 8.0 SILVER GRAY

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL300-5092-6025	5.51
⅜	ZBL300-5092-8025-1	5.75
½	ZBL300-5092-1025	5.84
¾	ZBL300-5092-11025	5.91
1	ZBL300-5092-12525	6.19



PVC

PVC 8.0 MANHATTAN GRAY

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL300-5091-6025	5.51
⅜	ZBL300-5091-8025-1	5.75
½	ZBL300-5091-1025-1	5.84
¾	ZBL300-5091-11025	5.91
1	ZBL300-5091-12525-1	6.19




Style II™ | Pure White




QUARTER CIRCLE TILE TRIM

QUARTER CIRCLE TILE TRIMS provide a decorative finish and edge protection for wall and countertop tiled edges. The brass and stainless steel QUARTER CIRCLE form a symmetrical, curved edge and can also be used as stair nose and transition trims.



Brass



Stainless steel

QUARTER CIRCLE TILE TRIM

BRASS 8.0

Length: 8.0 feet Pack: 5 pcs.


h/in.	Part no.	\$/pc.
1/4	ZBL347-300-06025	52.85
5/16	ZBL347-300-08025	62.67
3/8	ZBL347-300-10025	73.68
1/2	ZBL347-300-12525	90.87
19/32	ZBL347-300-15025	111.79

QUARTER CIRCLE TILE TRIM, OUTER CORNERS

QUARTER CIRCLE TILE TRIM, INNER CORNERS

Expert tip:

When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!



BRASS 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL347-340-06025	87.23
5/16	ZBL347-340-08025	97.07
3/8	ZBL347-340-10025	108.06
1/2	ZBL347-340-12525	127.71
19/32	ZBL347-340-15025	148.63

BRASS LOOK 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL348-940-060	6.46
5/16	ZBL348-940-080	6.46
3/8	ZBL348-940-100	6.46
1/2	ZBL348-940-125	6.46

BRASS LOOK 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL349-940-060	6.46
5/16	ZBL349-940-080	6.46
3/8	ZBL349-940-100	6.46
1/2	ZBL349-940-125	6.46

STAINLESS STEEL 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
1/4	ZBL347-280-06025	43.03
5/16	ZBL347-280-08025	48.77
3/8	ZBL347-280-10025	52.38
7/16	ZBL347-280-11025	53.36
1/2	ZBL347-280-12525	54.02
19/32	ZBL347-280-15025	67.58

STAINLESS STEEL 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL348-280-060	9.90
5/16	ZBL348-280-080	10.32
3/8	ZBL348-280-100	11.90
7/16	ZBL348-280-110	14.91
1/2	ZBL348-280-125	15.89
19/32	ZBL348-280-150	19.51

STAINLESS STEEL 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL349-280-060	10.62
5/16	ZBL349-280-080	10.62
3/8	ZBL349-280-100	10.62
7/16	ZBL349-280-110	10.62
1/2	ZBL349-280-125	10.62

STAINLESS STEEL LOOK 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL348-9280-060	6.46
5/16	ZBL348-9280-080	6.46
3/8	ZBL348-9280-100	6.46
7/16	ZBL348-9280-110	6.46
1/2	ZBL348-9280-125	6.46

STAINLESS STEEL LOOK 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL349-9280-060	6.46
5/16	ZBL349-9280-080	6.46
3/8	ZBL349-9280-100	6.46
7/16	ZBL349-9280-110	6.46
1/2	ZBL349-9280-125	6.46

QUARTER CIRCLE TILE TRIM

STAINLESS STEEL
BRUSHED

8.0

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-280-06025B	54.01
⅜	ZBL347-280-08025B	61.38
½	ZBL347-280-10025B-1	67.44
⅝	ZBL347-280-11025B	67.73
¾	ZBL347-280-12525B	68.10

QUARTER CIRCLE TILE
TRIM, OUTER CORNERS**STAINLESS STEEL**
BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-280B-060	12.70
⅜	ZBL348-280B-080	13.52
½	ZBL348-280B-100	14.28
⅝	ZBL348-280B-110	17.06
¾	ZBL348-280B-125	19.84

QUARTER CIRCLE TILE
TRIM, INNER CORNERS**STAINLESS STEEL**
BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-280B-060	11.67
⅜	ZBL349-280B-080	11.67
½	ZBL349-280B-100	11.67
⅝	ZBL349-280B-110	11.67
¾	ZBL349-280B-125	11.67

STAINLESS STEEL LOOK
BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-928B-060	6.46
⅜	ZBL348-928B-080	6.46
½	ZBL348-928B-100	6.46
⅝	ZBL348-928B-110	6.46
¾	ZBL348-928B-125	6.46

STAINLESS STEEL LOOK
BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-928B-060	6.46
⅜	ZBL349-928B-080	6.46
½	ZBL349-928B-100	6.46
⅝	ZBL349-928B-110	6.46
¾	ZBL349-928B-125	6.46

STAINLESS STEEL
POLISHED

8.0

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-286-06025	62.46
⅜	ZBL347-286-08025	68.53
½	ZBL347-286-10025	74.74
⅝	ZBL347-286-11025	77.21
¾	ZBL347-286-12525	80.81

STAINLESS STEEL
POLISHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-286-060	12.70
⅜	ZBL348-286-080	13.52
½	ZBL348-286-100	14.28
⅝	ZBL348-286-110	17.06
¾	ZBL348-286-125	19.84

STAINLESS STEEL
POLISHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-286-060	11.67
⅜	ZBL349-286-080	11.67
½	ZBL349-286-100	11.67
⅝	ZBL349-286-110	11.67
¾	ZBL349-286-125	11.67

STAINLESS STEEL LOOK
POLISHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-9286-060	6.46
⅜	ZBL348-9286-080	6.46
½	ZBL348-9286-100	6.46
⅝	ZBL348-9286-110	6.46
¾	ZBL348-9286-125	6.46

STAINLESS STEEL LOOK
POLISHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-9286-060	6.46
⅜	ZBL349-9286-080	6.46
½	ZBL349-9286-100	6.46
⅝	ZBL349-9286-110	6.46
¾	ZBL349-9286-125	6.46

QUARTER CIRCLE TILE TRIM, FLAT CAP

STAINLESS STEEL
NATURAL

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL350-280-060	18.50
⅜	ZBL350-280-080	20.00
½	ZBL350-280-100	20.69
⅝	ZBL350-280-110	21.16
¾	ZBL350-280-125	21.49
19/32	ZBL350-280-150	22.32

STAINLESS STEEL
POLISHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL350-286-060	24.84
⅜	ZBL350-286-080	26.34
½	ZBL350-286-100	27.02
⅝	ZBL350-286-110	27.48
¾	ZBL350-286-125	27.82

STAINLESS STEEL
BRUSHED

Pack: 1 pc.


h/in.	Part no.	\$/pc.
¼	ZBL350-280B-060	24.84
⅜	ZBL350-280B-080	26.34
½	ZBL350-280B-100	27.02
⅝	ZBL350-280B-110	27.48
¾	ZBL350-280B-125	27.82






QUARTER CIRCLE TILE TRIM

QUARTER CIRCLE TRIMS are made of high-quality aluminum or PVC and bring decorative finishes and edge protection to tiled edges. The vertical joint spacer of QUARTER CIRCLE TILE TRIM provides superior structural strength and easy tile alignment. The variety of finishes available allows for ease in color coordination and creating decorative designs. Part numbers in **bold** indicate stocked Emser *Signature Series* items.



Aluminum




PVC

Advantages:

- > High quality
- > Structural support provided by an integrated vertical support piece under the curved profile (Extruded aluminum and PVC)
- > Superior weather resistance due to the durable baked-on plastic coating

Experts tip:

When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!



QUARTER CIRCLE TILE TRIM

ALUMINUM 8.0

SATIN SILVER, ANODIZED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-410-06025	15.55
⅝	ZBL347-410-08025-1	17.78
⅜	ZBL347-410-10025-1	19.99
⅞	ZBL347-410-11025	21.19
½	ZBL347-410-12525-1	23.86

QUARTER CIRCLE TILE TRIM, OUTER CORNERS

ALUMINUM

SATIN SILVER, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-410AL-060	11.18
⅝	ZBL348-410AL-080	11.18
⅜	ZBL348-410AL-100	11.18
⅞	ZBL348-410AL-110	11.18
½	ZBL348-410AL-125	11.18

QUARTER CIRCLE TILE TRIM, INNER CORNERS

ALUMINUM

SATIN SILVER, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-410AL-060	15.04
⅝	ZBL349-410AL-080	15.04
⅜	ZBL349-410AL-100	15.04
⅞	ZBL349-410AL-110	15.04
½	ZBL349-410AL-125	15.04

ALUMINUM LOOK SATIN SILVER

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-410-060	6.46
⅝	ZBL348-410-080	6.46
⅜	ZBL348-410-100	6.46
⅞	ZBL348-410-110	6.46
½	ZBL348-410-125	6.46

ALUMINUM LOOK SATIN SILVER

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-410-060	6.46
⅝	ZBL349-410-080	6.46
⅜	ZBL349-410-100	6.46
⅞	ZBL349-410-110	6.46
½	ZBL349-410-125	6.46

ALUMINUM 8.0

SHINY SILVER, ANODIZED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-430-06025	18.38
⅝	ZBL347-430-08025	20.57
⅜	ZBL347-430-10025	23.20
⅞	ZBL347-430-11025	24.29
½	ZBL347-430-12525-1	26.25

ALUMINUM LOOK SHINY SILVER

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-930-060	6.46
⅝	ZBL348-930-080	6.46
⅜	ZBL348-930-100	6.46
⅞	ZBL348-930-110	6.46
½	ZBL348-930-125-1	6.46

ALUMINUM LOOK SHINY SILVER

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-930-060	6.46
⅝	ZBL349-930-080	6.46
⅜	ZBL349-930-100	6.46
⅞	ZBL349-930-110	6.46
½	ZBL349-930-125-1	6.46

ALUMINUM 8.0

STAINLESS STEEL METALLIC, POWDER-COATED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-4502-06025	17.18
⅝	ZBL347-4502-08025	19.46
⅜	ZBL347-4502-10025	21.81
⅞	ZBL347-4502-11025	22.74
½	ZBL347-4502-12525	24.81

ALUMINUM LOOK STAINLESS STEEL METALLIC, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-9502-060	6.85
⅝	ZBL348-9502-080	6.85
⅜	ZBL348-9502-100	6.85
⅞	ZBL348-9502-110	6.85
½	ZBL348-9502-125	6.85

ALUMINUM LOOK STAINLESS STEEL METALLIC, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-9502-060	6.85
⅝	ZBL349-9502-080	6.85
⅜	ZBL349-9502-100	6.85
⅞	ZBL349-9502-110	6.85
½	ZBL349-9502-125	6.85

QUARTER CIRCLE TILE TRIM

ALUMINUM 8.0
SATIN GOLD, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-420-06025	16.13
⅜	ZBL347-420-08025	18.37
½	ZBL347-420-10025	20.58
¾	ZBL347-420-12525	23.86

ALUMINUM 8.0
SHINY GOLD, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-480-06025	18.13
⅜	ZBL347-480-08025	20.47
½	ZBL347-480-10025	22.80
¾	ZBL347-480-12525	26.32

ALUMINUM 8.0
JASMINE, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-4501-06025	16.73
⅜	ZBL347-4501-08025-1	17.78
½	ZBL347-4501-10025	19.41
¾	ZBL347-4501-12525	21.16

ALUMINUM 8.0
WHITE, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-450-06025	16.73
⅜	ZBL347-450-08025	17.78
½	ZBL347-450-10025	19.41
¾	ZBL347-450-11025	20.66
1	ZBL347-450-12525-1	21.16

ALUMINUM 8.0
MANHATTAN GRAY, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-4591-06025	16.73
⅜	ZBL347-4591-08025	17.78
½	ZBL347-4591-10025	19.41
¾	ZBL347-4591-12525	21.16

ALUMINUM 8.0
GRAPHITE BLACK, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-456-06025	16.73
⅜	ZBL347-456-08025-1	17.78
½	ZBL347-456-10025-1	19.41
¾	ZBL347-456-12525	21.16

QUARTER CIRCLE TILE TRIM, OUTER CORNERS

ALUMINUM LOOK
SATIN GOLD

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-920-060	6.46
⅜	ZBL348-920-080	6.46
½	ZBL348-920-100	6.46
¾	ZBL348-920-125	6.46

ALUMINUM LOOK
SHINY GOLD

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-980-060	6.46
⅜	ZBL348-980-080	6.46
½	ZBL348-980-100	6.46
¾	ZBL348-980-125	6.46

ALUMINUM LOOK
JASMINE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-9501-060	6.46
⅜	ZBL348-9501-080	6.46
½	ZBL348-9501-100	6.46
¾	ZBL348-9501-125	6.46

ALUMINUM LOOK
WHITE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-950-060	6.46
⅜	ZBL348-950-080	6.46
½	ZBL348-950-100	6.46
¾	ZBL348-950-110	6.46
1	ZBL348-950-125	6.46

ALUMINUM LOOK
MANHATTAN GRAY, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-9591-060	6.46
⅜	ZBL348-9591-080	6.46
½	ZBL348-9591-100	6.46
¾	ZBL348-9591-125	6.46

ALUMINUM LOOK
GRAPHITE BLACK, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-956-060	4.86
⅜	ZBL348-956-080	4.86
½	ZBL348-956-100	4.86
¾	ZBL348-956-125	4.86

QUARTER CIRCLE TILE TRIM, INNER CORNERS

ALUMINUM LOOK
SATIN GOLD

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-920-060	6.46
⅜	ZBL349-920-080	6.46
½	ZBL349-920-100	6.46
¾	ZBL349-920-125	6.46

ALUMINUM LOOK
SHINY GOLD

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-980-060	6.46
⅜	ZBL349-980-080	6.46
½	ZBL349-980-100	6.46
¾	ZBL349-980-125	6.46

ALUMINUM LOOK
JASMINE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-9501-060	6.46
⅜	ZBL349-9501-080	6.46
½	ZBL349-9501-100	6.46
¾	ZBL349-9501-125	6.46

ALUMINUM LOOK
WHITE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-950-060	6.46
⅜	ZBL349-950-080	6.46
½	ZBL349-950-100	6.46
¾	ZBL349-950-110	6.46
1	ZBL349-950-125	6.46

ALUMINUM LOOK
MANHATTAN GRAY, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-9591-060	6.46
⅜	ZBL349-9591-080	6.46
½	ZBL349-9591-100	6.46
¾	ZBL349-9591-125	6.46


ALUMINUM LOOK
GRAPHITE BLACK, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-956-060	4.86
⅜	ZBL349-956-080	4.86
½	ZBL349-956-100	4.86
¾	ZBL349-956-125	4.86


Experts tip:

When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!



Experts tip:

When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!

**QUARTER CIRCLE TILE TRIM****ALUMINUM 8.0**
ROYAL CHAMPAGNE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-470-06025	18.11
⅜	ZBL347-470-08025	20.49
½	ZBL347-470-10025	23.03
⅝	ZBL347-470-11025	24.28
¾	ZBL347-470-12525	26.09

ALUMINUM 8.0
TITANIUM BRONZE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-446-06025	18.46
⅜	ZBL347-446-08025-1	20.49
½	ZBL347-446-10025	23.03
⅝	ZBL347-446-11025	24.28
¾	ZBL347-446-12525	26.09

ALUMINUM 8.0
OIL RUBBED BRONZE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
⅝	ZBL347-449-08025	23.52
¾	ZBL347-449-10025	24.18
⅞	ZBL347-449-11025	25.11
1	ZBL347-449-12525	27.36

ALUMINUM 8.0
BRUSHED NICKEL, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-420B-06025	21.57
⅜	ZBL347-420B-08025	23.09
½	ZBL347-420B-10025	25.35
⅝	ZBL347-420B-11025	25.88
¾	ZBL347-420B-12525	29.65

PVC 8.0
WHITE

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-501-06025-1	6.78
⅜	ZBL347-501-08025-1	7.01
½	ZBL347-501-10025-1	7.37
⅝	ZBL347-501-11025	7.82
¾	ZBL347-501-12525-1	9.04

QUARTER CIRCLE TILE TRIM, OUTER CORNERS**ALUMINUM LOOK**
ROYAL CHAMPAGNE

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-470-060	6.46
⅜	ZBL348-470-080	6.46
½	ZBL348-470-100	6.46
⅝	ZBL348-470-110	6.46
¾	ZBL348-470-125	6.46

ALUMINUM
TITANIUM BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-446-060	10.83
⅜	ZBL348-446-080	10.83
½	ZBL348-446-100	10.83
⅝	ZBL348-446-110	10.83
¾	ZBL348-446-125	10.83

ALUMINUM
OIL RUBBED BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
⅝	ZBL348-449-080	12.36
¾	ZBL348-449-100	12.36
⅞	ZBL348-449-110	12.36
1	ZBL348-449-125	12.36

ALUMINUM LOOK
BRUSHED NICKEL

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-420B-060	6.46
⅜	ZBL348-420B-080	6.46
½	ZBL348-420B-100	6.46
⅝	ZBL348-420B-110	6.46
¾	ZBL348-420B-125	6.46

PVC
WHITE

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-501-060	2.26
⅜	ZBL348-501-080-1	2.26
½	ZBL348-501-100	2.26
⅝	ZBL348-501-110	2.26
¾	ZBL348-501-125-1	2.26

QUARTER CIRCLE TILE TRIM, INNER CORNERS**ALUMINUM LOOK**
ROYAL CHAMPAGNE

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-470-060	6.46
⅜	ZBL349-470-080	6.46
½	ZBL349-470-100	6.46
⅝	ZBL349-470-110	6.46
¾	ZBL349-470-125	6.46

ALUMINUM
TITANIUM BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-446-060	10.83
⅜	ZBL349-446-080	10.83
½	ZBL349-446-100	10.83
⅝	ZBL349-446-110	10.83
¾	ZBL349-446-125	10.83

ALUMINUM
OIL RUBBED BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
⅝	ZBL349-449-080	12.36
¾	ZBL349-449-100	12.36
⅞	ZBL349-449-110	12.36
1	ZBL349-449-125	12.36

ALUMINUM LOOK
BRUSHED NICKEL

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-420B-060	6.46
⅜	ZBL349-420B-080	6.46
½	ZBL349-420B-100	6.46
⅝	ZBL349-420B-110	6.46
¾	ZBL349-420B-125	6.46

PVC
WHITE

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-501-060-1	2.26
⅜	ZBL349-501-080	2.26
½	ZBL349-501-100	2.26
⅝	ZBL349-501-110	2.26
¾	ZBL349-501-125-1	2.26

QUARTER CIRCLE TILE TRIM

PVC
JASMINE**8.0**

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-5011-06025	6.78
⅜	ZBL347-5011-08025-1	7.01
½	ZBL347-5011-10025-1	7.37
¾	ZBL347-5011-11025	7.82
1	ZBL347-5011-12525-1	9.04

PVC
MANHATTAN GRAY**8.0**

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-5091-06025	6.78
⅜	ZBL347-5091-08025	7.01
½	ZBL347-5091-10025	7.37
¾	ZBL347-5091-11025	7.82
1	ZBL347-5091-12525	9.04

PVC
SILVER GRAY**8.0**

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.	\$/pc.
¼	ZBL347-5092-06025	6.78
⅜	ZBL347-5092-08025	7.01
½	ZBL347-5092-10025	7.37
¾	ZBL347-5092-11025	7.82

QUARTER CIRCLE TILE
TRIM, OUTER CORNERS**PVC**
JASMINE

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-5011-060	2.26
⅜	ZBL348-5011-080	2.26
½	ZBL348-5011-100	2.26
¾	ZBL348-5011-110	2.26
1	ZBL348-5011-125	2.26

PVC
MANHATTAN GRAY

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-5091-060	2.26
⅜	ZBL348-5091-080	2.26
½	ZBL348-5091-100	2.26
¾	ZBL348-5091-110	2.26
1	ZBL348-5091-125	2.26

PVC
SILVER GRAY

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL348-5092-060	2.26
⅜	ZBL348-5092-080	2.26
½	ZBL348-5092-100	2.26
¾	ZBL348-5092-110	2.26

QUARTER CIRCLE TILE
TRIM, INNER CORNERS**PVC**
JASMINE

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-5011-060	2.26
⅜	ZBL349-5011-080	2.26
½	ZBL349-5011-100	2.26
¾	ZBL349-5011-110	2.26
1	ZBL349-5011-125-1	2.26

PVC
MANHATTAN GRAY

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-5091-060	2.26
⅜	ZBL349-5091-080	2.26
½	ZBL349-5091-100	2.26
¾	ZBL349-5091-110	2.26
1	ZBL349-5091-125	2.26


PVC
SILVER GRAY

Pack: 1 pc.

h/in.	Part no.	\$/pc.
¼	ZBL349-5092-060	2.26
⅜	ZBL349-5092-080	2.26
½	ZBL349-5092-100	2.26
¾	ZBL349-5092-110	2.26

Experts tip:


When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!





FLOOR ACCENT PROFILE

The FLOOR ACCENT PROFILES provide square outer corners and decorative accents for floor tiles and coves. Available in solid brass and in a variety of aluminum finishes (only the solid brass and natural aluminum should be used in floor applications), the FLOOR ACCENT PROFILES can also be used to form an attractive cove corner.



BRASS NATURAL Length: 8.0 feet Pack: 5 pcs.			BRASS CHROME-PLATED Length: 8.0 feet Pack: 5 pcs.			ALUMINUM NATURAL Length: 8.0 feet Pack: 5 pcs.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
1 1/32	ZBL304-300-09025	51.46	1 1/32	ZBL304-340-09025	133.32	1/4	ZBL304-400-06025-1	16.96
7/16	ZBL304-300-11025	55.55	7/16	ZBL304-340-11025	136.28	5/16	ZBL304-400-08025	17.54
1/2	ZBL304-300-12525-1	61.39	1/2	ZBL304-340-12525	143.92	3/8	ZBL304-400-10025-1	18.13
19/32	ZBL304-300-15025	66.65	19/32	ZBL304-340-15025	151.41	1/2	ZBL304-400-12525	18.71
						19/32	ZBL304-400-15025	19.87

ALUMINUM SATIN SILVER, ANODIZED Length: 8.0 feet Pack: 5 pcs.		
h/in.	Part no.	\$/pc.
1/4	ZBL304-410-06025	22.21
5/16	ZBL304-410-08025	23.97
3/8	ZBL304-410-10025-1	24.56
1/2	ZBL304-410-12525	26.91
19/32	ZBL304-410-15025	29.82


FLOOR ACCENT PROFILE (INNER AND OUTER CORNER)

BRASS CHROME-PLATED Pack: 1 pc.		
h/in.	Part no.	\$/pc.
1 1/32	ZBL652-340-090	26.31
7/16	ZBL652-340-110	26.95
1/2	ZBL652-340-125	31.69
19/32	ZBL652-340-150	33.54

CUBELINE

CUBELINE is a sleek tile edge protector that complements modern tile and stone designs. Unlike traditional edge protectors, this profile features a symmetrical cube shape. Several finishes are available which allow CUBELINE to provide decorative design and contrast. In addition to its decorative properties, CUBELINE also provides a durable protective edge for tile and stone applications. The chemical resistant stainless steel version even can be used as stairnose. Part numbers in **bold** indicate stocked Emser

Signature Series items.



BRASS CHROME-PLATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-340-04525	158.10
5/32	ZBL740-340-07025	165.27
11/32	ZBL740-340-09025	173.24
7/16	ZBL740-340-11025	179.67
1/2	ZBL740-340-12525	186.78
17/32	ZBL740-340-14025	207.41

STAINLESS STEEL NATURAL

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-280-04525	43.28
5/32	ZBL740-280-07025	44.53
11/32	ZBL740-280-09025	46.25
3/8	ZBL740-280-10025	47.85
7/16	ZBL740-280-11025	48.46
1/2	ZBL740-280-12525	49.70
17/32	ZBL740-280-14025	52.94

STAINLESS STEEL POLISHED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-286-04525	61.20
5/32	ZBL740-286-07025	66.35
11/32	ZBL740-286-09025	71.09
3/8	ZBL740-286-10025	72.38
7/16	ZBL740-286-11025	76.04
1/2	ZBL740-286-12525	82.23
17/32	ZBL740-286-14025	89.56

STAINLESS STEEL BRUSHED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-280B-04525	59.73
5/32	ZBL740-280B-07025	64.65
11/32	ZBL740-280B-09025	70.26
3/8	ZBL740-280B-10025	72.38
7/16	ZBL740-280B-11025	75.45
1/2	ZBL740-280B-12525-1	80.40
17/32	ZBL740-280B-14025	87.82

STAINLESS STEEL CROSS BRUSHED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
5/32	ZBL740-280K-07025	64.65
11/32	ZBL740-280K-09025	70.26
7/16	ZBL740-280K-11025	75.45

ALUMINUM SATIN SILVER, ANODIZED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-410-04525	14.17
5/32	ZBL740-410-07025	16.89
11/32	ZBL740-410-09025	18.16
7/16	ZBL740-410-11025	20.00
1/2	ZBL740-410-12525	21.91
17/32	ZBL740-410-14025	23.61

ALUMINUM SHINY SILVER, ANODIZED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-430-04525	19.64
5/32	ZBL740-430-07025	22.16
11/32	ZBL740-430-09025	25.17
7/16	ZBL740-430-11025-1	27.76
1/2	ZBL740-430-12525-1	32.52
17/32	ZBL740-430-14025	33.24

ALUMINUM STAINLESS STEEL METALLIC, POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-4502-04525	26.59
5/32	ZBL740-4502-07025	30.00
11/32	ZBL740-4502-09025	34.08
7/16	ZBL740-4502-11025	37.06
1/2	ZBL740-4502-12525	41.28
17/32	ZBL740-4502-14025	44.30

ALUMINUM TITANIUM BRONZE, ANODIZED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-446-04525	18.06
5/32	ZBL740-446-07025	18.82
11/32	ZBL740-446-09025-1	19.58
7/16	ZBL740-446-11025	20.13
1/2	ZBL740-446-12525	22.43
17/32	ZBL740-446-14025	24.12

ALUMINUM WHITE, POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-450-04525	26.59
5/32	ZBL740-450-07025	30.00
11/32	ZBL740-450-09025	34.08
7/16	ZBL740-450-11025	37.06
1/2	ZBL740-450-12525	41.28
17/32	ZBL740-450-14025	44.30

ALUMINUM ROYAL CHAMPAGNE, ANODIZED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-470-04525	30.90
5/32	ZBL740-470-07025	34.60
11/32	ZBL740-470-09025-1	37.92
7/16	ZBL740-470-11025	41.24
1/2	ZBL740-470-12525	46.38
17/32	ZBL740-470-14025	50.28

ALUMINUM JASMINE, POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4501-09025	34.08
7/16	ZBL740-4501-11025	37.06
1/2	ZBL740-4501-12525	41.28

**Expert tip:**

When ordering the CUBELINE profile please do not forget the corners!



ALUMINUM 8.0		
SILVER, ANODIZED, CROSS BRUSHED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
3/16	ZBL740-430K-04525	46.35
5/32	ZBL740-430K-07025	48.07
11/32	ZBL740-430K-09025	49.80
7/16	ZBL740-430K-11025	55.83
1/2	ZBL740-430K-12525	58.86
17/32	ZBL740-430K-14025	61.65

ALUMINUM 8.0		
BRUSHED NICKEL, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/32	ZBL740-420B-07025	24.02
11/32	ZBL740-420B-09025-1	26.25
7/16	ZBL740-420B-11025	28.45
1/2	ZBL740-420B-12525	32.60
17/32	ZBL740-420B-14025	35.71

ALUMINUM 8.0		
SATIN GOLD, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
3/16	ZBL740-420-04525	22.49
5/32	ZBL740-420-07025	24.25
11/32	ZBL740-420-09025	26.52
7/16	ZBL740-420-11025	28.01
1/2	ZBL740-420-12525	29.59
17/32	ZBL740-420-14025	30.46

ALUMINUM 8.0		
ROYAL CHAMPAGNE, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
3/16	ZBL740-470B-04525	37.42
5/32	ZBL740-470B-07025	39.17
11/32	ZBL740-470B-09025	41.44
7/16	ZBL740-470B-11025	42.98
1/2	ZBL740-470B-12525	44.51
17/32	ZBL740-470B-14025	45.38

ALUMINUM 8.0		
GRAPHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
11/32	ZBL740-4561A-09025	35.45
7/16	ZBL740-4561A-11025	37.19
1/2	ZBL740-4561A-12525	38.08

ALUMINUM 8.0		
MATTE BLACK, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/32	ZBL740-416-07025	20.27
11/32	ZBL740-416-09025	21.80
7/16	ZBL740-416-11025	24.00
1/2	ZBL740-416-12525	26.31

ALUMINUM 8.0		
SATIN SILVER, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
3/16	ZBL740-410B-04525	35.93
5/32	ZBL740-410B-07025	37.68
11/32	ZBL740-410B-09025	39.96
7/16	ZBL740-410B-11025	41.44
1/2	ZBL740-410B-12525	43.02
17/32	ZBL740-410B-14025	43.89

ALUMINUM 8.0		
SATIN GOLD, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
3/16	ZBL740-42GB-04525	37.42
5/32	ZBL740-42GB-07025	39.17
11/32	ZBL740-42GB-09025	41.44
7/16	ZBL740-42GB-11025	42.98
1/2	ZBL740-42GB-12525	44.51
17/32	ZBL740-42GB-14025	45.38

ALUMINUM 8.0		
SAND TROPEZ, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
11/32	ZBL740-4571A-09025	35.45
7/16	ZBL740-4571A-11025	37.19
1/2	ZBL740-4571A-12525	38.08

ALUMINUM 8.0		
OXIDE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
11/32	ZBL740-4581A-09025	35.45
7/16	ZBL740-4581A-11025	37.19
1/2	ZBL740-4581A-12525	38.08

ALUMINUM 8.0		
OIL RUBBED BRONZE, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/32	ZBL740-449-07025	21.88
11/32	ZBL740-449-09025	23.25
7/16	ZBL740-449-11025	24.29
1/2	ZBL740-449-12525	26.59

ALUMINUM 8.0		
MATTE BLACK, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
3/16	ZBL740-416B-04525	43.58
5/32	ZBL740-416B-07025	45.26
11/32	ZBL740-416B-09025	47.35
7/16	ZBL740-416B-11025	48.80
1/2	ZBL740-416B-12525	50.24
17/32	ZBL740-416B-14025	51.03

ALUMINUM 8.0		
TITANIUM BRONZE, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
3/16	ZBL740-446B-04525	43.58
5/32	ZBL740-446B-07025	45.26
11/32	ZBL740-446B-09025	47.35
7/16	ZBL740-446B-11025	48.80
1/2	ZBL740-446B-12525	50.24
17/32	ZBL740-446B-14025	51.03

ALUMINUM 8.0		
STONE GRAY, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
11/32	ZBL740-4591A-09025	35.45
7/16	ZBL740-4591A-11025	37.19
1/2	ZBL740-4591A-12525	38.08

ALUMINUM 8.0		
SUGAR WHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
11/32	ZBL740-4512A-09025	35.45
7/16	ZBL740-4512A-11025	37.19
1/2	ZBL740-4512A-12525	38.08

ALUMINUM QUARTZ, TEXTURED POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
1/32	ZBL740-4521A-09025	35.45
7/16	ZBL740-4521A-11025	37.19
1/2	ZBL740-4521A-12525	38.08

ALUMINUM OYSTER WHITE, TEXTURED POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
1/32	ZBL740-4511A-09025	35.45
7/16	ZBL740-4511A-11025	37.19
1/2	ZBL740-4511A-12525	38.08

ALUMINUM INDUSTRIAL RUST, TEXTURED POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
1/32	ZBL740-4583A-09025	35.45
7/16	ZBL740-4583A-11025	37.19
1/2	ZBL740-4583A-12525	38.08

ALUMINUM COAL BLACK, TEXTURED POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
1/32	ZBL740-4562A-09025	35.45
7/16	ZBL740-4562A-11025	37.19
1/2	ZBL740-4562A-12525	38.08

ALUMINUM DARK CHOCOLATE, TEXTURED POWDER-COATED

8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
1/32	ZBL740-4582A-09025	35.45
7/16	ZBL740-4582A-11025	37.19
1/2	ZBL740-4582A-12525	38.08



Experts tip:

When ordering the CUBELINE profile please do not forget the corners!



CUBELINE, corner piece (inner and outer corner)

BRASS CHROME-PLATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-340-045	17.49
5/32	ZBL741-340-070	18.51
1/32	ZBL741-340-090	20.57
7/16	ZBL741-340-110	23.32
1/2	ZBL741-340-125	23.94
17/32	ZBL741-340-140	26.30

STAINLESS STEEL NATURAL

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-280-045	30.13
5/32	ZBL741-280-070	31.92
1/32	ZBL741-280-090	35.46
3/8	ZBL741-280-100	38.12
7/16	ZBL741-280-110	40.22
1/2	ZBL741-280-125	41.28
17/32	ZBL741-280-140	45.32

STAINLESS STEEL BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-280B-045	37.97
5/32	ZBL741-280B-070	40.20
1/32	ZBL741-280B-090	44.67
3/8	ZBL741-280B-100	46.97
7/16	ZBL741-280B-110	48.25
1/2	ZBL741-280B-125	50.27
17/32	ZBL741-280B-140	55.75

STAINLESS STEEL POLISHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-286-045	37.97
5/32	ZBL741-286-070	40.20
1/32	ZBL741-286-090	44.67
3/8	ZBL741-286-100	46.53
7/16	ZBL741-286-110	48.25
1/2	ZBL741-286-125	49.44
17/32	ZBL741-286-140	56.08

STAINLESS STEEL CROSS BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
5/32	ZBL741-280K-070	40.20
17/32	ZBL741-280K-090	44.67
7/16	ZBL741-280K-110	48.25

ALUMINUM SATIN SILVER

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-410AL-045	17.72
5/32	ZBL741-410AL-070	17.72
1/32	ZBL741-410AL-090	17.72
7/16	ZBL741-410AL-110	17.72
1/2	ZBL741-410AL-125	17.72
17/32	ZBL741-410AL-140	17.72

ALUMINUM LOOK SATIN SILVER

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-410-045	8.02
5/32	ZBL741-410-070	8.02
17/32	ZBL741-410-090-1	8.02
7/16	ZBL741-410-110	8.02
1/2	ZBL741-410-125	8.02
17/32	ZBL741-410-140	8.02

ALUMINUM LOOK SHINY SILVER

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-430-045	9.59
5/32	ZBL741-430-070	9.59
17/32	ZBL741-430-090	9.59
7/16	ZBL741-430-110	9.59
1/2	ZBL741-430-125-1	9.59
17/32	ZBL741-430-140	9.59

ALUMINUM LOOK STAINLESS STEEL METALLIC, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-4502-045	8.02
5/32	ZBL741-4502-070	8.02
17/32	ZBL741-4502-090	8.02
7/16	ZBL741-4502-110	8.02
1/2	ZBL741-4502-125	8.02
17/32	ZBL741-4502-140	8.02

**Expert tip:**

When ordering the CUBELINE profile please do not forget the inner and outer corners!

**ALUMINUM**

SILVER, ANODIZED, CROSS BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-430K-045	16.17
5/32	ZBL741-430K-070	16.17
11/32	ZBL741-430K-090	16.17
7/16	ZBL741-430K-110	16.17
1/2	ZBL741-430K-125	16.17
17/32	ZBL741-430K-140	16.17

ALUMINUM LOOK

JASMINE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-4501-090	9.59
7/16	ZBL741-4501-110	9.59
1/2	ZBL741-4501-125	9.59

ALUMINUM LOOK

WHITE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-450-045	9.59
5/32	ZBL741-450-070	9.59
11/32	ZBL741-450-090	9.59
7/16	ZBL741-450-110	9.59
1/2	ZBL741-450-125	9.59
17/32	ZBL741-450-140	9.59

ALUMINUM

MATTE BLACK, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
5/32	ZBL741-416-070	13.15
11/32	ZBL741-416-090	13.15
7/16	ZBL741-416-110	13.15
1/2	ZBL741-416-125	13.15

ALUMINUM LOOK

ROYAL CHAMPAGNE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-470-045	10.11
5/32	ZBL741-470-070	10.11
11/32	ZBL741-470-090	10.11
7/16	ZBL741-470-110	10.11
1/2	ZBL741-470-125	10.11
17/32	ZBL741-470-140	10.11

ALUMINUM

TITANIUM BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-446-045	12.53
5/32	ZBL741-446-070	12.53
11/32	ZBL741-446-090-1	12.53
7/16	ZBL741-446-110	12.53
1/2	ZBL741-446-125	12.53
17/32	ZBL741-446-140	12.53

ALUMINUM

OIL RUBBED BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
5/32	ZBL741-449-070	19.31
11/32	ZBL741-449-090	19.31
7/16	ZBL741-449-110	19.31
1/2	ZBL741-449-125	19.31

ALUMINUM LOOK

BRUSHED NICKEL, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
5/32	ZBL741-420B-070	12.58
11/32	ZBL741-420B-090	12.58
7/16	ZBL741-420B-110	12.58
1/2	ZBL741-420B-125	12.58
17/32	ZBL741-420B-140	12.58

STAINLESS STEEL LOOK

NATURAL

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-9280-045	4.01
5/32	ZBL741-9280-070	4.01
11/32	ZBL741-9280-090	4.01
3/8	ZBL741-9280-100	4.01
7/16	ZBL741-9280-110	4.01
1/2	ZBL741-9280-125	4.01
17/32	ZBL741-9280-140	4.01

STAINLESS STEEL LOOK
BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-928B-045	5.64
5/32	ZBL741-928B-070	5.64
11/32	ZBL741-928B-090	5.64
3/8	ZBL741-928B-100	5.64
7/16	ZBL741-928B-110	5.64
1/2	ZBL741-928B-125	5.64
17/32	ZBL741-928B-140	5.64

STAINLESS STEEL LOOK
POLISHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-9286-045	5.64
5/32	ZBL741-9286-070	5.64
11/32	ZBL741-9286-090	5.64
3/8	ZBL741-9286-100	5.64
7/16	ZBL741-9286-110	5.64
1/2	ZBL741-9286-125	5.64
17/32	ZBL741-9286-140	5.64

ALUMINUM

SATIN SILVER, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-410B-045	17.90
5/32	ZBL741-410B-070	17.90
11/32	ZBL741-410B-090	17.90
7/16	ZBL741-410B-110	17.90
1/2	ZBL741-410B-125	17.90
17/32	ZBL741-410B-140	17.90

ALUMINUM

MATTE BLACK, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-416B-045	17.90
5/32	ZBL741-416B-070	17.90
11/32	ZBL741-416B-090	17.90
7/16	ZBL741-416B-110	17.90
1/2	ZBL741-416B-125	17.90
17/32	ZBL741-416B-140	17.90

ALUMINUM

SATIN GOLD, ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-420-045	16.20
5/32	ZBL741-420-070	16.20
11/32	ZBL741-420-090	16.20
7/16	ZBL741-420-110	16.20
1/2	ZBL741-420-125	16.20
17/32	ZBL741-420-140	16.20

ALUMINUM

SATIN GOLD, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-42GB-045	17.90
5/32	ZBL741-42GB-070	17.90
11/32	ZBL741-42GB-090	17.90
7/16	ZBL741-42GB-110	17.90
1/2	ZBL741-42GB-125	17.90
17/32	ZBL741-42GB-140	17.90

ALUMINUM TITANIUM BRONZE, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-446B-045	17.90
9/32	ZBL741-446B-070	17.90
11/32	ZBL741-446B-090	17.90
7/16	ZBL741-446B-110	17.90
1/2	ZBL741-446B-125	17.90
17/32	ZBL741-446B-140	17.90

ALUMINUM ROYAL CHAMPAGNE, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL741-470B-045	17.90
9/32	ZBL741-470B-070	17.90
11/32	ZBL741-470B-090	17.90
7/16	ZBL741-470B-110	17.90
1/2	ZBL741-470B-125	17.90
17/32	ZBL741-470B-140	17.90



Expert tip:

When ordering the CUBELINE profile please do not forget the inner and outer corners!

ALUMINUM LOOK STONE GRAY, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9591A-090	5.26
7/16	ZBL741-9591A-110	5.26
1/2	ZBL741-9591A-125	5.26

ALUMINUM LOOK GRAPHITE, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9561A-090	5.26
7/16	ZBL741-9561A-110	5.26
1/2	ZBL741-9561A-125	5.26

ALUMINUM LOOK OXIDE, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9581A-090	5.26
7/16	ZBL741-9581A-110	5.26
1/2	ZBL741-9581A-125	5.26



ALUMINUM LOOK SUGAR WHITE, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9512A-090	5.26
7/16	ZBL741-9512A-110	5.26
1/2	ZBL741-9512A-125	5.26

ALUMINUM LOOK QUARTZ, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9521A-090	5.26
7/16	ZBL741-9521A-110	5.26
1/2	ZBL741-9521A-125	5.26

ALUMINUM LOOK OYSTER WHITE, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9511A-090	5.26
7/16	ZBL741-9511A-110	5.26
1/2	ZBL741-9511A-125	5.26

ALUMINUM LOOK INDUSTRIAL RUST, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9583A-090	5.26
7/16	ZBL741-9583A-110	5.26
1/2	ZBL741-9583A-125	5.26

ALUMINUM LOOK COAL BLACK, TEXTURED POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9562A-090	5.26
7/16	ZBL741-9562A-110	5.26
1/2	ZBL741-9562A-125	5.26

ALUMINUM LOOK DARK CHOCOLATE, TEXTURED POWDER-COATED


Pack: 1 pc.

h/in.	Part no.	\$/pc.
11/32	ZBL741-9582A-090	5.26
7/16	ZBL741-9582A-110	5.26
1/2	ZBL741-9582A-125	5.26



DECOLINE

DECOLINE is a profile that provides decorative borders for tiled walls. DECOLINE can be combined with the corresponding finish in the QUARTER CIRCLE TILE TRIM for corners for a coordinated and professional installation. The DECOLINE made from stainless steel is durable enough to be used as accents in floor tile installation.



Advantages:
One size fits tile as thin as 3/16" - suitable for mosaic tiles

BRASS CHROME-PLATED			8.0		
Length: 8.0 feet		Pack: 2 pcs.			
h/in.	Part no.	\$/pc.			
1	ZBL622-340-25250	143.92			

STAINLESS STEEL BRUSHED			8.0		
Length: 8.0 feet		Pack: 2 pcs.			
h/in.	Part no.	\$/pc.			
1	ZBL622-280B-25250	128.00			

ALUMINUM SATIN GOLD, ANODIZED			8.0		
Length: 8.0 feet		Pack: 2 pcs.			
h/in.	Part no.	\$/pc.			
1	ZBL622-420-25250	45.37			

ALUMINUM SHINY GOLD, ANODIZED			8.0		
Length: 8.0 feet		Pack: 2 pcs.			
h/in.	Part no.	\$/pc.			
1	ZBL622-480-25250	68.20			


ALUMINUM SATIN SILVER, ANODIZED			8.0		
Length: 8.0 feet		Pack: 2 pcs.			
h/in.	Part no.	\$/pc.			
1	ZBL622-410-25250-1	45.37			

ALUMINUM SHINY SILVER, ANODIZED			8.0		
Length: 8.0 feet		Pack: 2 pcs.			
h/in.	Part no.	\$/pc.			
1	ZBL622-430-25250	68.20			



CORNER PRO

The CORNER PRO is designed where tiled wall corners need to be protected from mechanical impact in industrial and professional environments. The profile creates a strong edge with a clean and decorative finish for outside wall corners.



STAINLESS STEEL BRUSHED			8.0	
Length: 8.0 feet		Pack: 1 pc.		
h/in.	Part no.	\$/pc.		
5/16	ZBL197-280-08025	170.54		
3/8	ZBL197-280-10025	170.54		

STAINLESS STEEL BRUSHED			6.7	
Length: 6.7 feet		Pack: 1 pc.		
h/in.	Part no.	\$/pc.		
5/16	ZBL197-280-0802	151.33		
3/8	ZBL197-280-1002	151.33		

STAINLESS STEEL BRUSHED			4.11	
Length: 4.11 feet		Pack: 1 pc.		
h/in.	Part no.	\$/pc.		
5/16	ZBL197-280-08015	140.27		
3/8	ZBL197-280-10015	140.27		

CORNER ANGLE

The CORNER ANGLES are designed where tiled wall corners need to be protected from mechanical impact in industrial and professional environments. The stainless steel profile creates a strong edge with a clean and decorative finish for outside wall corners. The double-backed glue strips allow CORNER ANGLE profiles to adhere directly to the wall tile for easy installation.



STAINLESS STEEL 8.0 BRUSHED, WITH GLUE STRIP

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL364-280-03025-1	94.15
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL364-280-04025	118.56
2 $\frac{1}{2}$ × 2 $\frac{1}{2}$	ZBL364-280-06025	142.97

STAINLESS STEEL 6.7 BRUSHED, WITH GLUE STRIP


Length: 6.7 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL364-280-0302	87.94
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL364-280-0402	107.56
2 $\frac{1}{2}$ × 2 $\frac{1}{2}$	ZBL364-280-0602	131.25

STAINLESS STEEL 4.11 BRUSHED, WITH GLUE STRIP

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL364-280-03015	62.98
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL364-280-04015	84.53
2 $\frac{1}{2}$ × 2 $\frac{1}{2}$	ZBL364-280-06015	92.87



STAINLESS STEEL 8.0 BRUSHED, WITHOUT GLUE STRIP

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL448-280-03025	91.08
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL448-280-04025	115.10
2 $\frac{1}{2}$ × 2 $\frac{1}{2}$	ZBL448-280-06025	139.06

STAINLESS STEEL 6.7 BRUSHED, WITHOUT GLUE STRIP

Length: 6.7 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL448-280-0302	76.71
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL448-280-0402	99.74
2 $\frac{1}{2}$ × 2 $\frac{1}{2}$	ZBL448-280-0602	121.68

STAINLESS STEEL 4.11 BRUSHED, WITHOUT GLUE STRIP

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL448-280-03015	54.66
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL448-280-04015	78.72
2 $\frac{1}{2}$ × 2 $\frac{1}{2}$	ZBL448-280-06015	86.58

CORNER ANGLE PLUS

The CORNER ANGLE PLUS is designed where tiled wall corners need to be protected from mechanical impact in industrial and professional environments. The stainless steel profile creates a strong edge with a clean and decorative finish for outside wall corners.



STAINLESS STEEL 8.0 BRUSHED, WITHOUT GLUE STRIP


Length: 8.0 feet Pack: 1 pc.


h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL451-280-03025	140.13
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL451-280-04025	171.28

STAINLESS STEEL 6.7 BRUSHED, WITHOUT GLUE STRIP

Length: 6.7 feet Pack: 1 pc.


h/in.	Part no.	\$/pc.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL451-280-03020	109.30
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL451-280-04020	138.73





SILL PROFILE

The SILL PROFILE of stainless steel is specifically designed to cover the tiled edge of stairs and countertops where there is a buildup of exposed substrate and underlayment. The brushed exposed face of the profile creates a visually attractive finish while providing long lasting low maintenance protection for the tile edge.




STAINLESS STEEL				10.0	STAINLESS STEEL				3.3
BRUSHED					BRUSHED				
Inner height: 3/8 inch; length: 10 feet				Pack: 1 pc.	Inner height: 3/8 inch; length: 3.3 feet				Pack: 1 pc.
h1/in.	h2/in.	Part no.	\$/pc.		h1/in.	h2/in.	Part no.	\$/pc.	
53/64	3/8	ZBL757-280B-10213	149.70		53/64	3/8	ZBL757-280B-10211	64.23	
1	13/32	ZBL757-280B-10263	153.46		1	13/32	ZBL757-280B-10261	64.58	
1 3/16	3/4	ZBL757-280B-10313	157.19		1 3/16	3/4	ZBL757-280B-10311	66.22	
1 1/2	1 3/8	ZBL757-280B-10463	170.29		1 1/2	1 3/8	ZBL757-280B-10461	71.27	

STAINLESS STEEL				10.0	STAINLESS STEEL				3.3
BRUSHED					BRUSHED				
Inner height: 1/2 inch; length: 10 feet				Pack: 1 pc.	Inner height: 1/2 inch; length: 3.3 feet				Pack: 1 pc.
h1/in.	h2/in.	Part no.	\$/pc.		h1/in.	h2/in.	Part no.	\$/pc.	
3/10	3/8	ZBL757-280B-12233	153.46		3/10	3/8	ZBL757-280B-12231	64.63	
1 3/10	13/32	ZBL757-280B-12283	157.19		1 3/10	13/32	ZBL757-280B-12281	66.22	
1 3/10	3/4	ZBL757-280B-12333	162.82		1 3/10	3/4	ZBL757-280B-12331	68.10	
1 3/10	1 3/8	ZBL757-280B-12483	174.00		1 3/10	1 3/8	ZBL757-280B-12481	72.74	



F-PROFILE

F-PROFILE is an aluminum tile trim that creates a 1/2" wide channel that can be used for the decorative purposes of creating a shadow gap. This unique trim can also be used for supporting glass walls, and is available in different heights to work with your tile selection.



ALUMINUM		8.0
SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/32	ZBL292-410-07025	29.65
11/32	ZBL292-410-09025	30.09
3/16	ZBL292-410-11025	30.97





Network™ | Taupe



NEW YORK EDITION

The tried-and-trusted design, plus daring new trend-setting colours and surface textures are compelling features of the NEW YORK series of profiles. As they combine perfectly with the latest tiling trends, the profile series is precisely the right choice for those who prefer design-oriented styles. In addition to the proven tile edge protection and the new color schemes, the high-quality surface textures offer a new tactile experience.

The brushed version of the edge protector trim of the NEW YORK EDITION is available in Satin Gold, Satin Silver, Titanium Bronze, Royal Champagne and Matte Black. The profile is also available with Stone Gray, Oxide, Sand Tropez and Graphite textured finishes. The design-oriented profile line CUBELINE offers a Satin Silver anodized, cross-brushed version, as well as versions in Sugar White, Oyster White, Quartz, Industrial Rust, Dark Chocolate and Coal Black.

No matter whether you prefer classic, modern or avant-garde, with this unique profile design: ***You will be thrilled with the NEW YORK EDITION and its proven design and daring, trend-setting colors.***

NEW YORK EDITION

EDGE PROTECTOR TRIM

ALUMINUM 8.0		
SATIN GOLD, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-42GB-08025	33.00
3/8	ZBL300-42GB-10025	33.43
7/16	ZBL300-42GB-11025	33.92
1/2	ZBL300-42GB-12525	34.62

ALUMINUM 8.0		
ROYAL CHAMPAGNE, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-470B-08025	33.00
3/8	ZBL300-470B-10025	33.43
7/16	ZBL300-470B-11025	33.92
1/2	ZBL300-470B-12525	34.62

ALUMINUM 8.0		
SAND TROPEZ, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4571A-08025	36.14
3/8	ZBL300-4571A-10025	36.63
7/16	ZBL300-4571A-11025	36.81
1/2	ZBL300-4571A-12525	38.69

ALUMINUM 8.0		
SUGAR WHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4512A-08025	36.14
3/8	ZBL300-4512A-10025	36.63
1/2	ZBL300-4512A-12525	38.69

ALUMINUM 8.0		
INDUSTRIAL RUST, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4583A-08025	36.14
3/8	ZBL300-4583A-10025	36.63
1/2	ZBL300-4583A-12525	38.69

ALUMINUM 8.0		
SATIN SILVER, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-410B-08025	31.73
3/8	ZBL300-410B-10025	32.17
7/16	ZBL300-410B-11025	32.64
1/2	ZBL300-410B-12525	33.31

ALUMINUM 8.0		
STONE GRAY, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4591A-08025	36.14
3/8	ZBL300-4591A-10025	36.63
7/16	ZBL300-4591A-11025	36.81
1/2	ZBL300-4591A-12525	38.69

ALUMINUM 8.0		
GRAPHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4561A-08025	36.14
3/8	ZBL300-4561A-10025	36.63
7/16	ZBL300-4561A-11025	36.81
1/2	ZBL300-4561A-12525	38.69

NEW ALUMINUM 8.0		
QUARTZ, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4521A-08025	36.14
3/8	ZBL300-4521A-10025	36.63
1/2	ZBL300-4521A-12525	38.69

NEW ALUMINUM 8.0		
COAL BLACK, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4562A-08025	36.14
3/8	ZBL300-4562A-10025	36.63
1/2	ZBL300-4562A-12525	38.69

ALUMINUM 8.0		
TITANIUM BRONZE, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-446B-08025	41.18
3/8	ZBL300-446B-10025	41.62
7/16	ZBL300-446B-11025	42.27
1/2	ZBL300-446B-12525	42.80

ALUMINUM 8.0		
OXIDE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4581A-08025	36.14
3/8	ZBL300-4581A-10025	36.63
7/16	ZBL300-4581A-11025	36.81
1/2	ZBL300-4581A-12525	38.69

ALUMINUM 8.0		
MATTE BLACK, BRUSHED ANODIZED		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-416B-08025	41.18
3/8	ZBL300-416B-10025	41.62
7/16	ZBL300-416B-11025	42.27
1/2	ZBL300-416B-12525	42.80

NEW ALUMINUM 8.0		
OYSTER WHITE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4511A-08025	36.14
3/8	ZBL300-4511A-10025	36.63
1/2	ZBL300-4511A-12525	38.69

NEW ALUMINUM 8.0		
DARK CHOCOLATE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL300-4582A-08025	36.14
3/8	ZBL300-4582A-10025	36.63
1/2	ZBL300-4582A-12525	38.69

CUBELINE

ALUMINUM 8.0SATIN GOLD,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-42GB-04525	37.42
5/32	ZBL740-42GB-07025	39.17
11/32	ZBL740-42GB-09025	41.44
7/16	ZBL740-42GB-11025	42.98
1/2	ZBL740-42GB-12525	44.51
5/8	ZBL740-42GB-14025	45.38

ALUMINUM 8.0ROYAL CHAMPAGNE,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-470B-04525	37.42
5/32	ZBL740-470B-07025	39.17
11/32	ZBL740-470B-09025	41.44
7/16	ZBL740-470B-11025	42.98
1/2	ZBL740-470B-12525	44.51
5/8	ZBL740-470B-14025	45.38

ALUMINUM 8.0SAND TROPEZ, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4571A-09025	35.45
7/16	ZBL740-4571A-11025	37.19
1/2	ZBL740-4571A-12525	38.08

ALUMINUM 8.0SUGAR WHITE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4512A-09025	35.45
7/16	ZBL740-4512A-11025	37.19
1/2	ZBL740-4512A-12525	38.08

ALUMINUM 8.0SATIN SILVER,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-410B-04525	35.93
5/32	ZBL740-410B-07025	37.68
11/32	ZBL740-410B-09025	39.96
7/16	ZBL740-410B-11025	41.44
1/2	ZBL740-410B-12525	43.02
5/8	ZBL740-410B-14025	43.89

ALUMINUM 8.0STONE GRAY, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4591A-09025	35.45
7/16	ZBL740-4591A-11025	37.19
1/2	ZBL740-4591A-12525	38.08

ALUMINUM 8.0GRAPHITE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4561A-09025	35.45
7/16	ZBL740-4561A-11025	37.19
1/2	ZBL740-4561A-12525	38.08

ALUMINUM 8.0QUARTZ, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4521A-09025	35.45
7/16	ZBL740-4521A-11025	37.19
1/2	ZBL740-4521A-12525	38.08

ALUMINUM 8.0TITANIUM BRONZE,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-446B-04525	43.58
5/32	ZBL740-446B-07025	45.26
11/32	ZBL740-446B-09025	47.35
7/16	ZBL740-446B-11025	48.80
1/2	ZBL740-446B-12525	50.24
5/8	ZBL740-446B-14025	51.03

ALUMINUM 8.0OXIDE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4581A-09025	35.45
7/16	ZBL740-4581A-11025	37.19
1/2	ZBL740-4581A-12525	38.08

ALUMINUM 8.0MATTE BLACK,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL740-416B-04525	43.58
5/32	ZBL740-416B-07025	45.26
11/32	ZBL740-416B-09025	47.35
7/16	ZBL740-416B-11025	48.80
1/2	ZBL740-416B-12525	50.24
5/8	ZBL740-416B-14025	51.03

ALUMINUM 8.0OYSTER WHITE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.	\$/pc.
11/32	ZBL740-4511A-09025	35.45
7/16	ZBL740-4511A-11025	37.19
1/2	ZBL740-4511A-12525	38.08





ALUMINUM 8.0		
INDUSTRIAL RUST, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL740-4583A-09025	35.45
7 ¹ / ₁₆	ZBL740-4583A-11025	37.19
1 ¹ / ₂	ZBL740-4583A-12525	38.08

ALUMINUM 8.0		
COAL BLACK, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL740-4562A-09025	35.45
7 ¹ / ₁₆	ZBL740-4562A-11025	37.19
1 ¹ / ₂	ZBL740-4562A-12525	38.08

ALUMINUM 8.0		
DARK CHOCOLATE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL740-4582A-09025	35.45
7 ¹ / ₁₆	ZBL740-4582A-11025	37.19
1 ¹ / ₂	ZBL740-4582A-12525	38.08

CUBELINE, CORNER PIECE (INNER AND OUTER CORNER)

ALUMINUM		
SATIN GOLD, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3 ¹ / ₁₆	ZBL741-42GB-045	17.90
9 ¹ / ₃₂	ZBL741-42GB-070	17.90
1 ¹ / ₃₂	ZBL741-42GB-090	17.90
7 ¹ / ₁₆	ZBL741-42GB-110	17.90
1 ¹ / ₂	ZBL741-42GB-125	17.90
1 ¹ / ₃₂	ZBL741-42GB-140	17.90

ALUMINUM		
SATIN SILVER, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3 ¹ / ₁₆	ZBLZBL741-410B-045	17.90
9 ¹ / ₃₂	ZBLZBL741-410B-070	17.90
1 ¹ / ₃₂	ZBLZBL741-410B-090	17.90
7 ¹ / ₁₆	ZBLZBL741-410B-110	17.90
1 ¹ / ₂	ZBLZBL741-410B-125	17.90
1 ¹ / ₃₂	ZBLZBL741-410B-140	17.90

ALUMINUM		
TITANIUM BRONZE, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3 ¹ / ₁₆	ZBL741-446B-045	17.90
9 ¹ / ₃₂	ZBL741-446B-070	17.90
1 ¹ / ₃₂	ZBL741-446B-090	17.90
7 ¹ / ₁₆	ZBL741-446B-110	17.90
1 ¹ / ₂	ZBL741-446B-125	17.90
1 ¹ / ₃₂	ZBL741-446B-140	17.90

ALUMINUM		
ROYAL CHAMPAGNE, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3 ¹ / ₁₆	ZBL741-470B-045	17.90
9 ¹ / ₃₂	ZBL741-470B-070	17.90
1 ¹ / ₃₂	ZBL741-470B-090	17.90
7 ¹ / ₁₆	ZBL741-470B-110	17.90
1 ¹ / ₂	ZBL741-470B-125	17.90
1 ¹ / ₃₂	ZBL741-470B-140	17.90

ALUMINUM LOOK		
STONE GRAY, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL741-9591A-090	5.26
7 ¹ / ₁₆	ZBL741-9591A-110	5.26
1 ¹ / ₂	ZBL741-9591A-125	5.26

ALUMINUM LOOK		
OXIDE, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL741-9581A-090	5.26
7 ¹ / ₁₆	ZBL741-9581A-110	5.26
1 ¹ / ₂	ZBL741-9581A-125	5.26

ALUMINUM LOOK		
SAND TROPEZ, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL741-9571A-090	5.26
7 ¹ / ₁₆	ZBL741-9571A-110	5.26
1 ¹ / ₂	ZBL741-9571A-125	5.26

ALUMINUM LOOK		
GRAPHITE, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL741-9561A-090	5.26
7 ¹ / ₁₆	ZBL741-9561A-110	5.26
1 ¹ / ₂	ZBL741-9561A-125	5.26

ALUMINUM		
MATTE BLACK, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3 ¹ / ₁₆	ZBL741-416B-045	17.90
9 ¹ / ₃₂	ZBL741-416B-070	17.90
1 ¹ / ₃₂	ZBL741-416B-090	17.90
7 ¹ / ₁₆	ZBL741-416B-110	17.90
1 ¹ / ₂	ZBL741-416B-125	17.90
1 ¹ / ₃₂	ZBL741-416B-140	17.90

ALUMINUM LOOK
 SUGAR WHITE, TEXTURED
 POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/32	ZBL741-9512A-090	5.26
7/16	ZBL741-9512A-110	5.26
1/2	ZBL741-9512A-125	5.26

ALUMINUM LOOK
 QUARTZ, TEXTURED
 POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/32	ZBL741-9521A-090	5.26
7/16	ZBL741-9521A-110	5.26
1/2	ZBL741-9521A-125	5.26

ALUMINUM LOOK
 OYSTER WHITE, TEXTURED
 POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/32	ZBL741-9511A-090	5.26
7/16	ZBL741-9511A-110	5.26
1/2	ZBL741-9511A-125	5.26

ALUMINUM LOOK
 INDUSTRIAL RUST, TEXTURED
 POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/32	ZBL741-9583A-090	5.26
7/16	ZBL741-9583A-110	5.26
1/2	ZBL741-9583A-125	5.26

ALUMINUM LOOK
 COAL BLACK, TEXTURED
 POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/32	ZBL741-9562A-090	5.26
7/16	ZBL741-9562A-110	5.26
1/2	ZBL741-9562A-125	5.26

ALUMINUM LOOK
 DARK CHOCOLATE, TEXTURED
 POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/32	ZBL741-9582A-090	5.26
7/16	ZBL741-9582A-110	5.26
1/2	ZBL741-9582A-125	5.26







LUXURY LINE

LUXURY CLASS TILING ACCESSORIES

LUXURY LINE is a byword for elegance and exclusiveness. With this range of particularly enhanced products, high-class aesthetics that satisfy even the most exacting demands go hand in hand with elegant luxury. The profiles are available in 18 carat rose gold, 24 carat gold as well as black platinum effect to set stylish statements in modern architecture. Thanks to the exclusive nature of these products, they lend individuality to the design of your room and in combination with current trends in tiles, they represent an accomplished symbiosis. With a luxury class of tiling accessories, we are able to fulfill the highest standards of quality.





STAIR PROFILES



42 ANTI-SKID STEP STRIP



45 DECO STAIR NOSE
PROFILE



ANTI-SKID STEP STRIP

The ANTI-SKID STEP STRIP is the ideal stair edging for stairways exposed to high traffic and wet conditions. An ANTI-SKID STEP STRIP PVC insert is fitted into an aluminum base to form a durable, safe, and attractive stair nose.

ALUMINUM 8.0				ALUMINUM 4.11				ALUMINUM 8.0			
INCL. PVC INSERT, GRAY				INCL. PVC INSERT, GRAY				INCL. PVC INSERT, BEIGE			
Length: 8.0 feet		Pack: 1 pc.		Length: 4.11 feet		Pack: 1 pc.		Length: 8.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.		h/in.	Part no.	\$/pc.		h/in.	Part no.	\$/pc.	
1/32	ZBL458-509-09025-1	67.82		1/32	ZBL458-509-0915	36.92		1/32	ZBL458-508S-09025	67.82	
7/16	ZBL458-509-11025	70.16		7/16	ZBL458-509-1115	41.01		7/16	ZBL458-508S-11025	70.16	

ALUMINUM 4.11				ALUMINUM 8.0				ALUMINUM 4.11			
INCL. PVC INSERT, BEIGE				INCL. PVC INSERT, GRAPHITE BLACK				INCL. PVC INSERT, GRAPHITE BLACK			
Length: 4.11 feet		Pack: 1 pc.		Length: 8.0 feet		Pack: 1 pc.		Length: 4.11 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.		h/in.	Part no.	\$/pc.		h/in.	Part no.	\$/pc.	
1/32	ZBL458-508S-0915	36.92		1/32	ZBL458-506-09025	67.82		1/32	ZBL458-506-0915	36.92	
7/16	ZBL458-508S-1115	41.01		7/16	ZBL458-506-11025-1	70.16		7/16	ZBL458-506-1115	41.01	

ANTI-SKID STEP STRIP (INSERT REPLACEMENT)

PVC 8.0				PVC 8.0				PVC 8.0			
GRAY				BEIGE				GRAPHITE BLACK			
Length: 8.0 feet		Pack: 1 pc.		Length: 8.0 feet		Pack: 1 pc.		Length: 8.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.		h/in.	Part no.	\$/pc.		h/in.	Part no.	\$/pc.	
1/32	ZBL459-509-09025	25.14		1/32	ZBL459-508S-09025	25.14		1/32	ZBL459-506-09025	25.14	
7/16	ZBL459-509-11025	38.59		7/16	ZBL459-508S-11025	38.59		7/16	ZBL459-506-11025	38.59	

ANTI-SKID STEP STRIP (SIDE COVER)

PVC				PVC				PVC			
GRAY				BEIGE				GRAPHITE BLACK			
		Pack: 2 pcs.				Pack: 2 pcs.				Pack: 2 pcs.	
h/in.	Part no.	\$/pack		h/in.	Part no.	\$/pack		h/in.	Part no.	\$/pack	
1/32	ZBL456-509-090	1.87		1/32	ZBL456-508S-090	1.87		1/32	ZBL456-506-090	1.87	
7/16	ZBL456-509-110	1.87		7/16	ZBL456-508S-110	1.87		7/16	ZBL456-506-110	1.87	

HD ANTI-SKID STEP STRIP

The HD ANTI-SKID STEP STRIP is engineered to provide protection and skid resistance for tiled steps in commercial applications exposed to heavy foot traffic. The HD ANTI-SKID STEP STRIP combines the strength and durability of extruded aluminum at the edge of the step where impact and wear is the severest. The inserts are available in 3 colors and are easily visible at the step edge to alert sight-impaired pedestrians.



ALUMINUM 8.0

INCL. PVC INSERT, GRAY

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL441-419-08025	62.91
3/8	ZBL441-419-10025	69.83

ALUMINUM 4.0

INCL. PVC INSERT, GRAY

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL441-419-080125	34.60
3/8	ZBL441-419-100125	38.40

ALUMINUM 8.0

INCL. PVC INSERT, BROWN

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL441-418-08025	62.91
3/8	ZBL441-418-10025	69.83

ALUMINUM 4.0

INCL. PVC INSERT, BROWN

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL441-418-080125	34.60
3/8	ZBL441-418-100125	38.40

ALUMINUM 8.0

INCL. PVC INSERT, GRAPHITE BLACK

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
3/16	ZBL441-416-08025	62.91
3/8	ZBL441-416-10025	69.83

ALUMINUM 4.0

INCL. PVC INSERT, GRAPHITE BLACK

Length: 4.11 feet Pack: 1 pc.


h/in.	Part no.	\$/pc.
3/16	ZBL441-416-080125	34.60
3/8	ZBL441-416-100125	38.40

ALUMINUM 8.0

WITHOUT INSERT

Length: 8.0 feet Pack: 2 pcs.

h/in.	Part no.	\$/pc.
3/16	ZBL442-410-080	53.21
3/8	ZBL442-410-100	59.99



HD STAIR INSERT (ONLY INSERT)

PVC 8.0

GRAY

Length: 8.0 feet Pack: 1 pc.

Part no.	\$/pc.
ZBL443-509-1	9.36

PVC 8.0

BROWN

Length: 8.0 feet Pack: 1 pc.


Part no.	\$/pc.
ZBL443-508-1	9.36

PVC 8.0

GRAPHITE BLACK

Length: 8.0 feet Pack: 1 pc.

Part no.	\$/pc.
ZBL443-506-1	9.36



HD STAIR INSERT (SIDE COVER)

METAL

BLACK, POWDER-COATED

Pack: 5 pairs


h/in.	Part no.	\$/pack
3/16, 3/8	ZBL563-166	17.53





CLASSIC STAIR NOSE

The CLASSIC STAIR NOSE is a decorative stair nosing profile specifically to trim stairs and countertop tile installations. This classic shape adds an attractive accent, increases visibility, and provides excellent protection against high impact. Available in chrome-plated brass, stainless steel, and aluminum, the CLASSIC STAIR NOSE is compatible with a wide range of design motifs.



BRASS			8.0
CHROME-PLATED			
Length: 8.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
1/16	ZBL460-340-08025	138.57	
3/8	ZBL460-340-10025	160.80	
1/2	ZBL460-340-12525	191.22	
19/32	ZBL460-340-15025	237.99	

BRASS			4.0
CHROME-PLATED			
Length: 4.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
1/16	ZBL460-340-080125	77.60	
3/8	ZBL460-340-100125	90.05	
1/2	ZBL460-340-125125	107.08	
19/32	ZBL460-340-150125	130.90	

STAINLESS STEEL			8.0
NATURAL			
Length: 8.0 feet		Pack: 2 pcs.	
h/in.	Part no.	\$/pc.	
1/32	ZBL460-280-09025	115.37	
7/16	ZBL460-280-11025	122.39	

STAINLESS STEEL			8.0
BRUSHED			
Length: 8.0 feet		Pack: 2 pcs.	
h/in.	Part no.	\$/pc.	
1/32	ZBL460-280B-09025	128.00	
7/16	ZBL460-280B-11025	136.04	

ALUMINUM			8.0
SATIN SILVER, ANODIZED			
Length: 8.0 feet		Pack: 2 pcs.	
h/in.	Part no.	\$/pc.	
1/16	ZBL460-410-08025	30.98	
3/8	ZBL460-410-10025	33.04	
1/2	ZBL460-410-12525	35.07	

ALUMINUM			4.11
SATIN SILVER, ANODIZED			
Length: 4.11 feet		Pack: 2 pcs.	
h/in.	Part no.	\$/pc.	
1/16	ZBL460-410-08015	23.32	
3/8	ZBL460-410-10015	27.23	
1/2	ZBL460-410-12515	28.82	

ALUMINUM			4.0
SATIN SILVER, ANODIZED			
Length: 4.0 feet		Pack: 2 pcs.	
h/in.	Part no.	\$/pc.	
1/16	ZBL460-410-080125	17.23	
3/8	ZBL460-410-100125	18.34	
1/2	ZBL460-410-125125	19.50	

DECO STAIR NOSE PROFILE

The DECO STAIR NOSE PROFILE combines decorative, contemporary design with the strength and beauty of stainless steel. This trim accents and protects stair edges and countertops for increased durability and visibility.

STAINLESS STEEL 8.0 BRUSHED

Length: 8.0 feet Pack: 2 pcs.

h/in.	Part no.	\$/pc.
5/16	ZBL462-280-8025	74.38
3/8	ZBL462-280-1025	81.52
1/2	ZBL462-280-12525	85.95

STAINLESS STEEL 4.0 BRUSHED

Length: 4.0 feet Pack: 2 pcs.

h/in.	Part no.	\$/pc.
5/16	ZBL462-280-8125	39.42
3/8	ZBL462-280-1125	43.21
1/2	ZBL462-280-125125	45.56

STAINLESS STEEL 8.0 POLISHED


Length: 8.0 feet Pack: 2 pcs.

h/in.	Part no.	\$/pc.
5/16	ZBL462-286-8025	93.79
3/8	ZBL462-286-1025	100.92
1/2	ZBL462-286-12525	109.92

STAINLESS STEEL 4.0 POLISHED

Length: 4.0 feet Pack: 2 pcs.

h/in.	Part no.	\$/pc.
5/16	ZBL462-286-8125	49.70
3/8	ZBL462-286-1125	53.47
1/2	ZBL462-286-125125	58.26





STEPLINE

STEPLINE is a high-quality profile made for protecting stair edges. The anti-slip tread is integrated into the stainless steel surface for increased safety and durability. STEPLINE can be used on step treads in combination with ceramics and natural stone fixed according to the thin bed method. This profile is especially effective in commercial applications and high traffic areas.

STAINLESS STEEL 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
$\frac{1}{32}$	ZBL841-280-090250	70.91
$\frac{7}{16}$	ZBL841-280-110250	71.69
$\frac{17}{32}$	ZBL841-280-135250	72.68

STAINLESS STEEL 4.11


Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
$\frac{1}{32}$	ZBL841-280-090150	46.79
$\frac{7}{16}$	ZBL841-280-110150	47.35
$\frac{17}{32}$	ZBL841-280-135150	48.23

STAINLESS STEEL 4.0

Length: 4.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
$\frac{1}{32}$	ZBL841-280-090125	38.99
$\frac{7}{16}$	ZBL841-280-110125-1	39.43
$\frac{17}{32}$	ZBL841-280-135125	39.99



STEPLINE, COVER CAP

STAINLESS STEEL

NATURAL

Pack: 1 pc.

h/in.	Part no.	\$/pc.
$\frac{1}{32}$ / $\frac{7}{16}$ / $\frac{17}{32}$	ZBL842-280	5.62






TRANSITION & RENOVATION PROFILES



50 ADJUSTABLE TRANSITION
PROFILE




51 DRIVE



ADJUSTABLE TRANSITION PROFILE

Due to an innovative design, the ADJUSTABLE TRANSITION PROFILE can be used for transition from ceramic tile to any floor surface with a height difference of up to 1/2". The ADJUSTABLE TRANSITION PROFILE is comprised of a rigid PVC base which is color coded to designate the corresponding tile height, and an aluminum cap profile which is inserted into the base after the adjoining floor surface has been installed. The aluminum transition arm is then pressed down to rest on the adjacent floor surface.




ALUMINUM 8.0			ALUMINUM 4.0			ALUMINUM 8.0		
SATIN SILVER, ANODIZED			SATIN SILVER, ANODIZED			BRONZE, ANODIZED		
Length: 8.0 feet			Length: 4.0 feet			Length: 8.0 feet		
Pack: 1 pc.			Pack: 1 pc.			Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
¼	ZBL423-980-060-1	44.33	¼	ZBL423-980-060125	31.95	¼	ZBL423-950-060	57.55
⅜	ZBL423-980-080	45.13	⅜	ZBL423-980-080125	32.45	⅜	ZBL423-950-080	59.06
½	ZBL423-980-100-1	46.09	½	ZBL423-980-100125	33.00	½	ZBL423-950-100-1	60.22
¾	ZBL423-980-125	47.01	¾	ZBL423-980-125125	33.77	¾	ZBL423-950-125-1	61.16

ALUMINUM 4.0		
BRONZE, ANODIZED		
Length: 4.0 feet		
Pack: 1 pc.		
h/in.	Part no.	\$/pc.
¼	ZBL423-950-060125	36.45
⅜	ZBL423-950-080125	37.12
½	ZBL423-950-100125-1	37.80
¾	ZBL423-950-125125	38.39



SELF-ADHESIVE TRANSITION PROFILE

The SELF-ADHESIVE TRANSITION PROFILE is easy to apply and adheres to many different surface types including ceramic, wood, vinyl and commercial grade carpet. Because the SELF-ADHESIVE TRANSITION PROFILE goes in after both adjoining surfaces are installed, it is ideal for renovations where the ceramic tile is already in place.




STAINLESS STEEL 8.8		
NATURAL		
Length: 8.8 feet		
Pack: 10 pcs.		
w/in.	Part no.	\$/pc.
1 ⅜	ZBL434-280-030	54.97
2	ZBL434-280-050	74.84

T-TRANSITION PROFILE (JOINT COVER)

The T-TRANSITION PROFILE is available in aluminum, brass, chrome-plated brass, or stainless steel for attractive, decorative transitions.

BRASS			BRASS			STAINLESS STEEL		
NATURAL			CHROME-PLATED			BRUSHED		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 1 pc.			Pack: 1 pc.			Pack: 1 pc.		
w/in.	Part no.	\$/pc.	w/in.	Part no.	\$/pc.	w/in.	Part no.	\$/pc.
17/32	ZBL449-300-1425	19.30	17/32	ZBL449-340-1425	47.95	17/32	ZBL449-280B-1425	35.88
7/8	ZBL449-300-2025	32.75	7/8	ZBL449-340-2025	55.55	1	ZBL449-280B-2525	40.92


ALUMINUM			ALUMINUM		
NATURAL			SATIN SILVER, ANODIZED		
Length: 8.0 feet			Length: 8.0 feet		
Pack: 1 pc.			Pack: 1 pc.		
w/in.	Part no.	\$/pc.	w/in.	Part no.	\$/pc.
17/32	ZBL449-400-1425	6.55	17/32	ZBL449-410-1425	10.30
7/8	ZBL449-400-2025-1	7.96	7/8	ZBL449-410-2025	13.73



DRIVE

DRIVE is a transition and renovation profile for transitions exposed to small wheel and roll-on traffic. Ideal for connections from tile to concrete or PVC floorings that require a gradual slope to reduce mechanical stress and eliminate trip hazards.

ALUMINUM		
SATIN SILVER, ANODIZED		
Length: 8.0 feet		
Pack: 1 pc.		
w/in.	Part no.	\$/pc.
3/8	ZBL580-410-10025-1	42.22
1/2	ZBL580-410-12525-1	44.03
19/32	ZBL580-410-15025-1	54.68




Important note:
This profile is ADA compliant.



REDUCER TRIM

The REDUCER TRIM is designed to transition from ceramic tile and stone to flooring at lower elevations. The REDUCER TRIM provides a gradual slope to eliminate trip hazards and is available in brass, stainless steel and aluminum finishes. The REDUCER TRIM is appropriate for a wide range of applications from residential to heavy-load commercial.




STAINLESS STEEL 8.0			ALUMINUM 8.0			ALUMINUM 8.0		
BRUSHED			SATIN SILVER, ANODIZED			TITANIUM BRONZE, ANODIZED		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 5 pcs.			Pack: 5 pcs.			Pack: 5 pcs.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
1/32	ZBL217-280B-09025	63.72	1/16	ZBL217-410-08025-1	16.53	1/16	ZBL217-446-08025	20.45
7/16	ZBL217-280B-11025	73.73	3/8	ZBL217-410-10025	17.77	3/8	ZBL217-446-10025	21.84
1/2	ZBL217-280B-12525	77.37	1/2	ZBL217-410-12525	23.73	1/2	ZBL217-446-12525	22.51

ALUMINUM 8.0		
ROYAL CHAMPAGNE, ANODIZED		
Length: 8.0 feet		
Pack: 5 pcs.		
h/in.	Part no.	\$/pc.
1/16	ZBL217-470-08025	20.45
3/8	ZBL217-470-10025	21.84
1/2	ZBL217-470-12525	22.51



CARPET TRIM

The CARPET TRIM is an ideal transition from hard tile to lower flooring, especially carpet. The sloped nose of the profile covers the edge of the carpet to prevent carpet fraying while protecting the tile edge. The CARPET TRIM is available in aluminum, brass and stainless steel with strength suitable for both residential and commercial applications.



STAINLESS STEEL 8.0			ALUMINUM 8.0			ALUMINUM 8.0		
BRUSHED			SATIN SILVER, ANODIZED			TITANIUM BRONZE, ANODIZED		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 5 pcs.			Pack: 5 pcs.			Pack: 5 pcs.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
1/16	ZBL4831-280-08025	99.32	1/16	ZBL218-410-08025-1	14.97	1/16	ZBL218-446-08025	20.21
3/8	ZBL4831-280-10025	105.11	3/8	ZBL218-410-10025-1	17.07	3/8	ZBL218-446-10025	21.11
			1/2	ZBL218-410-12525-1	20.07	1/2	ZBL218-446-12525	21.79



ALUMINUM 8.0		
ROYAL CHAMPAGNE, ANODIZED		
Length: 8.0 feet		
Pack: 5 pcs.		
h/in.	Part no.	\$/pc.
1/16	ZBL218-470-08025	20.21
3/8	ZBL218-470-10025	21.11
1/2	ZBL218-470-12525	21.79

SKIRTING

The SKIRTING is an anodized aluminum cove profile that is designed to provide attractive interior wall protection. The aluminum profile is available in two different finishes with inner and outer corners for both sizes.

ALUMINUM		
SATIN SILVER, ANODIZED		
Length: 8.0 feet		
Pack: 1 pc.		
h/in.	Part no.	\$/pc.
2 $\frac{1}{2}$ s	ZBL221-410-060	62.83

ALUMINUM		
WHITE, POWDER-COATED		
Length: 8.0 feet		
Pack: 1 pc.		
h/in.	Part no.	\$/pc.
2 $\frac{1}{2}$ s	ZBL221-450-060	100.89



SKIRTING, INNER CORNERS, OUTER DIMENSION 1 3/16"

ALUMINUM		
SATIN SILVER, ANODIZED		
Pack: 2 pcs.		
h/in.	Part no.	\$/pc.
2 $\frac{1}{2}$ s	ZBL222-410-060	41.82

ALUMINUM		
WHITE, POWDER-COATED		
Pack: 2 pcs.		
h/in.	Part no.	\$/pc.
2 $\frac{1}{2}$ s	ZBL222-450-060	53.32



SKIRTING, OUTER CORNERS, OUTER DIMENSION 1 3/16"

ALUMINUM		
SATIN SILVER, ANODIZED		
Pack: 2 pcs.		
h/in.	Part no.	\$/pc.
2 $\frac{1}{2}$ s	ZBL223-410-060	41.82


ALUMINUM		
WHITE, POWDER-COATED		
Pack: 2 pcs.		
h/in.	Part no.	\$/pc.
2 $\frac{1}{2}$ s	ZBL223-450-060	53.32






COVE

The stainless steel and new aluminum cove profile COVE is designed to solve transition problems between inside wall-to-floor tiled corners. The cove-shaped profile makes cleaning simple, repels water, and provides an attractive and smooth finish between 90° tiled surfaces. Perfect for commercial and residential installations, COVE is constructed with high-grade anodized aluminum and stainless steel.



STAINLESS STEEL 8.0		
NATURAL		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
1/2	ZBL424-280-12525	68.92

STAINLESS STEEL 8.0		
BRUSHED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
1/2	ZBL424-280B-12525	90.26




NEW ALUMINUM 8.0		
SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
5/16	ZBL424-410-08025	20.94
3/8	ZBL424-410-10025	21.49
1/2	ZBL424-410-12525	21.91

NEW ALUMINUM 8.0		
BRUSHED NICKEL, ANODIZED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
5/16	ZBL424-420B-08025	40.88
3/8	ZBL424-420B-10025	41.25
1/2	ZBL424-420B-12525	42.02

NEW ALUMINUM 8.0		
TITANIUM BRONZE		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	\$/pc.
5/16	ZBL424-446-08025	24.08
3/8	ZBL424-446-10025	24.72
1/2	ZBL424-446-12525	25.20

COVE INNER CORNER



Important note:
One size of the COVE outside/inside corners and end caps fits all COVE profiles.

STAINLESS STEEL		
NATURAL		
		Pack: 2 pcs.
h/in.	Part no.	\$/pc.
1/2	ZBL426-280-125	7.66

STAINLESS STEEL		
BRUSHED		
		Pack: 2 pcs.
h/in.	Part no.	\$/pc.
1/2	ZBL426-280B-125	9.95

NEW ALUMINUM		
SATIN SILVER, ANODIZED		
		Pack: 2 pcs.
h/in.	Part no.	\$/pc.
1/2	ZBL426-410	8.30

NEW ALUMINUM		
BRUSHED NICKEL		
		Pack: 2 pcs.
h/in.	Part no.	\$/pc.
1/2	ZBL426-420B	10.46

NEW ALUMINUM		
TITANIUM BRONZE		
		Pack: 2 pcs.
h/in.	Part no.	\$/pc.
1/2	ZBL426-446	8.30

COVE OUTER CORNER

STAINLESS STEEL
NATURAL

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL425-280-125	7.66

STAINLESS STEEL
BRUSHED

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL425-280B-125	9.95

ALUMINUM
SATIN SILVER, ANODIZED

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL425-410	8.30

NEW
ALUMINUM
BRUSHED NICKEL

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL425-420B	10.46

NEW
ALUMINUM
TITANIUM BRONZE

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL425-446	8.30

**Important note:**

One size of the COVE outside/inside corners and end caps fits all COVE profiles.

COVE END CAP

ALUMINUM
SATIN SILVER, ANODIZED

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL427-410	31.35

NEW
ALUMINUM
BRUSHED NICKEL

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL427-420B	31.35

NEW
ALUMINUM
TITANIUM BRONZE

Pack: 2 pcs.

h/in.	Part no.	\$/pc.
½	ZBL427-446	31.35

**Important note:**

One size of the COVE outside/inside corners and end caps fits all COVE profiles.




EXPANSION JOINTS & SCREED ACCESSORIES



59 HEAVY DUTY
EXPANSION JOINT




60 V-SCREED
EXPANSION JOINT



FLOOREX

FLOOREX is an expansion joint that provides tile edge protection while absorbing movement. The vertical legs of the FLOOREX consist of a durable hard PVC while the upper and lower expansion zones are made with low-gloss PVC in colors that match grout joints for coordinated installations.



PVC			8.0
LIGHT GRAY			
Joint width: 3/16 inch			
Length: 8.0 feet			Pack: 1 pc.
h/in.	Part no.	\$/pc.	
1/32	ZBL315-509-09025	16.36	
7/16	ZBL315-509-11025	17.19	
1/2	ZBL315-509-12525	18.06	

PVC			8.0
MEDIUM GRAY			
Joint width: 3/16 inch			
Length: 8.0 feet			Pack: 1 pc.
h/in.	Part no.	\$/pc.	
1/32	ZBL315-5095-09025	16.36	
7/16	ZBL315-5095-11025	17.19	
1/2	ZBL315-5095-12525	18.06	

PVC			8.0
SAND GRAY			
Joint width: 3/16 inch			
Length: 8.0 feet			Pack: 1 pc.
h/in.	Part no.	\$/pc.	
1/32	ZBL315-5093-09025	16.36	
7/16	ZBL315-5093-11025	17.19	
1/2	ZBL315-5093-12525	18.06	

PVC			8.0
ANTHRACITE			
Joint width: 3/16 inch			
Length: 8.0 feet			Pack: 1 pc.
h/in.	Part no.	\$/pc.	
1/32	ZBL315-5099-09025-1	16.36	
7/16	ZBL315-5099-11025	17.19	
1/2	ZBL315-5099-12525	18.06	

PVC			8.0
BAHAMA BEIGE			
Joint width: 3/16 inch			
Length: 8.0 feet			Pack: 1 pc.
h/in.	Part no.	\$/pc.	
1/32	ZBL315-5071-09025	16.36	
7/16	ZBL315-5071-11025	17.19	
1/2	ZBL315-5071-12525	18.06	

HEAVY DUTY EXPANSION JOINT

The HEAVY DUTY EXPANSION JOINT is constructed with aluminum or stainless steel edges and is filled with a colored silicone. This silicone movement zone is available in multiple colors to coordinate with grout color and helps to absorb movement caused by shrinkage, structure settling, substrate expansion and contraction, and vibration.



STAINLESS STEEL 8.0 GRAY SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL355-280-06025	87.56
3/16	ZBL355-280-08025	94.15
3/8	ZBL355-280-10025	99.39
1/2	ZBL355-280-12525	105.25
19/32	ZBL355-280-15025	112.27
3/4	ZBL355-280-18525	114.71
7/8	ZBL355-280-22025	116.93
1	ZBL355-280-25025	126.30
1 3/16	ZBL355-280-30025	128.64

STAINLESS STEEL 8.0 GRANITE GRAY SILICONE


Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL355-2894-06025	87.56
3/16	ZBL355-2894-08025	94.15
3/8	ZBL355-2894-10025	99.39
1/2	ZBL355-2894-12525	105.25
19/32	ZBL355-2894-15025	112.27
3/4	ZBL355-2894-18525	114.71
7/8	ZBL355-2894-22025	116.93
1	ZBL355-2894-25025	126.30
1 3/16	ZBL355-2894-30025	128.64

STAINLESS STEEL 8.0 BLACK SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL355-286-06025	87.56
3/16	ZBL355-286-08025	94.15
3/8	ZBL355-286-10025	99.39
1/2	ZBL355-286-12525	105.25
19/32	ZBL355-286-15025	112.27
3/4	ZBL355-286-18525	114.71
7/8	ZBL355-286-22025	116.93
1	ZBL355-286-25025	126.30
1 3/16	ZBL355-286-30025	128.64



ALUMINUM 8.0 GRAY SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL355-409-06025	35.46
3/16	ZBL355-409-08025	38.12
3/8	ZBL355-409-10025	39.86
1/2	ZBL355-409-12525	41.63
19/32	ZBL355-409-15025	43.74
3/4	ZBL355-409-18525	44.55
7/8	ZBL355-409-22025	46.19
1	ZBL355-409-25025	46.89
1 3/16	ZBL355-409-30025	48.08

ALUMINUM 8.0 GRANITE GRAY SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL355-4094-06025	35.46
3/16	ZBL355-4094-08025	38.12
3/8	ZBL355-4094-10025	39.86
1/2	ZBL355-4094-12525	41.63
19/32	ZBL355-4094-15025	43.74
3/4	ZBL355-4094-18525	44.55
7/8	ZBL355-4094-22025	46.19
1	ZBL355-4094-25025	46.89
1 3/16	ZBL355-4094-30025	48.08

ALUMINUM 8.0 BLACK SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
1/4	ZBL355-406-06025	35.46
3/16	ZBL355-406-08025	38.12
3/8	ZBL355-406-10025	39.86
1/2	ZBL355-406-12525	41.63
19/32	ZBL355-406-15025	43.74
3/4	ZBL355-406-18525	44.55
7/8	ZBL355-406-22025	46.19
1	ZBL355-406-25025	46.89
1 3/16	ZBL355-406-30025	48.08


Advantages:

- > Expansion joint for ceramic tiles
- > Specially developed to absorb heavy traffic loads
- > Optimal suitability for industrial use
- > Excellent resistance to grease, oil and cleaning chemicals
- > Available in aluminum or stainless steel


Important note:

Heavy Duty Expansion Joints are made to order. Lead times and freight charges will vary depending on the item and quantity ordered. Please contact your sales representative for details regarding variables when ordering this product.

SILICONE COLORS



WHITE



JASMINE



GRAY



GRANITE GRAY



LIGHT BROWN



BROWN



DARK BROWN



SAND-BEIGE



FAIR OAK



DARK GRAY



ANTHRACITE




BLACK



SCREED EXPANSION JOINT

The SCREED EXPANSION JOINT is a profile manufactured with hard and soft coextruded PVC. This profile protects tile edges and absorbs any movement from expansion and contraction in medium to thick slabs. The SCREED EXPANSION JOINT is used with screeds where there may be compression, shear, and tensile strengths. The soft PVC between the two hard PVC sides forms the expansion zone.




PVC

PVC		
GRAY		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
1 3/16	ZBL392-509-03025	16.36
1 3/8	ZBL392-509-04025	20.47
2	ZBL392-509-05025	33.92
2 3/8	ZBL392-509-06025	37.18



V-SCREED EXPANSION JOINT

The V-SCREED EXPANSION JOINT is a profile made of hard and soft coextruded PVC and is used where movement joints are needed in tiles, bricks, or pavers installed in a thick mortar bed. The V-SCREED EXPANSION Joint absorbs stresses caused by system movements and the hard PVC edges protect the tile edges from wear and tear. These movement joints can also be pounded into a sawcut after installation (i.e. when renovating older buildings).



PVC

PVC		
GRAY		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	\$/pc.
1 3/16	ZBL584-509-03025	11.35
1 3/8	ZBL584-509-04025	13.80
2	ZBL584-509-05025	22.69
2 3/8	ZBL584-509-06025	36.95






AQUA PROFILES



64 AQUA-KEIL



66 AQUA-KEIL WALL




68 AQUA-GLASS



AQUA-KEIL

AQUA-KEIL is the perfect solution for transition from a sloped tiled shower floor to a level adjacent floor where a glass partition or wall is needed. It is particularly useful for showers with a constant pitch down to a linear drain. Left and right versions are available.




Advantages:

- > Easy to install; profile is pre-sloped (2%)
- > Eliminates odd angled cuts of wall tile at base of shower wall
- > Facilitates cleaning and shower maintenance
- > Provides a sleek seamless contemporary finish to wall/floor connections

Attention:

It is very important that the AQUA-KEIL does not damage the waterproofing material. Different slopes can be created by using different heights of tiles. (Image 1)



LEFT VERSION STAINLESS STEEL, BRUSHED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
3/8	1 3/8	ZBL844-280B-100-L	324.17
7/16	1 3/8	ZBL844-280B-110-L	325.52
1/2	1 3/8	ZBL844-280B-125-L	327.62

RIGHT VERSION STAINLESS STEEL, BRUSHED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
3/8	1 3/8	ZBL844-280B-100-R	324.17
7/16	1 3/8	ZBL844-280B-110-R	325.52
1/2	1 3/8	ZBL844-280B-125-R	327.62

LEFT VERSION STAINLESS STEEL, BRUSHED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
5/16	1 1/2	ZBL755-280B-080-L	194.93
3/8	1 1/2	ZBL755-280B-100-L	196.45
7/16	1 1/2	ZBL755-280B-110-L	197.68
1/2	1 1/2	ZBL755-280B-125-L	198.00

RIGHT VERSION STAINLESS STEEL, BRUSHED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
5/16	1 1/2	ZBL755-280B-080-R	194.93
3/8	1 1/2	ZBL755-280B-100-R	196.45
7/16	1 1/2	ZBL755-280B-110-R	197.68
1/2	1 1/2	ZBL755-280B-125-R	198.00

LEFT VERSION STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
5/16	1 5/16	ZBL754-280B-080-L	124.87
3/8	1 5/16	ZBL754-280B-100-L	126.41
7/16	1 5/16	ZBL754-280B-110-L	127.19
1/2	1 5/16	ZBL754-280B-125-L	127.93

RIGHT VERSION STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
5/16	1 5/16	ZBL754-280B-080-R	124.87
3/8	1 5/16	ZBL754-280B-100-R	126.41
7/16	1 5/16	ZBL754-280B-110-R	127.19
1/2	1 5/16	ZBL754-280B-125-R	127.93

LEFT VERSION STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
3/8	1 3/8	ZBL844-2840-100-L	383.28
7/16	1 3/8	ZBL844-2840-110-L	385.43
1/2	1 3/8	ZBL844-2840-125-L	387.59

RIGHT VERSION STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
3/8	1 3/8	ZBL844-2840-100-R	383.28
7/16	1 3/8	ZBL844-2840-110-R	385.43
1/2	1 3/8	ZBL844-2840-125-R	387.59



Cabin™ | Zion

LEFT VERSION

4.10

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{5}{16}$	$1\frac{1}{32}$	ZBL755-2840-080-L	233.03
$\frac{3}{8}$	$1\frac{1}{32}$	ZBL755-2840-100-L	235.18
$\frac{7}{16}$	$1\frac{1}{32}$	ZBL755-2840-110-L	236.70
$\frac{1}{2}$	$1\frac{1}{32}$	ZBL755-2840-125-L	238.42

RIGHT VERSION

4.10

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{5}{16}$	$1\frac{1}{32}$	ZBL755-2840-080-R	233.03
$\frac{3}{8}$	$1\frac{1}{32}$	ZBL755-2840-100-R	235.18
$\frac{7}{16}$	$1\frac{1}{32}$	ZBL755-2840-110-R	236.70
$\frac{1}{2}$	$1\frac{1}{32}$	ZBL755-2840-125-R	238.42

LEFT VERSION

3.215

STAINLESS STEEL, CHROME-PLATED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{5}{16}$	$1\frac{5}{16}$	ZBL754-2840-080-L	147.01
$\frac{3}{8}$	$1\frac{5}{16}$	ZBL754-2840-100-L	149.61
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL754-2840-110-L	150.68
$\frac{1}{2}$	$1\frac{5}{16}$	ZBL754-2840-125-L	151.76

RIGHT VERSION


3.215

STAINLESS STEEL, CHROME-PLATED

Length: 3.215 feet


Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{5}{16}$	$1\frac{5}{16}$	ZBL754-2840-080-R	147.01
$\frac{3}{8}$	$1\frac{5}{16}$	ZBL754-2840-100-R	149.61
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL754-2840-110-R	150.68
$\frac{1}{2}$	$1\frac{5}{16}$	ZBL754-2840-125-R	151.76



AQUA-KEIL WALL

AQUA-KEIL WALL, the sloped (2%) edge profile constructed from easy to maintain stainless steel, provides the perfect solution to connect straight cut tiled shower walls to sloped shower floors where linear drains are installed.



LEFT VERSION				RIGHT VERSION			
STAINLESS STEEL, BRUSHED				STAINLESS STEEL, BRUSHED			
Length: 6.7 feet				Length: 6.7 feet			
Pack: 1 pc.				Pack: 1 pc.			
h1/in.	h2/in.	Part no.	\$/pc.	h1/in.	h2/in.	Part no.	\$/pc.
3/16	1 3/4	ZBL840-280B-080-L	249.65	3/16	1 3/4	ZBL840-280B-080-R	249.65
3/8	1 3/4	ZBL840-280B-100-L	254.95	3/8	1 3/4	ZBL840-280B-100-R	254.95
7/16	1 3/4	ZBL840-280B-110-L	257.82	7/16	1 3/4	ZBL840-280B-110-R	257.82
1/2	1 3/4	ZBL840-280B-125-L	260.27	1/2	1 3/4	ZBL840-280B-125-R	260.27

- Advantages:**
- > Easy to install - slope of 2% included
 - > Other slopes can be realized by using different heights of tiles
 - > Oblique cuts of tiles are not necessary
 - > Versions for left and right transition are available

LEFT VERSION				RIGHT VERSION			
STAINLESS STEEL, BRUSHED				STAINLESS STEEL, BRUSHED			
Length: 4.10 feet				Length: 4.10 feet			
Pack: 1 pc.				Pack: 1 pc.			
h1/in.	h2/in.	Part no.	\$/pc.	h1/in.	h2/in.	Part no.	\$/pc.
3/16	1 1/2	ZBL846-280B-080-L	194.93	3/16	1 1/2	ZBL846-280B-080-R	194.93
3/8	1 1/2	ZBL846-280B-100-L	196.45	3/8	1 1/2	ZBL846-280B-100-R	196.45
7/16	1 1/2	ZBL846-280B-110-L	197.03	7/16	1 1/2	ZBL846-280B-110-R	197.03
1/2	1 1/2	ZBL846-280B-125-L	198.00	1/2	1 1/2	ZBL846-280B-125-R	198.00



LEFT VERSION**3.215**

STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-280B-080-L	124.87
$\frac{3}{8}$	$1\frac{1}{16}$	ZBL845-280B-100-L	126.41
$\frac{7}{16}$	$1\frac{1}{16}$	ZBL845-280B-110-L	127.19
$\frac{1}{2}$	$1\frac{1}{16}$	ZBL845-280B-125-L	127.93

RIGHT VERSION**3.215**

STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-280B-080-R	124.87
$\frac{3}{8}$	$1\frac{1}{16}$	ZBL845-280B-100-R	126.41
$\frac{7}{16}$	$1\frac{1}{16}$	ZBL845-280B-110-R	127.19
$\frac{1}{2}$	$1\frac{1}{16}$	ZBL845-280B-125-R	127.93

LEFT VERSION**6.7**

STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{3}{8}$	ZBL840-2840-080-L	309.12
$\frac{3}{8}$	$1\frac{3}{8}$	ZBL840-2840-100-L	315.80
$\frac{7}{16}$	$1\frac{3}{8}$	ZBL840-2840-110-L	319.04
$\frac{1}{2}$	$1\frac{3}{8}$	ZBL840-2840-125-L	322.92

RIGHT VERSION**6.7**

STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{3}{8}$	ZBL840-2840-080-R	309.12
$\frac{3}{8}$	$1\frac{3}{8}$	ZBL840-2840-100-R	315.80
$\frac{7}{16}$	$1\frac{3}{8}$	ZBL840-2840-110-R	319.04
$\frac{1}{2}$	$1\frac{3}{8}$	ZBL840-2840-125-R	322.92

LEFT VERSION**4.10**

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{1}{32}$	ZBL846-2840-080-L	233.25
$\frac{3}{8}$	$1\frac{1}{32}$	ZBL846-2840-100-L	236.25
$\frac{7}{16}$	$1\frac{1}{32}$	ZBL846-2840-110-L	237.56
$\frac{1}{2}$	$1\frac{1}{32}$	ZBL846-2840-125-L	238.63

RIGHT VERSION**4.10**

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{1}{32}$	846-2840-080-R	233.25
$\frac{3}{8}$	$1\frac{1}{32}$	846-2840-100-R	236.25
$\frac{7}{16}$	$1\frac{1}{32}$	846-2840-110-R	237.56
$\frac{1}{2}$	$1\frac{1}{32}$	846-2840-125-R	238.63

LEFT VERSION**3.215**

STAINLESS STEEL, CHROME-PLATED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-2840-080-L	147.88
$\frac{3}{8}$	$1\frac{1}{16}$	ZBL845-2840-100-L	150.03
$\frac{7}{16}$	$1\frac{1}{16}$	ZBL845-2840-110-L	151.11
$\frac{1}{2}$	$1\frac{1}{16}$	ZBL845-2840-125-L	152.41



RIGHT VERSION**3.215**

STAINLESS STEEL, CHROME-PLATED


Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.	\$/pc.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-2840-080-R	147.88
$\frac{3}{8}$	$1\frac{1}{16}$	ZBL845-2840-100-R	150.03
$\frac{7}{16}$	$1\frac{1}{16}$	ZBL845-2840-110-R	151.11
$\frac{1}{2}$	$1\frac{1}{16}$	ZBL845-2840-125-R	152.41



- Advantages:**
- > Elegant finish for floor-level showers
 - > Provides a sleek, seamless, contemporary appearance of floor-level showers
 - > Avoids oblique cuts of tiles



- Advantages:**
- > Easy installation without having to cut tiles. Install the AQUA-GLASS in the joint between the tile for a secure connection.
 - > Install with thinset. No need to mechanically fix to the substrate and compromise the waterproofing layer.
 - > Can be installed both on walls and on level floors.

AQUA-DECO

AQUA-DECO is a sleek profile which is installed above a linear drain. This unique profile eliminates angled cuts of tile and creates the perfect finish for linear shower drains in combination with the AQUA-KEIL, AQUA-KEIL GLASS or AQUA-KEIL WALL.

STAINLESS STEEL 4.0			STAINLESS STEEL 4.0		
CHROME-PLATED			BRUSHED		
Length: 4.0 feet			Length: 4.0 feet		
Pack: 1 pc.			Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
1 5/16	ZBL622-2840-24125	98.96	1 5/16	ZBL622-280B-24125	84.58
1 1/4	ZBL622-2840-32125	109.50	1 1/4	ZBL622-280B-32125	92.03
1 3/8	ZBL622-2840-40125	120.34	1 3/8	ZBL622-280B-40125	99.46

AQUA-GLASS (WALL AND FLOOR)

AQUA-GLASS (Wall and Floor), made from durable, maintenance free, stainless steel, is designed to securely hold glass partitions to tiled walls and level floors without having to drill into the wall or otherwise compromise the waterproofing layer under the tile. AQUA-GLASS can be combined with the AQUA-KEIL and AQUA-DECO products for a professionally finished and aesthetically pleasing installation.

STAINLESS STEEL 6.9				STAINLESS STEEL 6.9			
CHROME-PLATED				BRUSHED			
Length: 6.9 feet				Length: 6.9 feet			
Pack: 1 pc.				Pack: 1 pc.			
h1/in.	h2/in.	Part no.	\$/pc.	h1/in.	h2/in.	Part no.	\$/pc.
1	1 5/32	ZBL204-2840-210	612.38	1	1 5/32	ZBL204-280B-210	536.37



AQUA-GLASS >

< AQUA-KEIL WALL

AQUA-DECO
v


AQUA-KEIL GLASS
v

Marble | Winter Frost & Silver



AQUA-KEIL GLASS (SLOPED FLOOR)

AQUA-KEIL GLASS (Sloped Floor) is the perfect solution for transition from a sloped tiled shower floor to a level adjacent floor where a glass partition or wall is needed. It is particularly useful for showers with a constant pitch down to a linear drain. Left and right versions are available.



LEFT VERSION			RIGHT VERSION		
STAINLESS STEEL, CHROME-PLATED			STAINLESS STEEL, CHROME-PLATED		
Length: 6.7 feet			Length: 6.7 feet		
Pack: 1 pc.			Pack: 1 pc.		
h1/in.	Part no.	\$/pc.	h1/in.	Part no.	\$/pc.
2 7/25	ZBL193-2840-200-L	589.93	2 7/25	ZBL193-2840-200-R	589.93

LEFT VERSION			RIGHT VERSION		
STAINLESS STEEL, CHROME-PLATED			STAINLESS STEEL, CHROME-PLATED		
Length: 4.10 feet			Length: 4.10 feet		
Pack: 1 pc.			Pack: 1 pc.		
h1/in.	Part no.	\$/pc.	h1/in.	Part no.	\$/pc.
1 21/32	ZBL193-2840-148-L	386.63	1 21/32	ZBL193-2840-148-R	386.63

LEFT VERSION			RIGHT VERSION		
STAINLESS STEEL, CHROME-PLATED			STAINLESS STEEL, CHROME-PLATED		
Length: 3.9 feet			Length: 3.9 feet		
Pack: 1 pc.			Pack: 1 pc.		
h1/in.	Part no.	\$/pc.	h1/in.	Part no.	\$/pc.
1 29/64	ZBL193-2840-120-L	358.05	1 29/64	ZBL193-2840-120-R	358.05

LEFT VERSION			RIGHT VERSION		
STAINLESS STEEL, CHROME-PLATED			STAINLESS STEEL, CHROME-PLATED		
Length: 3.215 feet			Length: 3.215 feet		
Pack: 1 pc.			Pack: 1 pc.		
h1/in.	Part no.	\$/pc.	h1/in.	Part no.	\$/pc.
1 11/32	ZBL193-2840-098-L	277.17	1 11/32	ZBL193-2840-098-R	277.17



LEFT VERSION		6.7
STAINLESS STEEL, BRUSHED		
Length: 6.7 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
2 ²³ / ₆₄	ZBL193-280B-200-L	531.46

RIGHT VERSION		6.7
STAINLESS STEEL, BRUSHED		
Length: 6.7 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
2 ²³ / ₆₄	ZBL193-280B-200-R	531.46

LEFT VERSION		4.10
STAINLESS STEEL, BRUSHED		
Length: 4.10 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
1 ⁷ / ₃₂	ZBL193-280B-148-L	348.31


RIGHT VERSION		4.10
STAINLESS STEEL, BRUSHED		
Length: 4.10 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
1 ⁷ / ₃₂	ZBL193-280B-148-R	348.31


LEFT VERSION		3.9
STAINLESS STEEL, BRUSHED		
Length: 3.9 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
1 ²⁹ / ₆₄	ZBL193-280B-120-L	322.57

RIGHT VERSION		3.9
STAINLESS STEEL, BRUSHED		
Length: 3.9 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
1 ²⁹ / ₆₄	ZBL193-280B-120-R	322.57


LEFT VERSION		3.215
STAINLESS STEEL, BRUSHED		
Length: 3.215 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL193-280B-098-L	249.70

RIGHT VERSION		3.215
STAINLESS STEEL, BRUSHED		
Length: 3.215 feet		Pack: 1 pc.
h1/in.	Part no.	\$/pc.
1 ¹ / ₃₂	ZBL193-280B-098-R	249.70







WATERPROOFING SYSTEMS



74 ULTRA-DRAIN



ULTRA-DRAIN

The ULTRA-DRAIN is the first drain mat system that can be installed without a thick mortar bed and offers all the stress absorption properties of an uncoupling system. The superior drainage properties prevent freeze/thaw damage caused by the accumulation of moisture in exterior tile installations and help reduce unsightly efflorescence. Although only 1/4" thick, it provides superior compressive and tensile strength when compared to other drain mats and uncoupling systems.

ULTRA-DRAIN


15 sheets per carton = 97.5 sq. ft.
1 sheet = 6.5 sq. ft. Pack: 1 carton

width/length	Art. no.	\$/carton
2' x 3.2'	ZBL528-904	765.32

Important note:
Particularly suitable for exterior use

- Advantages:**
- > Prevents freeze/thaw damage and efflorescence
 - > Provides superior compressive and tensile strength
 - > Provides crack isolation properties


- 1 Tile adhesive
2 ULTRA-DRAIN PROFILE
3 Approved Waterproof Adhesive
4 Tile adhesive
5 Approved Waterproof Membrane
6 Tile adhesive
7 ULTRA-DRAIN
8 Permeable mortar
9 Tile adhesive
10 Tile









BALCONY & TERRACE PROFILES



82 BALCONYEDGE
PROTECTOR PRO



87 GRAVEL
DECK EDGE




DE PROFILE


The innovative DE PROFILE is a powder-coated aluminum profile with weep holes to allow for drainage while giving tile installations a subtle and protective finish. Essential for any terrace or balcony job, the DE PROFILE can be easily used in conjunction with drainage mats for the ultimate in protection against water damage and stress to tile edges.

ALUMINUM 8.0			ALUMINUM 8.0			ALUMINUM 8.0		
GRAY, POWDER-COATED			OLD COPPER BROWN, POWDER-COATED			STAINLESS STEEL METALLIC, POWDER-COATED		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 1 pc.			Pack: 1 pc.			Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
7/16	ZBL302-4591-11025	23.46	7/16	ZBL302-4581-11025	23.46	7/16	ZBL302-4502-11025	23.46
1/2	ZBL302-4591-12525	24.30	1/2	ZBL302-4581-12525	24.30	1/2	ZBL302-4502-12525	24.30
3/4	ZBL302-4591-18525	28.04	3/4	ZBL302-4581-18525	28.04	3/4	ZBL302-4502-18525	28.04
13/16	ZBL302-4591-20025	28.69	13/16	ZBL302-4581-20025	28.69	13/16	ZBL302-4502-20025	28.69
7/8	ZBL302-4591-22025	29.19	7/8	ZBL302-4581-22025	29.19	7/8	ZBL302-4502-22025	29.19
15/16	ZBL302-4591-30025	31.29	15/16	ZBL302-4581-30025	31.29	15/16	ZBL302-4502-30025	31.29

- 1 Tile adhesive
- 2 BALCONY-Gutter Edge Protector
- 3 Waterproof Tile Adhesive/Sealant
- 4 Tile adhesive
- 5 Waterproofing Membrane
- 6 Tile adhesive
- 7 DE PROFILE
- 8 ULTRA-DRAIN
- 9 Permeable mortar
- 10Tile adhesive
- 11Tile



- 1 Tile adhesive
- 2 BALCONY EDGE PROTECTOR PLUS
- 3 Waterproof Tile Adhesive/Sealant
- 4 Tile adhesive
- 5 Waterproofing Membrane
- 6 Tile adhesive
- 7 DE PROFILE
- 8 ULTRA-DRAIN
- 9 Permeable mortar
- 10Tile adhesive
- 11Tile




BALCONY-GUTTER QUARTER CIRCLE TRIM

This BALCONY TRIM is designed to protect the edge of the tile installed over our underlayment, and to cover the edge of the exposed balcony/terrace substrate. The profile features an overhang extension deflecting water running off the tile installation from the balcony substrate. This extension can also hold additional components of the BALCONY system including the gutter holder and gutter shield. Drainage holes allow for run-off of moisture collected by the drain mat system.



ALUMINUM 8.0			ALUMINUM 8.0			ALUMINUM 8.0		
GRAY, POWDER-COATED			OLD COPPER BROWN, POWDER-COATED			STAINLESS STEEL METALLIC, POWDER-COATED		
Length: 8.0 feet			Length: 8.0 feet			Length: 8.0 feet		
Pack: 1 pc.			Pack: 1 pc.			Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
1/16	ZBL430-4591-180	194.81	1/16	ZBL430-4581-180	194.81	1/16	ZBL430-4502-180	200.66




JOINER

ALUMINUM			ALUMINUM			ALUMINUM		
GRAY, POWDER-COATED			OLD COPPER BROWN, POWDER-COATED			STAINLESS STEEL METALLIC, POWDER-COATED		
Width: 1 3/8"			Width: 1 3/8"			Width: 1 3/8"		
Pack: 5 pcs.			Pack: 5 pcs.			Pack: 5 pcs.		
h/in.	Part no.	\$/pack	h/in.	Part no.	\$/pack	h/in.	Part no.	\$/pack
1/16	ZBL432-4591-180	50.96	1/16	ZBL432-4581-180	50.96	1/16	ZBL432-4502-180	52.51


OUTER CORNER JOINER 90°, OUTER DIMENSION 9 1/2" × 9 1/2"

ALUMINUM 90°			ALUMINUM 90°			ALUMINUM 90°		
GRAY, POWDER-COATED			OLD COPPER BROWN, POWDER-COATED			STAINLESS STEEL METALLIC, POWDER-COATED		
Pack: 1 pc.			Pack: 1 pc.			Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
3/4	ZBL433-4591-180090	97.25	3/4	ZBL433-4581-180090	97.25	3/4	ZBL433-4502-180090	100.17



OUTER CORNER JOINER 135°, OUTER DIMENSION 9 1/2" × 9 1/2"

ALUMINUM 135°			ALUMINUM 135°			ALUMINUM 135°		
GRAY, POWDER-COATED			OLD COPPER BROWN, POWDER-COATED			STAINLESS STEEL METALLIC, POWDER-COATED		
Pack: 1 pc.			Pack: 1 pc.			Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
3/4	ZBL433-4591-180135	114.36	3/4	ZBL433-4581-180135	114.36	3/4	ZBL433-4502-180135	117.79



INNER CORNER JOINER 90°, OUTER DIMENSION 5 1/8" × 5 1/8"

ALUMINUM 90°			ALUMINUM 90°			ALUMINUM 90°		
GRAY, POWDER-COATED			OLD COPPER BROWN, POWDER-COATED			STAINLESS STEEL METALLIC, POWDER-COATED		
Pack: 1 pc.			Pack: 1 pc.			Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
3/4	ZBL649-4591-180090	114.36	3/4	ZBL649-4581-180090	114.36	3/4	ZBL649-4502-180090	117.79





UNIVERSAL JOINER

METAL
ZINC PLATED


Pack: 10 pcs.

width/length	Art. no.	\$/pack
1 1/16" x 3"	ZBL436-110	15.90



BALCONY-GUTTER EDGE PROTECTOR

This balcony trim is designed to protect the edge of the balcony substrate and the edge of tile installed over a waterproofing fabric. This balcony edge features an overhang extension deflecting water running off the tile installation from the balcony substrate. Accessories such as joiners are available.




ALUMINUM		8.0
MEDIUM GRAY, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
5/12	ZBL445-4591-105	182.88

JOINER

OUTER CORNER JOINER
90°, OUTER DIMENSION 9 1/2" x 9 1/2"

UNIVERSAL JOINER




ALUMINUM		
MEDIUM GRAY, POWDER-COATED		
Height: 3/8"		Pack: 5 pcs.
h/in.	Part no.	\$/pack
1 1/16	ZBL437-4591-105	50.89

ALUMINUM		90°
MEDIUM GRAY, POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
5/12	ZBL446-4591-105090	97.30

METAL		
ZINC PLATED		
		Pack: 10 pcs.
width/length	Art. no.	\$/pack
1 1/16" x 3"	ZBL436-110	15.90








BALCONY-EDGE PROTECTOR PRO

The BALCONY-Edge Protector PRO is designed to protect the edge of the balcony substrate and the edge of tile installed over a water proofing fabric. This balcony edge features a drain lip that helps deflect water from the balcony substrate. Accessories such as connecting and corner joiners are available for ease of installation.



ALUMINUM 8.0 MEDIUM GRAY, POWDER-COATED h to be covered 3 3/8" Pack: 1 pc.			ALUMINUM 8.0 MEDIUM GRAY, POWDER-COATED h to be covered 2" Pack: 1 pc.			ALUMINUM 8.0 STAINLESS STEEL METALLIC, POWDER-COATED h to be covered 3 3/8" Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
3/8	ZBL592-4591-105	159.57	3/8	ZBL406-4591-085	152.61	3/8	ZBL592-4502-105	164.37
1/2	ZBL592-4591-125	167.55	1/2	ZBL406-4591-105	167.55	1/2	ZBL592-4502-125	171.96

ALUMINUM 8.0 STAINLESS STEEL METALLIC, POWDER-COATED h to be covered 2" Pack: 1 pc.			ALUMINUM 8.0 OLD COPPER BROWN, POWDER-COATED h to be covered 3 3/8" Pack: 1 pc.			ALUMINUM 8.0 OLD COPPER BROWN, POWDER-COATED h to be covered 2" Pack: 1 pc.		
h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.	h/in.	Part no.	\$/pc.
3/8	ZBL406-4502-105	157.19	3/8	ZBL592-4581-105	159.57	3/8	ZBL406-4581-105	152.61
1/2			1/2	ZBL592-4581-125	167.55	1/2		

JOINER

ALUMINUM MEDIUM GRAY, POWDER-COATED h to be covered 3 3/8" Pack: 5 pcs.			ALUMINUM MEDIUM GRAY, POWDER-COATED h to be covered 2" Pack: 5 pcs.			ALUMINUM STAINLESS STEEL METALLIC, POWDER-COATED h to be covered 3 3/8" Pack: 5 pcs.		
h/in.	Part no.	\$/pack	h/in.	Part no.	\$/pack	h/in.	Part no.	\$/pack
3/8	ZBL594-4591-105	51.34	3/8	ZBL407-4591-085	50.89	3/8	ZBL594-4502-105	52.88
1/2	ZBL594-4591-125	51.34	1/2	ZBL407-4591-105	50.89	1/2	ZBL594-4502-125	52.88

ALUMINUM STAINLESS STEEL METALLIC, POWDER-COATED h to be covered 2" Pack: 5 pcs.			ALUMINUM OLD COPPER BROWN, POWDER-COATED h to be covered 3 3/8" Pack: 5 pcs.			ALUMINUM OLD COPPER BROWN, POWDER-COATED h to be covered 2" Pack: 5 pcs.		
h/in.	Part no.	\$/pack	h/in.	Part no.	\$/pack	h/in.	Part no.	\$/pack
3/8	ZBL407-4502-105	52.41	3/8	ZBL594-4581-105	51.34	3/8	ZBL407-4581-105	50.89
1/2			1/2	ZBL594-4581-125	51.34	1/2		

OUTER CORNER JOINER 90°, OUTER DIMENSION 9 1/2" · 9 1/2"

ALUMINUM 90°		
MEDIUM GRAY, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL596-4591-105090	98.06
1/2	ZBL596-4591-125090	98.06


ALUMINUM 90°		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL447-4502-105090	97.30

ALUMINUM 90°		
MEDIUM GRAY, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL447-4591-085090	92.66
1/2	ZBL447-4591-105090	92.66

ALUMINUM 90°		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL596-4581-105090	98.06
1/2	ZBL596-4581-125090	98.06

ALUMINUM 90°		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL596-4502-105090	100.99
1/2	ZBL596-4502-125090	100.99

ALUMINUM 90°		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL447-4581-105090	97.30



OUTER CORNER JOINER 135°, OUTER DIMENSION 9 1/2" · 9 1/2"

ALUMINUM 135°		
MEDIUM GRAY, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL596-4591-105135	114.34
1/2	ZBL596-4591-125135	114.34


ALUMINUM 135°		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL447-4502-105135	117.76

ALUMINUM 135°		
MEDIUM GRAY, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL447-4591-105135	114.34

ALUMINUM 135°		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL596-4581-105135	114.34
1/2	ZBL596-4581-125135	114.34

ALUMINUM 135°		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL596-4502-105135	117.76
1/2	ZBL596-4502-125135	117.76

ALUMINUM 135°		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL447-4581-105135	114.34



INNER CORNER JOINER 90°, OUTER DIMENSION 5 9/10" · 5 9/10"

ALUMINUM 90°		
MEDIUM GRAY, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL648-4591-105090	114.34
1/2	ZBL648-4591-125090	114.34


ALUMINUM 90°		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL645-4502-105090	117.76

ALUMINUM 90°		
MEDIUM GRAY, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL645-4591-105090	114.34

ALUMINUM 90°		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL648-4581-105090	114.34
1/2	ZBL648-4581-125090	114.34

ALUMINUM 90°		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 3 1/2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL648-4502-105090	117.76
1/2	ZBL648-4502-125090	117.76


ALUMINUM 90°		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/8	ZBL645-4581-105090	114.34





BALCONY-EDGE PROTECTOR

The BALCONY-EDGE PROTECTOR provides an attractive cover for concrete balconies and terrace slabs. Straight and corner joiner pieces can be used to easily connect two BALCONY-EDGE PROTECTOR lengths.




STAINLESS STEEL			8.0
NATURAL			
Length: 8.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
2 3/4	ZBL341-280-06025	111.09	
3 1/4	ZBL341-280-08025	125.13	
4	ZBL341-280-10025	136.24	

ALUMINUM			8.0
WHITE, POWDER-COATED			
Length: 8.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
2 3/4	ZBL341-450-06025	78.36	
3 1/4	ZBL341-450-08025	84.21	
4	ZBL341-450-10025	91.22	

ALUMINUM			8.0
MEDIUM GRAY, POWDER-COATED			
Length: 8.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
2 3/4	ZBL341-45919-06025	78.36	
3 1/4	ZBL341-45919-08025	84.21	
4	ZBL341-45919-10025	91.22	

ALUMINUM			8.0
BROWN, POWDER-COATED			
Length: 8.0 feet		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
2 3/4	ZBL341-460-06025	78.36	
3 1/4	ZBL341-460-08025	84.21	
4	ZBL341-460-10025	91.22	

JOINER



STAINLESS STEEL			
NATURAL			
Length: 3 1/2"		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
1 3/4	ZBL351-280-040	18.13	
2 1/4	ZBL351-280-060	18.13	
3 1/4	ZBL351-280-080	19.07	
4 1/4	ZBL351-280-100	20.03	

ALUMINUM			
WHITE, POWDER-COATED			
Length: 3 1/2"		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
2 1/4	ZBL351-450-060	12.15	
3 1/4	ZBL351-450-080	13.01	
4 1/4	ZBL351-450-100	13.52	
5 1/4	ZBL351-450-125	14.08	

ALUMINUM			
MEDIUM GRAY, POWDER-COATED			
Length: 3 1/2"		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
1 3/4	ZBL351-45919-040	12.15	
2 1/4	ZBL351-45919-060	12.15	
3 1/4	ZBL351-45919-080	13.01	
4 1/4	ZBL351-45919-100	13.52	
5 1/4	ZBL351-45919-125	14.08	

ALUMINUM			
BROWN, POWDER-COATED			
Length: 3 1/2"		Pack: 1 pc.	
h/in.	Part no.	\$/pc.	
2 1/4	ZBL351-460-060	12.15	
3 1/4	ZBL351-460-080	13.01	
4 1/4	ZBL351-460-100	13.52	
5 1/4	ZBL351-460-125	14.08	

CORNER JOINER 90°

STAINLESS STEEL 90°
NATURAL

Length: 3½" Pack: 1 pc.

h/in.	Part no.	\$/pc.
1½	ZBL352-280-040	37.19
2½ ₂₅	ZBL352-280-060	37.19
3½	ZBL352-280-080	38.37
3¾ ₂₅	ZBL352-280-100	39.03

ALUMINUM 90°
BROWN, POWDER-COATED

Length: 3½" Pack: 1 pc.

h/in.	Part no.	\$/pc.
2½ ₂₅	ZBL352-460-060	23.25
3½	ZBL352-460-080	24.43
3¾ ₂₅	ZBL352-460-100	25.58
4¾ ₂₅	ZBL352-460-125	26.87

ALUMINUM 90°
WHITE, POWDER-COATED

Length: 3½" Pack: 1 pc.

h/in.	Part no.	\$/pc.
2½ ₂₅	ZBL352-450-060	23.25
3½	ZBL352-450-080	24.43
3¾ ₂₅	ZBL352-450-100	25.58
4¾ ₂₅	ZBL352-450-125	26.87

ALUMINUM 90°
MEDIUM GRAY, POWDER-COATED

Length: 3½" Pack: 1 pc.

h/in.	Part no.	\$/pc.
1½	ZBL352-45919-040	23.25
2½ ₂₅	ZBL352-45919-060	23.25
3½	ZBL352-45919-080	24.43
3¾ ₂₅	ZBL352-45919-100	25.58
4¾ ₂₅	ZBL352-45919-125	26.87

BALCONY-EDGE PROTECTOR PLUS

The BALCONY-EDGE PROTECTOR PLUS facilitates quick and simple expansion in balcony renovations and when building balconies. Connectors and corners complete this fully developed system.

**ALUMINUM** 8.0
WHITE, POWDER-COATED

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
2½ ₂₅	ZBL341-450P-08025	108.64
3½	ZBL341-450P-10025	119.21
3¾ ₂₅	ZBL341-450P-12525	148.96

ALUMINUM 8.0
MEDIUM GRAY, POWDER-COATED


Length: 8.0 feet Pack: 1 pc.


h/in.	Part no.	\$/pc.
2½ ₂₅	ZBL341-45919P08025	108.64
3½	ZBL341-45919P10025	119.21
3¾ ₂₅	ZBL341-45919P12525	148.96

ALUMINUM 8.0
BROWN, POWDER-COATED

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
2½ ₂₅	ZBL341-460P-08025	108.64
3½	ZBL341-460P-10025	119.21
3¾ ₂₅	ZBL341-460P-12525	148.96





BALCONY-GRAVEL DECK EDGE PRO

The BALCONY-GRAVEL DECK EDGE PRO is a balcony profile for tile and stone with a slide-in opening designed for inserting a drain mat. It has weep holes for the optimal drainage of moisture on balconies and terraces. The system is completed by joiners and seamwelded corners.

ALUMINUM 8.0		
MEDIUM GRAY, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL575-4591-060	115.19
3 $\frac{3}{8}$	ZBL575-4591-080	118.95

ALUMINUM 8.0		
OLD COPPER BROWN, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL575-4581-060	115.19
3 $\frac{3}{8}$	ZBL575-4581-080	118.95

ALUMINUM 8.0		
STAINLESS STEEL METALLIC, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL575-4502-060	118.58
3 $\frac{3}{8}$	ZBL575-4502-080	121.72

JOINER

ALUMINUM		
MEDIUM GRAY, POWDER-COATED		
Length 1 $\frac{3}{4}$ feet		Pack: 5 pcs.
h/in.	Part no.	\$/pack
2 $\frac{25}{32}$	ZBL577-4591-060	52.69
3 $\frac{3}{8}$	ZBL577-4591-080	53.01

ALUMINUM		
OLD COPPER BROWN, POWDER-COATED		
Length 1 $\frac{3}{4}$ feet		Pack: 5 pcs.
h/in.	Part no.	\$/pack
2 $\frac{25}{32}$	ZBL577-4581-060	52.69
3 $\frac{3}{8}$	ZBL577-4581-080	53.01

ALUMINUM		
STAINLESS STEEL METALLIC, POWDER-COATED		
Length 1 $\frac{3}{4}$ feet		Pack: 5 pcs.
h/in.	Part no.	\$/pack
2 $\frac{25}{32}$	ZBL577-4502-060	54.25
3 $\frac{3}{8}$	ZBL577-4502-080	54.61

CORNER JOINER 90°, OUTER DIMENSION 9 29/64" · 9 29/64"



ALUMINUM 90°		
MEDIUM GRAY, POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL578-4591-060090	129.81
3 $\frac{3}{8}$	ZBL578-4591-080090	131.45

ALUMINUM 90°		
OLD COPPER BROWN, POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL578-4581-060090	129.81
3 $\frac{3}{8}$	ZBL578-4581-080090	131.45

ALUMINUM 90°		
STAINLESS STEEL METALLIC, POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL578-4502-060090	133.70
3 $\frac{3}{8}$	ZBL578-4502-080090	135.34

CORNER JOINER 135°, OUTER DIMENSION 9 29/64" · 9 29/64"



ALUMINUM 135°		
MEDIUM GRAY, POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL578-4591-060135	155.74
3 $\frac{3}{8}$	ZBL578-4591-080135	157.70

ALUMINUM 135°		
OLD COPPER BROWN, POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL578-4581-060135	155.74
3 $\frac{3}{8}$	ZBL578-4581-080135	157.70

ALUMINUM 135°		
STAINLESS STEEL METALLIC, POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
2 $\frac{25}{32}$	ZBL578-4502-060135	160.40
3 $\frac{3}{8}$	ZBL578-4502-080135	162.43

INNER CORNER JOINER 90°, OUTER DIMENSION 5 1/8" · 5 1/8"

ALUMINUM
MEDIUM GRAY,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.	\$/pc.
2 5/16	ZBL650-4591-060090	155.74
3 1/8	ZBL650-4591-080090	157.70

ALUMINUM
OLD COPPER BROWN,
POWDER-COATED

90°

Pack: 1 pc.


h/in.	Part no.	\$/pc.
2 5/16	ZBL650-4581-060090	155.74
3 1/8	ZBL650-4581-080090	157.70

ALUMINUM
STAINLESS STEEL METALLIC,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.	\$/pc.
2 5/16	ZBL650-4502-060090	160.40
3 1/8	ZBL650-4502-080090	162.43



UNIVERSAL JOINER

METAL
ZINC PLATED

Pack: 10 pcs.

width/length	Art. no.	\$/pack
1 1/16" × 3"	ZBL436-110	15.90



GRAVEL DECK EDGE

The GRAVEL DECK EDGE has specially designed drainage holes allowing moisture to escape while containing terrace and balcony deck substrates consisting of loose gravel layered on drainage mat system. Available in durable aluminum or stainless steel.

**STAINLESS STEEL**
BRUSHED

8.0

Length: 8.0 feet

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 3/8	ZBL345-280B-035	217.61
2 5/16	ZBL345-280B-065	234.91
3	ZBL345-280B-075	241.54

ALUMINUM


8.0

MEDIUM GRAY, POWDER-COATED

Length: 8.0 feet

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 3/8	ZBL345-45919-035	89.56
2 5/16	ZBL345-45919-065	115.79
3	ZBL345-45919-075	119.28



JOINER

STAINLESS STEEL
BRUSHED

Length: 3 1/2"

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 3/8	ZBL499-280B-035	26.19
2 5/16	ZBL499-280B-065	28.01
3	ZBL499-280B-075	28.65


ALUMINUM

MEDIUM GRAY, POWDER-COATED

Length: 3 1/2"

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 3/8	ZBL499-45919-035	17.54
2 5/16	ZBL499-45919-065	20.87
3	ZBL499-45919-075	23.34



CORNER JOINER 90°, OUTER DIMENSION 3 1/6" · 3 1/6"

STAINLESS STEEL BRUSHED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 3/8	ZBL501-280B-035	46.23
2 3/16	ZBL501-280B-065	51.38
3	ZBL501-280B-075	53.85

ALUMINUM MEDIUM GRAY, POWDER-COATED


Pack: 1 pc.

h/in.	Part no.	\$/pc.
1 3/8	ZBL501-45919-035	28.81
2 3/16	ZBL501-45919-065	33.47
3	ZBL501-45919-075	35.21



COVECOVER

The COVECOVER is a cove profile that is designed to provide attractive interior wall protection. The innovative and durable design protects exterior baseboards.



ALUMINUM MEDIUM GRAY, POWDER-COATED

8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
4	ZBL639-4591	203.18

ALUMINUM OLD COPPER BROWN, POWDER-COATED

8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
4	ZBL639-4581	203.18

ALUMINUM STAINLESS STEEL METALLIC, POWDER-COATED

8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.	\$/pc.
4	ZBL639-4502	209.23

Advantages:

- > Durable attractive alternative when covebase tile is not available or too expensive.
- > Hollow channels on the back ideal for »hiding« electric cords, cables, etc.
- > Convenient corners and joiners are available for achieving a professional finish

Expert tip:

For rapid, secure attachment to walls etc.

JOINER

ALUMINUM MEDIUM GRAY, POWDER-COATED

Length 1 3/8 feet Pack: 5 pcs.

h/in.	Part no.	\$/pack
4	ZBL640-4591	79.99

ALUMINUM OLD COPPER BROWN, POWDER-COATED

Length 1 3/8 feet Pack: 5 pcs.

h/in.	Part no.	\$/pack
4	ZBL640-4581	79.99

ALUMINUM STAINLESS STEEL METALLIC, POWDER-COATED

Length 1 3/8 feet Pack: 5 pcs.

h/in.	Part no.	\$/pack
4	ZBL640-4502	82.42

CORNER JOINER 90°, OUTER DIMENSION 9 1/2" · 9 1/2"

ALUMINUM MEDIUM GRAY, POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.	\$/pc.
4	ZBL641-4591-090	96.68

ALUMINUM OLD COPPER BROWN, POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.	\$/pc.
4	ZBL641-4581-090	96.68

ALUMINUM STAINLESS STEEL METALLIC, POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.	\$/pc.
4	ZBL641-4502-090	99.53





ALUMINUM, NATURAL

Thanks to the wide range of material surfaces in the product systems, you will find the right design for every requirement and every taste. However, there are differences in the properties of the various surface options. For example, untreated aluminum has limited use indoors with low mechanical load. It oxidises and should be thoroughly cleaned after grouting. Not every grout or adhesive is compatible with aluminum, so the following basic principle applies: Before installation, you must check that the products used are compatible with aluminum.



NATURAL - 400




ALUMINUM LOOK,
CROSS BRUSHED
SHINY SILVER

ALUMINUM, ANODIZED

Anodized aluminum can be used inside at low mechanical stress. Not recommended for commercial floor applications because the silver/gold finish can be scratched or worn-off by heavy traffic. By deforming (bending) anodized aluminum there may be slight changes in color.



SATIN GOLD - 420




SHINY GOLD - 480



BRONZE



ROYAL CHAMPAGNE - 470



SATIN SILVER - 410




SHINY SILVER - 430



TITANIUM BRONZE - 446




MATTE BLACK - 416



SILVER CROSS BRUSHED



BRUSHED NICKEL - 420B



OIL RUBBED BRONZE

ALUMINUM, POWDER-COATED

The aluminum profiles go through several stages of pre-treatment, then they are powder coated and fired. This gives the profiles a high quality protective coating, which can also come in a range of different colours. The high regularity of shape, value and protective function of the acrylic coat-ed surfaces thus offer a number of additional functions. However the profiles are not mechanically strong which must be considered during processing.



OLD COPPER BROWN



BROWN




JASMINE




MANHATTAN GRAY



GRAY



WHITE - 450




STAINLESS STEEL METALLIC




GRAPHITE BLACK

ALUMINUM, TEXTURED POWDER-COATED


The aluminum profiles go through several stages of pre-treatment, then they textured powder-coated and fired.



SAND TROPEZ



OXIDE



GRAPHITE




STONE GRAY



QUARTZ




OYSTER WHITE




INDUSTRIAL RUST



COAL BLACK



DARK CHOCOLATE



SUGAR WHITE

ALUMINUM, BRUSHED ANODIZED

Anodized aluminum can be used indoors where there is little mechanical loading. The anodized layer largely protects against oxidation. After installation with mortar or adhesive, residue should always be removed immediately, otherwise the surface could be stained. Anodized surfaces are very easily scratched. Be careful when installing. During bending work with anodized aluminum some slight discolouration may occur.



SATIN SILVER




SILVER, CROSS BRUSHED



ROYAL CHAMPAGNE



TITANIUM BRONZE - 446



MATTE BLACK



SATIN GOLD

BRASS

Solid brass can be used inside and outside and is mechanically strong and stressable. Recommended for floors exposed to heavy loads (i.e. forklifts and heavy stocking carts). Exposure to moisture may cause a slight tarnishing which can be removed by polishing. Ideal for residential and commercial applications where trafficloads are light to moderate and extruded brass is more than the budget will allow. Also, provides a very attractive accent to complement polished



POLISHED



NATURAL - 300



CHROME-PLATED - 340

CHROME-PLATED

Generally speaking, chrome surfaces show good load capacities. After installing, immediately remove adhesive and grout residues. To maintain a high-quality appearance for years to come, protect chrome-plated surfaces from scratching or exposure to grit and rough contact. Do not use abrasive cleaners that contain hydrochloric, formic or acetic acids. Cleaners containing hydrofluoric acid or chlorine bleach should never be used. Citric acid or sulfamic acid that are compatible with the material can be used for cleaning. Generally speaking, after cleaning rinse the surface with abundant clean water.



BRASS,
CHROME-PLATED



STAINLESS STEEL,
CHROME-PLATED

STAINLESS STEEL

Made by roll-forming 0.8 mm thick stainless steel. Highly recommended for commercial applications with strict sanitary requirements and where surfaces are exposed to strong chemicals and high mechanical stress (i.e. hospitals, food processing facilities, commercial kitchens and swimming pools).



STAINLESS STEEL/
(ACID-RESISTANT/AISI 316) - 285



POLISHED



BRUSHED - 280B



STAINLESS STEEL LOOK



STAINLESS STEEL LOOK,
POLISHED - 286



STAINLESS STEEL LOOK,
BRUSHED



CHROME-PLATED - 284O



CROSS BRUSHED

PVC

In the interior plastic can be used at low stress. The plastic is made of completely coloured UV resistant PVC in different color shades.



ANTHRACITE



BAHAMA BEIGE - 5071



SILVER GRAY - 5092



GRAPHITE BLACK - 506



GRAY - 509



BEIGE



LIGHT GRAY



JASMINE - 2011



MANHATTAN GRAY - 5091




BROWN - 508




MEDIUM GRAY



SAND GRAY



BLACK



WHITE - 501

COMMON COLOR/ FINISH CODES *

300 - Brass, natural
 340 - Brass, chrome plated
 280 - Stainless steel, natural
 280B - Stainless steel, brushed
 2840 - Stainless steel, chrome plated
 285 - Stainless steel, acid-resistant/AISI 316
 286 - Stainless steel, polished
 400 - Aluminum, natural
 410 - Aluminum, satin silver, anodized
 416 - Aluminum, matte black, anodized
 420 - Aluminum, satin gold, anodized
 420B - Aluminum, brushed nickel, anodized
 430 - Aluminum, shiny silver, anodized
 446 - Aluminum, titanium bronze, anodized
 450 - Aluminum, white, powder-coated
 456 - Aluminum, black, powder-coated
 470 - Aluminum, royal champagne, anodized
 480 - Aluminum, shiny gold, anodized
 501 - PVC, white
 506 - PVC, graphite black
 508 - PVC, brown
 509 - PVC, gray
 5011 - PVC, jasmine
 5071 - PVC, bahama beige
 5091 - PVC, manhattan gray
 5092 - PVC, silver gray

HEIGHT CONVERSION CHART (IN. - MM)

1/32" - 0.8	17/32" - 14.0
1/17" - 1.5	19/32" - 15.0
1/16" - 2.0	5/8" - 16.0
1/8" - 3.0	3/4" - 18.5
3/16" - 4.5	13/16" - 20.0
1/4" - 6.0	7/8" - 22.0
9/32" - 7.0	31/32" - 23.0
5/16" - 8.0	1" - 25.0
11/32" - 9.0	13/16" - 30.0
3/8" - 10.0	13/5" - 40.0
7/16" - 11.0	29/25" - 60.0
1/2" - 12.5	

* Additional colors/finishes available - please refer to catalog for details.

PART NUMBER IDENTIFICATION SYSTEM

Tile trims have specific part numbers made up of three components that notate important information such as the shape, finish, and size of each trim. To better understand this identification system, please refer to the following examples.


EXAMPLE 1:

PART NO. ZBL300-410-10025



EXAMPLE 2:

PART NO. ZBL347-501-12525



FREIGHT AND SHIPPING CHARGES:

Orders under \$1350 shipping to customer may be subject to a freight charge. Next day air is not available on Signature Series, but other expedited freight may be available at the customers expense if required. Check with your Emser Tile representative for details.



SHOWER

Esplanade | Alley

Limestone | Cream Honed Leaf Mosaic

Vogue | White

FLOOR

Hollywood | Beige

Limestone | Cream Honed Leaf Mosaic