



Congratulations on the purchase of your new Prince Table Tennis table. Our products are designed and manufactured to give you years of game playing enjoyment.

☒ KEEP BOX AND PACKING MATERIAL UNTIL TABLE HAS BEEN COMPLETELY ASSEMBLED.

☒ If you have any problems with your new product, PLEASE DO NOT RETURN IT TO THE STORE.

Please contact us:

1-800-467-1421

FAX: 812-425-1425

Please have your model number when inquiring about parts.

Or write to:

Escalade Sports
PO Box 889
Evansville, IN 47706
ATTN: Customer Service

Please visit our web site at:

www.escaladesports.com

When contacting Escalade Sports, please provide your model number and item number (if applicable) if requesting a replacement part. Item numbers can be found inside this owner's manual.

Model No.: PT200-00

Date Code: CPSIA#2 - PT200-00 - _____ - MY

Purchase Date: _____

PLEASE RETAIN THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE

IMPORTANT!

Please Keep Your Instructions! (You will need your Model number should you need to contact us.) Before attempting assembly, please read through this instruction book to familiarize yourself with all the parts and assembly steps. We recommend that two adults assemble this game. Please refer to the Parts Identifier on the following page and be sure that all parts have been included.

Escalade Sports warrants this product for 90 days from the purchase date for any manufacturing or material defect. Although we at Escalade Sports are dedicated to giving our customers the highest quality products, occasionally a part may be missing. If you are missing a part, or if you have any questions, please call our customer service department at 1-800-467-1421 Mon-Fri between the hours of 08:00 am and 5:00 pm C.S.T; or you can reach us at: www.escaladesports.com

Do not return the table to the store. Please contact us first at: 1-800-467-1421 or on our website at: www.escaladesports.com

TWO ADULTS ARE REQUIRED TO ASSEMBLE THIS TABLE TENNIS TABLE



TOOLS REQUIRED FOR ASSEMBLY (NOT INCLUDED):

Phillips Head (or Electric Screwdriver)

Wrench Set or Pliers

Hammer


2 - 10mm Wrenches

1 - 12mm Wrench

1 - 13mm Wrench

1 - 11/16" Open End Wrench

PARTS IDENTIFIER HARDWARE PARTS (Not to Scale)

H1	Qty. 4	H2	Qty. 4	H3	Qty. 2	H4	Qty. 4
							
M7 X 80mm Bolt		M7 Nut		M6 X 35 mm Bolt		M6 X 50 mm Bolt	
H5	Qty. 22	H6	Qty. 12	H7	Qty. 12	H8	Qty. 4
							
M6 Nut		M6 X 45 mm		Screws		M6 X 15 mm Bolt	

IMPORTANT NOTE:

Please use the Identifier above and
Ruler below to identify your hardware






Use this ruler (mm) to measure and identify your hardware.



PARTS IDENTIFIER

(Not to Scale)

ASSEMBLY PARTS

P1	Qty. 8	P2	Qty. 2	P3	Qty. 2	P4	Qty. 4
							
Plastic Wheel		Wheel Swivel		Insert for Wheel Swivel (Pre-assembled)		Support Linkage	
P5	Qty. 2	P6	Qty. 2	P7	Qty. 1	P8	Qty. 2
							
Net Post Support		Net Post		Nylon Net		Table Half	
P9	Qty. 4	P10	Qty. 4	P11	Qty. 2	P12	Qty. 6
							
Plastic Ball holder / Paddle holder Tray		Safety Latch (with lock nut attached)		1" Plastic Leg Cap (Pre-Assembled)		1" Tube Bracket	
P13	Qty. 4	P14	Qty. 2	P15	Qty. 2	P16	Qty. 2
							
1.5" Tube Bracket (Pre-Assembled)		1" U-Support		1.5" Outer Leg (Pre-Assembled)		End Apron (Pre-Assembled)	
P17	Qty. 4	P18	Qty. 4	P19	Qty. 4	NOTE: Parts P13 and P15 come pre-assembled to P8. They are only listed here as replacement parts should there be a problem with them.	
							
Side Apron (Pre-Assembled)		Plastic Corner (Pre-Assembled)		1.5" Plastic Leg Cap (Pre-Assembled)			

Note: Position the two half tops making sure the pre-assembled legs are on the outer ends of each half top.

2 pcs - **P14** 1" U-Supports

Prince Competitor Table Tennis Table - Model: PT200-00 Assembly Instructions

PARTS REQUIRED:

4 pcs - H1 Bolt
8 pcs - P1 Plastic Wheel
4 pcs - H2 Nut
2 pcs - P2 Wheel Swivel

TOOLS NEEDED:

1 pc - 12mm Wrench
1 pc - 13mm Wrench
1 pc - 11/16" Wrench

STEP 2. (Fig. 2.1) Attach two Plastic Wheels (P1) using Bolt (H1) and Nut (H2) to both Longer side U-Supports (P14) as pictured below. (Fig. 2.1 represents both U-Supports). Use 1/2" wrenches to snug tighten Bolt (H1) and Nut (H2). **Be careful not to over-tighten**, wheel must spin freely.


NOTE:

Snug tighten only, wheels must spin freely.

TOOLS NEEDED:

1 - 12 mm Wrench
1 - 13 mm Wrench


FIG. 2.1



NOTE:

(P19) Pre-Installed
1.5" Plastic Leg Cap


FIG. 4.1



NOTE:
Longer Side

NOTE:
Shorter Side

FIG. 3.1



11/16" Open end Wrench

NOTE:

Snug tighten only, wheels must spin freely.

Should be pre-installed.




STEP 3. (Fig. 3.1) Attach two Plastic Wheels (P1) using Bolt (H1) and Nut (H2) to the Wheel Swivel (P2) as shown to the left. Once the wheels are attached, attach the Wheels and Wheel Swivel to the Insert for Wheel Swivel (P3). The entire unit will then be inserted into the onto shorter sides of the two U-Supports (P14).

STEP 4. (Fig. 4.1) If not already pre-installed, insert the Plastic Leg Cap (P19) in the Outer Legs (P15). Gently hammer into place if needed. (Fig. 4.1) represents both outer legs.

Prince Competitor Table Tennis Table - Model: PT200-00 Assembly Instructions

PARTS REQUIRED:			TOOLS NEEDED:
4 pcs - H4 Bolt	12 pcs - H6 Bolt	4 pcs - P9 Plastic Tray	2 - 10 mm Wrenches
16 pcs - H5 Nut	4 pcs - P4 Support Linkage		

NOTE: Use two 10mm Wrenches to tighten hardware **H4**, **H5**, **H6** to Plastic Tray (**P9**). Make sure Nuts (**H5**) are tight on Plastic Tray (**P9**). Nuts (**H5**) on the outer leg should be snug but do not over tighten. **This is a pivot and it should rotate freely.**



IMPORTANT!

The Support Linkage (**P4**) must be attached with the raised side facing out. If placed the other way, the Linkage (**P4**) will damage the table when folded and void your warranty.

IMPORTANT!
Larger part (ball holder section) of (**P9**) must face down as shown in **Fig. 5.1** and **Detail A**.

STEP 5. (Fig. 5.1) Attach the two Plastic Trays (**P9**) through the lower holes using Bolt (**H6**) and Nut (**H5**) to the Interior Legs as shown above (Repeat on the other side). Secure the top two holes by placing one end of the Support Linkage (**P4**) over the top holes of the Plastic Tray (**P9**) and attaching them to the Interior Leg using Bolt (**H6**) and Nut (**H5**) as shown in **Fig. 5.1**. Attach the other end of the Support Linkage (**P4**) to the Exterior Leg using Bolt (**H4**) and Nut (**H5**). Now secure the center, each side plastic tray, using two pieces Bolt (**H6**) and two pieces Nut (**H5**) as per the above diagram.

NOTE: Keep in mind that the table is still up-side-down. So the "lower holes" referred to in **STEP 5** are closer to the ground in this position.

Prince Competitor Table Tennis Table - Model: PT200-00 Assembly Instructions

PARTS REQUIRED:

4 pcs - H5 Nut
4 pcs - H8 Bolt


2 pcs - P5 Net Post Support

TOOLS NEEDED:

2 - 10 mm Wrenches

STEP 6.

(Fig. 6.1) Before you turn the table over, attach the two Net Post Supports (P5) to the holes in the Pre-Installed Side Aprons (P17) at this time.




IMPORTANT!

(P5) Net Post Supports must be facing down as shown.

STEP 7.

(Fig. 7.1) Make sure that all hardware is tight (DO NOT OVER TIGHTEN).

With four (4) adults, turn the table over. Don't try to pick it up. Roll it over until upright being careful not to let table fold in half.



WARNING:

AT LEAST FOUR (4) ADULTS ARE NEEDED TO SET THE TABLE ASSEMBLY UPRIGHT! WHEN LIFTING AND ROTATING TABLE, HANDLE TOP ASSEMBLIES BY GRASPING ONLY THE TOPS THEMSELVES. DO NOT GRASP METAL LEGS, T-LEGS, LINKAGE, OR HINGES. THESE PARTS CAN MOVE AND COULD PINCH FINGERS OR HANDS CAUSING SERIOUS INJURY!



TABLE TOPS ARE HEAVY!
DO NOT ATTEMPT TO ASSEMBLE ALONE!

Prince Competitor Table Tennis Table - Model: PT200-00 Assembly Instructions

PARTS REQUIRED:

4 pcs - P10 Safety Latch (with Nut attached)

STEP 8. (Fig. 8.1) Attach four(4) Safety Latches (P10) to the U-Supports (P14) using holes just above Trays (P9). Screw Nut onto Safety Latch (P10) but do not tighten to legs. These must be loose enough to swivel.



PARTS REQUIRED:

2 pcs - H3 Bolt
2 pcs - H5 Nut
2 pcs - P6 Net Post
1 pc - P7 Net

STEP 9.

(Fig. 9.1) Attach the Net Post (P6) to the Net Post Support (P5) using Bolt (H3) and Nut (H5) as shown in FIG. 9.1.

Once the Net Post is secured, you can attach the Nylon Net (P7).

NOTE: The Nylon Net may appear too small to reach the posts. Simply stretch the net until it slides on the posts.



RECOMMENDATION OF USE AND PRECAUTIONS

Anyone using or handling this table tennis table must always follow the illustrated instructions attached to the back of the board and be fully aware of the operation instructions.

1. Handling the table, (Assembly, open, close or to store) should always be done by two adults to prevent accident or injury.
2. Be sure that no persons or objects are in the way of the boards when opening the table.
3. Do not put heavy objects on the table.
4. Do not sit on the table.
5. Do not clean the table with solvents or any other aggressive product because it could damage the paint finish.
6. Do not use sharp objects on the board or painter surface.
7. If the table is used for purposes other than playing table tennis, cover the surface to prevent any damage.
8. Request proof of purchase and keep it during the warranty period.
9. Under no circumstances is the manufacturer responsible for direct or indirect damages including loses of benefits or any other commercial damage occurred by the use of the purchased product.
10. The functioning and storage of this product should always be supervised by an adult.
11. Do not store or handle the table on an unstable floor surface.
12. If safety device malfunction occurs, secure table tops until the problem is solved.
13. To extend the life of this product, (outdoor table or indoor table) protect it from moisture or severe climate changes.
14. **Use only the net system supplied. For replacements please contact customer service at: 1-800-467-1421 and ask for Net Post Support (P5), Net Post (P6) and Nylon Net (P7).**

Care and Maintenance

Cleaning your table

Use a soft damp (not wet) cloth only. DO NOT USE ANY CHEMICALS, ABRASIVE OR CLEANING PRODUCTS on the playing surface.

Maintenance of your table

All moving parts must be oiled including the pivot points. This will insure ease of use and safety of your table.

This table must be stored indoors to avoid damage to the surface. The dampness and temperature changes can cause wood to warp, swell or blister.

APPLYING LABELS


The very last step in completing the assembly of your new Prince Table Tennis table involves applying the labels to the proper locations on the table. There are two types of labels to be applied.

#1 is the Style label. There are four style labels. Each of the four labels are applied to the four corners of the table's side aprons as shown below.

#2 is the Plastic Tray label. There are two tray labels. One of each of these labels will be applied to each plastic tray on your table.

The labels represented here are not of actual size or color.

Note: It is recommended that you write the model number on the under-side of this table for future reference.



#1

#2



#1

#2

Key#	Part #	Description	Qty.
P1	PT200-P1	Plastic Wheel	8
P2	PT200-P2	Wheel Swivel	2
P3	PT200-P3	Insert for Wheel Swivel	2
P4	PT200-P4	Support Linkage	4
P5	PT200-P5	Net Post Support	2
P6	PT200-P6	Net Post	2
P7	PT200-P7	Nylon Net	1
P8	PT200-P8	Half Table Top	2
P9	PT200-P9	Plastic Tray	4
P10	PT200-P10	Safety Catch	4
P11	PT200-P11	Plastic Leg Cap	2
P12	PT200-P12	1" Tube Bracket	6
P13	PT200-P13	1.5" Tube Bracket	4
P14	PT200-P14	1" U-support	2
P15	PT200-P15	1.5" Outer Leg	2
P16	PT200-P16	End Apron	2
P17	PT200-P17	Side Apron	4
P18	PT200-P18	Plastic Corner	4
P19	PT200-P19	1.5" Plastic Leg Cap	4
P20	PT200-P20	Safety Strap	1
P21	PT200-P21	"Competitor" Label Sheet set	1
H1	PT200-H1	M7 X 80mm Bolt	4
H2	PT200-H2	M7 Nut	4
H3	PT200-H3	M6 X 35 mm Bolt	2
H4	PT200-H4	M6 X 50 mm Bolt	4
H5	PT200-H5	M6 Nut	22
H6	PT200-H6	M6 X 45 mm	12
H7	PT200-H7	Screws	12
H8	PT200-H8	M6 X 15 mm	4
M1	PT200-M1	This Owner's Manual	1



90 DAY LIMITED WARRANTY

This consumer warranty extends to the original consumer purchase of any ESCALADE® SPORTS Product (hereinafter referred as the "Product").

WARRANTY DURATION: This Product is warranted to the original consumer purchase of a period of ninety (90) days from the original purchase.

WARRANTY COVERAGE: ESCALADE® SPORTS warrants to the original Consumer Purchaser that any Product of its manufacture is free from defects in material and workmanship when used for the intended purpose under normal use and conditions. THIS WARRANTY IS VOID IF THE PRODUCT HAS BEEN DAMAGED BY ACCIDENT, UNREASONABLE USE, NEGLIGENCE, IMPROPER SERVICE, FAILURE TO FOLLOW INSTRUCTIONS PROVIDED WITH THE PRODUCT OR OTHER CAUSES NOT ARISING OUT OF DEFECTS IN MATERIAL AND WORKMANSHIP.

WARRANTY PERFORMANCE: During the above ninety (90) day warranty period, ESCALADE® SPORTS shall repair or replace with a comparable model, and Product, or component thereof, which may prove defective under normal use and proper care, and which our examination shall disclose to our satisfaction to be thus defective, please contact our Warranty Dept.

1-800-467-1421 / Customer Service

Or Write us at:

Escalade® Sports, Inc. - P.O. Box 889, Evansville, IN 47706 - Attn: Customer Service.

Or E-mail us at:

customerservice@escaladesports.com

Other than shipping requirements no charge will be made for such repair or replacement of in-warranty Products. ESCALADE® SPORTS strongly recommends that the Product is insured for value prior to mailing.

WARRANTY DISCLAIMERS: ANY IMPLIED WARRANTIES ARISING OUT OF THIS SALE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE ABOVE NINETY (90) DAY WARRANTY PERIOD. ESCALADE® SPORTS SHALL NOT BE LIABLE FOR LOSS OF USE OF THE PRODUCT OR OTHER CONSEQUENTIAL OR INCIDENTAL COSTS, EXPENSES OR DAMAGES INCURRED BY THE CONSUMER OF ANY OTHER USE.

Some states do not allow the exclusion or limitation of implied warranties or consequential or incidental damages, so the above limitations or exclusions may not apply to you.

LEGAL REMEDIES: This warranty give you specific legal rights and you may also have other rights which may vary from state to state.