



# Equipment Brackets

## Three Phase Double Position

### Features

- Accepts 5/8" mounting hardware
- Recessed cavity in base to allow double nutting for back to back mounting (2" only)
- Keyhole for installation ease on top bolt (2" only)

### Material

Base: Aluminum A356-T6  
 End Fitting: Aluminum A356-T6  
 Rod: Fiberglass gray ultraviolet (UV) protective coating

Catalog Number	Dimensions (In)			Min Ultimate Load (Lbs)			Bolt Spacing (In)		Weight (Lbs)
	A1	A2	D	F1 Vert	F2 Long	F3 Trans	B	C	
G3MAA13013AD	30	13	1.5	1350	1000	10000	6	8	12.4
G3MAA14813AD	48	13	1.5	900	700	10000	6	8	14.7
G3MAA14818AD	48	18	1.5	900	700	10000	6	8	15.4
G3MAA14824AD	48	24	1.5	900	700	10000	6	8	16.1
G3HAA14813AD	48	13	2.0	1650	1100	10000	8		20.8
G3HAA14818AD	48	18	2.0	1650	1100	10000	8		22.0
G3HAA14824AD	48	24	2.0	1650	1100	10000	8		23.3

### Notes:

- 1) Lengths shown are considered standard; for other lengths, consult factory
- 2) Add "SC" for silicone coated rod (harsh environments)
- 3) Add "B" for standard hardware (1/2" x 2" carriage bolt; 1/2" hex nut; 1/2" lock washer)
- 4) For other options, thread sizes, and optional base and end fittings, reference Fiberglass Catalog Numbering System Matrix

## Three Phase Double Position

### Features

- Accepts 5/8" mounting hardware

### Material

Base: Aluminum A356-T6  
 End Fitting: Ductile iron hot dip galvanized ASTM A-153  
 Rod: Fiberglass gray ultraviolet (UV) protective coating

Catalog Number	Dimensions (In)			Min Ultimate Load (Lbs)			Bolt Spacing (In)		Weight (Lbs)
	A1	A2	D	F1 Vert	F2 Long	F3 Trans	B	C	
G3MA013613DD	36	13	1.5	1200	900	10000	6	8	12.3
G3MA014813DD	48	13	1.5	900	700	10000	6	8	13.8
G3MA014824DD	48	24	1.5	900	700	10000	6	8	15.2

### Notes:

- 1) Lengths shown are considered standard; for other lengths, consult factory
- 2) Add "SC" for silicone coated rod (harsh environments)
- 3) Add "B" for standard hardware (1/2" x 2" carriage bolt; 1/2" hex nut; 1/2" lock washer)
- 4) For other options, thread sizes, and optional base and end fittings, reference Fiberglass Catalog Numbering System Matrix

