

# Eaton CC6A24U

Catalog Number: CC6A24U

Eaton Cooper Power series deadbreak crimp connector, One-hole, 11/16", Pad: Aluminum, Sleeve: Aluminum, 750 AWG or kcmil, compact or solid and 800 kcmil compact, Metallic gray, Unthreaded aluminum compression connector, Length: 5.94"



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Cooper Power series deadbreak crimp connector	CC6A24U
	<b>UPC</b>
	194006077163
<b>Product Length/Depth</b>	<b>Product Height</b>
5.94 in	1.32 in
<b>Product Width</b>	<b>Product Weight</b>
1.38 in	0.36 lb
<b>Certifications</b>	
Not Applicable	

## Additional Specifications

### Number of holes

One-hole

### Type

Unthreaded aluminum compression connector

## Conductor

### Stranded or Compressed Conductor Size

650 MCM

## Dimensions

### Overall length

5.94"

## Resources

### Catalogs

[600 A 15 and 25 kV class deadbreak accessories, tools, and replacement parts](#)

### Specifications and datasheets

[Eaton Specification Sheet - CC6A24U](#)

[Line installation and protective equipment specifiers guide](#)

[Technical data sheets](#)

## Application

### Application

600A Deadbreak Bol-T

### Suitable For Al/St-Cables

Aluminum and copper cables

## Descriptions

### Color

Metallic gray

### Connection

Compression

### Material type

Aluminum

### Number of holes

One-hole

### Pad material

Aluminum

### Sleeve material

Aluminum

### Stud/bolt size

11/16"

## Electrical Ratings

### Current Rating

600A



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)