



# **DIRECTIONS FOR USE** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For outdoor residential use in home gardens, lawns, and ornamentals and greenhouses (non-commercial). Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Please read entire label before using. Use only as directed.

Shake container before use. Apply when listed pests are present. Thoroughly spray all plant parts to wetting, including undersides of leaves. Repeat applications may be made as indicated in the Use Restrictions section.

Apply when the first signs of powdery mildew appear and repeat at 7-10 day intervals. Do not exceed restrictions listed in the Use Restrictions section. This product must come into contact with powdery mildew to be effective. Complete coverage is essential for maximum control.

Do not use on sweet peas, nasturtiums, or delicate ferns. Use with care on new seedlings, transplants, and blooms. Do not spray during full sun. If concerned about sensitivity of plants, apply to individual plants or small areas of plants and wait 2 days to determine if plant damage occurs prior to treatment of larger areas.

### PESTS

**INSECTS:** This product will control pests such as: adelgids (woolly aphids), ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants), aphids, armyworms, beetles (including Colorado potato beetle), borers, caterpillars, chinch bugs, codling moth, earwigs, fruit flies (including spotted wing Drosophila), gypsy moth, lace bugs, leafhoppers, leafminers, leafrollers, loopers, mealybugs, mites, mole crickets, plant bugs, spyllids, sawfly larvae (e.g. pear and rose slugs), scale insects, spider mites, tent caterpillars, thrips, webworms, weevils (including black vine weevil), and whiteflies.

POWDERY MILDEW: This product provides curative control of powdery mildew.

### USE SITES

VEGETABLES including: artichokes (globe), asparagus, beans, beets, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, corn, cucumbers, eggplants, garlic, lettuce, onions, peas, peppers, potatoes, radishes, rutabagas, spinach, squash, Swiss chard, tomatoes and turnips; FRUITS including: apples, avocados, apricots, cherries, grapes, melons, peaches, plums, citrus, pears; BERRIES including: strawberries, blackberries, blueberries, bosenberries, loganberries, raspberries; HERBS including: angelica, balm, basil, borage, burnet, chamomile, catnip, chervil (dried), chive, clary, coriander, costmary, cilantro, curry, dillweed, horehound, hyssop, lavender, lemongrass, lovage, marigold, marjoram, mint, nasturtium, parsley, pennyroyal, rosemary, rue, sage, savory, sweet bay, tansy, tarragon, thyme, wintergreen, woodruff and wormwood; **PEANUTS, PISTACHIOS, TREE NUTS,** including almond, cashew, chestnut, filbert, macadamia nut, pecan, walnut; **Outdoor Ornamentals; Greenhouses** (Non-Commercial); **Outdoor Container Grown Plants.** 

## USE RESTRICTIONS

**PHI -** Do not apply within this many days of harvest. **Timing** – Do not make applications less than this many days apart. **Max # of AppIn.** – Do not make more than the specific number of applications for the given time period.

PHI	CROP	TIMING	MAX # OF APPLN.
1 day	Caneberries (blackberry, loganberry, raspberry)	5 days	6/year*
	Strawberry	5 days	5/year
3 days	Bushberries (blueberry, currant, elderberry, gooseberry, huckleberry)	6 days	3/crop or 6/year
21 days	Cranberry	7 days	6/year
RUITS			
PHI	CROP	TIMING	MAX # OF APPLN.
1 day	Citrus (grapefruit, lemons, limes, oranges, tangerines)	6 days	3/year*
	Tropical tree fruits (avocado, guava, mango, papaya, passion fruit)	7 days	2/year
	Stone fruits (nectarines, peaches)	7 days	N/A
7 days	Grape	5 days	5/year
	Stone fruits (cherries, plums, prunes)	7 days	N/A
	Fig	7 days	4/year
	Dates	7 days	N/A
	Pome fruits (apples, crabapples, pears, mayhaw, quince)	10 days	4/year
	Pomegranate	N/A	N/A
	Pineapple (only for use in Hawaii)	7 days	6/year

\* year = calendar year

PHI	CROP	TIMING	MAX # OF APPLN
14 days	Apricots	7 days	N/A
8 weeks	Banana and plantain (California, Florida, Hawaii and Texas only)	7 days	4/crop or 6/year
<b>VEGETA</b>	BLES		
PHI	CROP	TIMING	MAX # OF APPLN
1 day	Bulb vegetables (onion, garlic, green onion, leek, shallot)	4 days	5/year*
	Brassica (cole) crops (bok choy, broccoli, Brussels sprouts, cabbage, cauliflower, collards, kale)	4 days	6/year
	Corn (sweet corn, popcorn, seed corn)	N/A	6/year
	Cucumber	N/A	6/crop
	Fruiting vegetables (eggplant, pepper, tomato) and okra	4 days	6/year
	Leafy vegetables (except Brassica; arugula, celery, lettuce, dock, endive, fennel, parsley, rhubarb, spinach, Swiss chard); watercress	4 days	6 year
2 days	Artichoke	7 days	4/crop
3 days	Legume vegetables (beans, peas, blackeyed peas)	5 days	6/crop
	Cucurbits (melons, cantaloupe, pumpkin, squash, watermelon)	5 days	6/crop
	Leaves of root, tuber and legume vegetables	4 days	6/year
	Root vegetables – Carrot, ginseng, parsnip	5 days	4/year
	Root vegetables – Radish, rutabaga, turnip	5 days	3/year
	Tuberous and Corm Vegetables (beets, sugarbeets)	7 days	4/crop
7 days	Potatoes, ginger, sweet potatoes, yams	7 days	4/crop
60 days	Asparagus**	4 days	3/crop

PHI	CROP	TIMING	MAX # OF APPLN
1 day	Tree nuts (almond, cashew, chestnut, filbert, macadamia nut, pecan, walnut); Pistachios	7 days	N/A
3 days	Peanut (not for use in California)	7 days	3/year*
HERBS	•		
PHI	CROP	TIMING	MAX # OF APPLN
1 day	Herbs (angelica, balm, basil, borage, burnet, chamomile, catnip, chervil (dried), chive, clary, coriander, costmary, cilantro, curry, dillweed, horehound, hyssop, lavender, lemongrass, lovage, marigold, marjoram, nasturtium, parsley, pennyroyal, rosemary, rue, sage, savory, sweet bay, tansy, tarragon, thyme, wintergreen, woodruff and wormwood)	5 days	3/crop or 5/year*
	noodiun and noniniood)	4 days	3/crop or 4/year

leaf surfaces is essential less than 7 days apart. for effective insect control. Do not make applications

These than / days apart. GREENHOUSES (NON-COMMERCIAL) Make localized area treatments of ornamental plants where pest problems are anticipated to occur rather than general area-wide broadcast treatments. Do not apply this product more than 10 times per year inside a greenhouse. If this product is being used for thrips, leafminer, spider mite and/or diamondback moth control, do not apply more than 6 times per year inside a greenhouse.

\* year = calendar year

### **STORAGE AND DISPOSAL**

### Do not contaminate water, food, or feed by storage and disposal. PESTICIDE STORAGE

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. CONTAINER DISPOSAL

- If Empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.
   If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor down. outdoor drain.

WARRANTY: Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. To the fullest extent permitted by law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Seller makes no other warranties, either expressed or implied.

### **FIRST AID** IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then
- continue rinsing eye.
  Call a poison control center or doctor for treatment advice.
- IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
   Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.


Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For emergency information concerning this product, call the poison control center at 1-800-222-1212.

For additional information on this pesticide product, you may call toll free 1-877-229-3763 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**ENVIRONMENTAL HAZADDS** This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather or when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. not blow or wash pesticide off the treatment area.



# NATRIA® TOMATO, VEGETABLE & FRUIT INSECT CONTROL READY-TO-USE

### **FIRST AID**

### IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then
- continue rinsing eye.Call a poison control center or doctor for treatment advice.

### IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
  Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.
- Have the product container or label with you when calling a poison
- control center or doctor, or going for treatment.

For emergency information concerning this product, call the poison control center at 1-800-222-1212.

For additional information on this pesticide product, you may call toll free 1-877-229-3763 for emergency medical treatment information.

# **PRECAUTIONARY STATEMENTS** Hazards to Humans and Domestic Animals

CAUTION Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectarproducing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather or when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Natria® is a registered trademark of SBM Life Science Corp.

Sold under License of W. Neudorff GmbH KG

**PRESS TO RESEAL** 

30425726 19880711 Distributed by SBM Life Science Corn, 1001 Winstead Drive, Suite 500, Cary NC 27513. EPA Reg. No. 67702-45-92564 EPA Est. No indicated by 3rd and 4th digits of the batch number on this package. (65) = 92564-1X-1 (57) = 071106-64-003 (47) = 52251-0R-005