

PARTS LIST NAME: TOP PANEL CODE: 1 QTY: 1Pc









NAME:SIDE PANEL(LEFT) CODE: 2 QTY: 1Pc

NAME: SIDE PANEL (RIGHT) CODE: 3 QTY: 1Pc

NAME: BOTTOM FRAME CODE: 4 QTY: 1Pc








NAME: CENTER BAR CODE: 5 QTY: 2Pcs

NAME: LEG CODE: 6 QTY: 4Pcs


NAME: BACK PLY CODE: 7 QTY: 1Pc

NAME: SMALL DRAWER FRONT









NAME: SMALL DRAWER SIDE(LEFT)

CODE: 102 QTY: 1Pc

NAME: SMALL DRAWER BACK


CODE: 103 QTY: 1Pc

NAME: DRAWER BASE CODE: 104 QTY: 3Pcs






CODE: 105 QTY: 1Pc




NAME: BIG DRAWER FRONT

CODE: 106 QTY: 2Pcs



⁻THE UNIT SHOULD BE ASSEMBLED BY 2 OR MORE PEOPLE



NAME: BIG DRAWER SIDE(LEFT)

CODE: 107 QTY: 2Pcs



NAME: BIG DRAWER BACK

CODE: 108 QTY: 2Pcs



NAME: BIG DRAWER SIDE(RIGHT)

CODE: 109 QTY: 2Pcs

HARDWARE LIST



NAME: CHIPBOARD SCREW M3X16mm NAME: CHIPBOARD SCREW M4X38mm

CODE: A QTY: 36Pcs



CODE: B QTY: 4Pcs



NAME: WOOD DOWEL M8X35mm

CODE: C QTY: 12Pcs





NAME: CAM LOCK & CAM BOLT

CODE: D QTY: 20Sets



NAME: WOOD DOWEL M6X30mm

CODE: E QTY: 20Pcs



NAME: RUNNER 350mm

CODE: F QTY: 3Sets



NAME: CAM LOCK COVER

CODE: G QTY: 20Pcs



NAME: PANHEAD SCREW M4X22mm

CODE: H QTY: 6Pcs



NAME: HANDLE

CODE: I QTY: 3Pcs




NAME: PANHEAD CHIPBOARD SCREW M4X16mm(BLACK)

CODE: J QTY: 14Pcs

STEP 1


A) Insert & secure Cam Bolt(D)
 to Top Panel(1)



STEP 2

- A) Insert Wood Dowel(C) to Left&Right Side Panel(2&3)
- B) Attach Cam Lock(D) to Left&Right Side Panel(2&3)
- C) Insert & secure Cam
 Bolt(D) to Left&Right Side Panel(2&3)

Note: Make sure arrows on each Cam Lock point towards nearest edge with holes




STEP 3

A) Attach Runner(F) to Left&Right Side Panel(2&3) using Chipboard Screw(A) to secure

NOTE: Runner roller should be toward the front of the panel

NOTE : Chipboard Screw(A) should be assembled from the front of the runner. Start from A^1 , A^2 then A^3


NOTE: Make sure the screws are installed vertically without slant to ensure screw sits properly in the hole



STEP 4


- A) Insert Wood Dowel(C) to both Center Bar(5)
- B) Attach Cam Lock(D) to both Center Bar(5)

Note: Make sure arrows on each Cam Lock point towards nearest edge with holes




STEP 5

- A) Attach Center Bar(5) to Left&Right Side Panel(2&3) secure with Cam Lock(D)
- B) Cover Cam Lock(D) with Cam Lock Cover(G)




STEP 6

A) Attach Bottom Frame(4) to underneath of Side Panel Left&Right(2&3) and secure with Chipboard Screw(B)




STEP 7

A) Attach and secure Leg(6) to Bottom Frame(4) clockwisely




STEP 8


- A) Attach Top Panel(1) to Left&Right Side Panel(2&3) secure with Cam Lock(D)
- B) Cover Cam Lock(D) with Cam Lock Cover(G)




STEP 9

A) Attach Back Plywood(7) to assembled unit using Panhead Chipboard Screw(Black)(J) to secure






- A) Insert Wood Dowel(E) to Left&Right Drawer Side(102&105) & Drawer Back(103)
- B) Attach Cam Lock(D) to Left&Right Drawer Side(102&105) & Drawer Back(103)
- C) Attach Cam Bolt(D) to Drawer Front(101) & Left&Right Drawer Side(102&105)




- A) Attach Left&Right Drawer Side(102&105) to Drawer Back(103) secure with Cam Lock(D)
- B) Using Cam Lock Cover(G) to cover Cam Lock(D)


NOTE: Make sure arrows on each Cam Lock point towards nearest edge with holes




- A) Slot in Drawer Base(104) in corresponding grooves
- B) Attach Drawer Front(101) to Drawer Box secure with Cam Lock(D)
- C) Using Cam Lock Cover(G) to Cover Cam Lock(D)




A) Attach Handle(I) to Drawer Front(101) secure using Panhead Screw(H)






A) Turn over the Drawer box, Attach Runner(F) to Drawer Side(102&105) using Chipboard Screw(A) to secure

NOTE: Runner roller should be flush and toward the back of the Drawer Box




- A) Insert Wood Dowel(E) to Left&Right Drawer Side(107&109) & Drawer Back(108)
- B) Attach Cam Lock(D) to Left&Right Drawer Side(107&109) & Drawer Back(108)
- C) Attach Cam Bolt(D) to Drawer Front(106) & Left&Right Drawer Side(107&109)




- A) Attach Left&Right Drawer Side(107&109) to Drawer Back(108) secure with Cam Lock(D)
- B) Using Cam Lock Cover(G) to cover Cam Lock(D)


NOTE: Make sure arrows on each Cam Lock point towards nearest edge with holes




- A) Slot in Drawer Base(104) in corresponding grooves
- B) Attach Drawer Front(106) to Drawer Box secure with Cam Lock(D)
- C) Using Cam Lock Cover(G) to Cover Cam Lock(D)



A) Attach Handle(I) to Drawer Front(106) secure using Panhead Screw(H)





A) Turn over the Drawer box, Attach Runner(F) to Drawer Side(107&109) using Chipboard Screw(A) to secure

NOTE: Runner roller should be flush and toward the back of the Drawer Box