

EXPANSE[®] DYNAMIX

BY EMSER TILE™

STREAMLINED SURFACE SOLUTIONS

Porcelain Panels, Floors, Mosaics & Countertops



Pictured:
Walls, Floor & Vanity Top | Intensa Silver
Shower Floor | Aducci Bianco Mosaic

COMMERCIAL, RESIDENTIAL, INTERIOR & EXTERIOR
The Efficient, Reliable & Affordable Way To Stone Looks



STREAMLINED SURFACE SOLUTIONS:

ALL SURFACE COLLECTION

P. 3-5

- Large Format Panels, Floors, Mosaics, Trim & Countertops
- 12 Color Options

4-PANEL TUB SURROUND SETS

READY TO SHIP! 

P. 6

RELIABLE DELIVERY

Secure Crate Shipping

P. 7

INSTALLATION MATERIALS

P. 8

MERCHANDISING TOOLS

P. 9

LEAD TIMES SHIPPING CHART

P.10 -12

TECHNICAL SPECS

P.17-19



EXPANSE DYNAMIX
BY EMSED TILE

Walls & Floors | Aducci Bianco All Surface Collection

ALL SURFACE COLLECTIONS



ADUCCI BIANCO
Island, Floor, Countertop & Hex Mosaic



12 STONE DESIGNS IN
Travertine & Marble

EACH COLOR HAS ITS OWN SURFACE COLLECTION


Panels | Floor | Mosaics | Trim | Countertops

PANELS

2 Sizes Per Collection
Select SKUs are Ready to Ship




48" x 96"
12mm & 8mm
Matte & Polished



32" x 96"
12mm & 8mm
Matte & Polished

COUNTERTOP, TABLETOP, & VANITY TOP


Available in All Colors
All SKUs are special order



Sharknose Tabletop
32" x 96"
12mm | Matte




L-Shaped Countertop
25.5" x 96"
12mm | Matte




Vanity Top
32" x 96"
12mm | Matte

FLOOR

Available in All Colors
Select SKUs are Ready to Ship



23" x 47"
2CM & 8mm
Matte, Polished,
R11 (2CM Only, Select
colors)




23" x 23"
2CM
R11
(Select Colors)



12" x 24"
8mm
Matte & Polished

MOSAICS

2 Styles Per Collection
Select SKUs are Ready to Ship



2"x2"
8mm | Matte
All Colors



2"x2" Hex
8mm | Matte
Marble Only



3"x3" Hex
8mm | Matte
Serafino Only

TRIM

Available in All Colors
Select SKUs are Ready to Ship

3"x24" Bullnose
Matte & Polished

6"x12" Cove Base
Matte & Polished



- 4 Panel Purchase Minimum (Must Be Same Stone Design, Finish & Size)
- Matte Panels can be utilized for floor applications with a proper substrate.
- **Special Order SKUs have varying lead times.** Check lead time chart.

EXPANSE[®] DYNAMIX
BY EMISER TILE

TRAVERTINE & MARBLE DESIGNS

PANELS, FLOOR, MOSAICS, TRIM & COUNTERTOPS | GLAZED PORCELAIN

MARBLE




INTENSA SILVER Matte, Polished
4 Unique Faces



INTENSA SILVER Polished
32" x 96" 8mm Bookmatch



ADUCCI BIANCO Matte, Polished, *R11
4 Unique Faces | Bookmatch available



CATALA GOLD Matte, Polished, *R11
1 Face for a continuous design

SERAFINO | Travertine Vein-Cut Designs | Matte, Polished, *R11 4 Unique Faces



PEARL CREAM SILVER ASPHALT WALNUT

RISTORI | Travertine Cross-Cut Designs | Matte 4 Unique Faces



FOG SAND MIST GRAY

4-PANEL TUB SURROUND SETS **READY TO SHIP**
Available in all colors



	SIZES		THICKNESS			FINISH			EDGE	
	48"x96"	32"x96"	20mm	12mm	8mm	Matte	Polished	*R11	Rectified	Cut
Thickness	PANELS		FLOOR TILES			MOSAICS			TRIM	
	12mm		20mm			8mm			8mm	
	8mm		8mm			8mm			8mm	
	Matte		Matte			Matte			Matte	
Finish	Polished		Polished			Polished			Polished	
	*R11		*R11			*R11			*R11	
	Rectified		Rectified			Rectified			Rectified	
	Rectified		Rectified			Rectified			Rectified	
Edge	Rectified		Rectified			Rectified			Rectified	
	Rectified		Rectified			Rectified			Rectified	
	Rectified		Rectified			Rectified			Rectified	
	Rectified		Rectified			Rectified			Rectified	

SELECT SKUS ARE READY TO SHIP. CHECK LEAD TIME CHART.
CONTACT YOUR LOCAL EMSER TILE™ FOR INFO

EXPANSE DYNAMIX
BY EMSER TILE

PORCELAIN: BUILT-IN ADVANTAGES

PANELS, FLOOR, MOSAICS, TRIM & COUNTERTOPS



EASIER TO MANAGE THAN ACTUAL STONE

Have the look of luxury stone, without the weight. Easier to handle, install and transport.



INTERIOR & EXTERIOR

UV & weather resistant.



12 STUNNING STONE LOOKS

Artistry creates authentic marble & travertine large format tile designs.



ECO-FRIENDLY

Sustainable & durable tile.



EXPANSE[®] DYNAMIX

BY EMSER TILE



ALL SURFACE COLLECTIONS IN 12 DIFFERENT STONE DESIGNS

- 48x96 & 32x96 Panels
- Floor
- Mosaics
- Countertops, Vanity & Tabletops
- Trim
- Installation Materials



ENGINEERED FOR ALL PROJECTS:

COMMERCIAL, RESIDENTIAL,
INTERIOR & EXTERIOR



EASY TO CLEAN LUXURY FOR PRACTICAL USE

- Inhibits the growth of mold & mildew.
- Stain resistant.



SCRATCH RESISTANT & DURABLE

RESIDENTIAL



COMMERCIAL



INDOOR



OUTDOOR



COUNTERTOPS



LARGE FORMAT





IN-STOCK & READY TO SHIP!


10-14 DAY LEAD TIME FROM ORDER RECEIPT | SHIPS DIRECT TO CUSTOMER



4-PANEL TUB SURROUND SETS



SET INCLUDES:



96in

4-Panels 1 Stone Design, Size & Finish
Faces 4 Unique Faces (*Catala Gold has 1 Face)

48x96 = 31.09sf | 4 panel MOQ = 124.36sf

32x96 = 20.99sf | 4 panel MOQ = 83.96sf




ADUCCI BIANCO 4 PANEL SHOWER SET

EXPANSE[®] DYNAMIX
BY EMSEER TILE

We prioritize fast delivery. Due to market fluctuations, delivery times may change.
Contact Your Local Emser Tile[™] For More Info

AVAILABLE IN ALL STONE DESIGNS:

ADUCCI BIANCO 	• 12MM 32X96 Matte
*CATALA GOLD 	• 12MM 32X96 Matte & Pol. (1 Face for Continuous Design)
INTENSA SILVER 	• 8MM 32X96 Matte • 8MM 32X96 Pol. Bookmatch A & B
RISTORI FOG 	12MM 32X96 Matte
RISTORI SAND 	12MM 32X96 Matte
RISTORI GRAY 	12MM 32X96 Matte
RISTORI MIST 	8MM 32X96 Matte
SERAFINO PEARL 	• 12MM 32X96 Matte • 8MM 48X96 Matte
SERAFINO CREAM 	• 12MM 32X96 Matte • 8MM 48X96 Matte
SERAFINO SILVER 	• 12MM 32X96 Matte • 8MM 48X96 Matte
SERAFINO ASPHALT 	• 12MM 32X96 Matte • 8MM 48X96 Matte
SERAFINO WALNUT 	• 12MM 32X96 Matte • 8MM 48X96 Matte

RELIABLE DELIVERY

SECURE CRATE SHIPPING



DURABLE CRATE PACKAGING ENSURES

**your porcelain tiles arrive intact
and ready for installation.**

4 PANEL PURCHASE MINIMUM (Same color, finish & size)

32x96 = 20.99sf | 4 panel MOQ= 83.96sf

48x96= 31.09sf | 4 panel MOQ= 124.36sf

EXPANSE[®] DYNAMIX
BY EMSER TILE



INSTALLATION

EMSER ESSENTIALS INSTALLATION AND SETTING MATERIALS

EMSER ESSENTIALS™



SCAN FOR
instructions, technical
specifications and more!



SIGNATURE SERIES

Our collection of top-selling profiles readily available




REDUCER TRIMS



CARPET TRIMS



EDGE PROTECTOR TRIM



QUARTER CIRCLE TRIMS

ALUMINUM NATURAL

ALUMINUM SATIN SILVER, ANODIZED

ALUMINUM SHINY SILVER, ANODIZED

ALUMINUM TITANIUM BRONZE, ANODIZED

ALUMINUM WHITE, POWDER-COATED

ALUMINUM BRUSHED NICKEL, ANODIZED

ALUMINUM OIL RUBBED BRONZE, ANODIZED

ALUMINUM MATTE BLACK, ANODIZED


ALUMINUM SATIN GOLD, ANODIZED

PVC WHITE

EMPERVIOUS™

RIGID WATERPROOF SHOWER SYSTEM

Emser Exclusive XPS Foam Shower System allows
for same day tile installation.



Visit our website for
installation videos,
instructions, technical
specifications and more!

EZ-FLEX40

Anti-Fracture Membrane



E-LEVEL™

Tile leveling system for ceramic,
porcelain, and stone tiles.



EXPANSE[®] DYNAMIX[™]

BY EMSEER TILE[™]

MERCHANDISING TOOLS

TABLE TOP DISPLAY

MKTDISPDYNAMIXTABLETOP

- 6 Slots
- Fits 6"x12" Loose Samples



DYNAMIX BINDER MKTCHIPBNDRDYNAMIX

- 4"x4" Samples of All Colors

THE ALL-IN-ONE ESSENTIAL SALES TOOL

Featuring samples, stunning imagery showcasing how the tile can be utilized and comprehensive details about the entire collection and the benefits of porcelain.


**ALL-IN-ONE
SALES
TOOL!**



BINDER OPENED
Complete Collection Information Intro Pages

LABELS FOR 6X12 TILE SAMPLES

- Collection size information
- Beautiful images of a full tile and complementing room scene image.



BINDER FULLY FOLDED OUT
Images Flip Up To Reveal Samples



BINDER WITH SAMPLES SHOWING
4x4 samples in every color. Additional images of tile.



LEAD TIME CHART

SHIPS DIRECT TO CUSTOMER

IN-STOCK: 10-14 DAY LEAD TIME FROM ORDER RECEIPT
SPECIAL ORDER: VARYING LEAD TIMES. CHECK WITH YOUR LOCAL REP

	PANELS 12MM		PANELS 8MM	
	32x96	48x96	32x96	48x96
ADUCCI BIANCO 	STOCK V19DYNA12MMADBI3296M <i>Special Order: Polished</i>	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> - Matte & Polished - Bookmatch Polished	<i>Special Order:</i> Matte & Polished
CATALA GOLD 	STOCK W19DYNA12MMCAGO3296M V19DYNA12MMCAGO3296P	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished
INTENSA SILVER 	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished	STOCK V19DYNA8MMINSI3296M Bookmatch A & B: V19DYNA8MMINSIA3296P V19DYNA8MMINSIB3296P	<i>Special Order:</i> Matte & Polished
RISTORI FOG 	STOCK V19DYNA12MMRIFO3296M	<i>Special Order:</i> Matte	<i>Special Order:</i> Matte	<i>Special Order:</i> Matte
RISTORI SAND 	STOCK V19DYNA12MMRISA3296M	<i>Special Order:</i> Matte	<i>Special Order:</i> Matte	<i>Special Order:</i> Matte
RISTORI GRAY 	STOCK V19DYNA12MMRIGR3296M	<i>Special Order:</i> Matte	<i>Special Order:</i> Matte	<i>Special Order:</i> Matte
RISTORI MIST 	<i>Special Order:</i> Matte	<i>Special Order:</i> Matte	STOCK V19DYNA8MMRIMI3296M	<i>Special Order:</i> Matte
SERAFINO PEARL 	STOCK V19DYNA12MMSEPE3296M <i>Special Order: Polished</i>	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished	STOCK V19DYNA8MMSEPE4896M
SERAFINO CREAM 	STOCK V19DYNA12MMSECR3296M <i>Special Order: Polished</i>	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished	STOCK V19DYNA8MMSECR4896M
SERAFINO SILVER 	STOCK V19DYNA12MMSESI3296M <i>Special Order: Polished</i>	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished	STOCK V19DYNA8MMSESI4896M
SERAFINO ASPHALT 	STOCK V19DYNA12MMSEAS3296M <i>Special Order: Polished</i>	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished	STOCK V19DYNA8MMSEAS4896M
SERAFINO WALNUT 	STOCK V19DYNA12MMSEWA3296M <i>Special Order: Polished</i>	<i>Special Order:</i> Matte & Polished	<i>Special Order:</i> Matte & Polished	STOCK V19DYNA8MMSEWA4896M

- We prioritize fast delivery. Due to market fluctuations, delivery times may change
- ***4 Panel Purchase Minimum** 32x96 & 48x96 12mm & 8mm (same stone look design, finish & size)
- 48x96= 31.09sf | 4 panel MOQ= 124.36sf 32x96 = 20.99sf | 4 panel MOQ= 83.96sf






LEAD TIME CHART

SHIPS DIRECT TO CUSTOMER

IN-STOCK: 10-14 DAY LEAD TIME FROM ORDER RECEIPT

SPECIAL ORDER: VARYING LEAD TIMES. CHECK WITH YOUR LOCAL REP

	FLOOR TILE 8MM		PAVER 2CM	
	12x24 <i>Matte & Polished</i>	24x48 <i>Matte & Polished</i>	24x24 <i>Matte/R11</i>	24x48 <i>Matte</i>
ADUCCI BIANCO 	STOCK V19DYNAADBI1224M V19DYNAADBI1224P	STOCK V19DYNAADBI2447M V19DYNAADBI2447P	STOCK V19DYNA2CMADBI2323GR	STOCK V19DYNA2CMADBI2347GR
CATALA GOLD 	STOCK V19DYNACAGO1224M V19DYNACAGO1224P	STOCK V19DYNACAGO2447M V19DYNACAGO2447P	STOCK V19DYNA2CMCAGO2323GR	STOCK V19DYNA2CMCAGO2347GR
INTENSA SILVER 	STOCK V19DYNAINSI1224M V19DYNAINSI1224P	STOCK V19DYNAINSI2447M V19DYNAINSI2447P	<i>Special Order: Grip</i>	<i>Special Order: Grip</i>
RISTORI FOG 	STOCK V19DYNARIFO1224M	STOCK V19DYNARIFO2447M	<i>Special Order: Grip</i>	<i>Special Order: Grip</i>
RISTORI SAND 	STOCK V19DYNARISA1224M	STOCK V19DYNARISA2447M	<i>Special Order: Grip</i>	<i>Special Order: Grip</i>
RISTORI GRAY 	STOCK V19DYNARIGR1224M	STOCK V19DYNARIGR2447M	<i>Special Order: Grip</i>	<i>Special Order: Grip</i>
RISTORI MIST 	STOCK V19DYNARIMI1224M	STOCK V19DYNARIMI2447M	<i>Special Order: Grip</i>	<i>Special Order: Grip</i>
SERAFINO PEARL 	STOCK V19DYNASEPE1224M V19DYNASEPE1224P	STOCK V19DYNASEPE2447M V19DYNASEPE2447P	STOCK V19DYNA2CMSEPE2323GR	STOCK V19DYNA2CMSEPE2347GR
SERAFINO CREAM 	STOCK V19DYNASECR1224M V19DYNASECR1224P	STOCK V19DYNASECR2447M V19DYNASECR2447P	STOCK V19DYNA2CMSECR2323GR	STOCK V19DYNA2CMSECR2347GR
SERAFINO SILVER 	STOCK V19DYNASESI1224M V19DYNASESI1224P	STOCK V19DYNASESI2447M V19DYNASESI2447P	STOCK V19DYNA2CMSESI2323GR	STOCK V19DYNA2CMSESI2347GR
SERAFINO ASPHALT 	STOCK V19DYNASEAS1224M V19DYNASEAS1224P	STOCK V19DYNASEAS2447M V19DYNASEAS2447P	STOCK V19DYNA2CMSEAS2323GR	STOCK V19DYNA2CMSEAS2347GR
SERAFINO WALNUT 	STOCK V19DYNASEWA1224M V19DYNASEWA1224P	STOCK V19DYNASEWA2447M V19DYNASEWA2447P	STOCK V19DYNA2CMSEWA2323GR	STOCK V19DYNA2CMSEWA2347GR

- We prioritize fast delivery. Due to market fluctuations, delivery times may change
- ***4 Panel Purchase Minimum** 32x96 & 48x96 12mm & 8mm (same stone look design, finish & size)
- 48x96= 31.09sf | 4 panel MOQ= 124.36sf 32x96 = 20.99sf | 4 panel MOQ= 83.96sf



	MOSAICS		TRIMS		COUNTERTOPS
	2X2 MOSAIC	HEX MOSAICS	3X24 BULLNOSE Matte & Polished	6x12 Covebase Matte & Polished	Sharknose, L-Shape & Vanity
ADUCCI BIANCO 	STOCK V19DYNAADBI1212MO2M	STOCK V19DYNAADBI1011MH2M	STOCK V19DYNAADBI0324SBM V19DYNAADBI0324SBP	Special Order: Matte & Polished	Special Order: Matte
CATALA GOLD 	STOCK V19DYNACAGO1212MO2M	STOCK V19DYNACAGO1011MH2M	STOCK V19DYNACAGO0324SBM V19DYNACAGO0324SBP	Special Order: Matte & Polished	Special Order: Matte
INTENSA SILVER 	STOCK V19DYNAINSI1212MO2M	STOCK V19DYNAINSI1011MH2M	STOCK V19DYNAINSI0324SBM V19DYNAINSI0324SBP	Special Order: Matte & Polished	Special Order: Matte
RISTORI FOG 	STOCK V19DYNARIFO1212MO2M	Special Order: Matte	Special Order: Matte	Special Order: Matte	Special Order: Matte
RISTORI SAND 	STOCK V19DYNARISA1212MO2M	Special Order: Matte	Special Order: Matte	Special Order: Matte	Special Order: Matte
RISTORI GRAY 	STOCK V19DYNARIGR1212MO2M	Special Order: Matte	Special Order: Matte	Special Order: Matte	Special Order: Matte
RISTORI MIST 	STOCK V19DYNARIMI1212MO2M	Special Order: Matte	Special Order: Matte	Special Order: Matte	Special Order: Matte
SERAFINO PEARL 	STOCK V19DYNASEPE1212MO2M	STOCK V19DYNASEPE0911MH3M	STOCK V19DYNASEPE0324SBM V19DYNASEPE0324SBP	Special Order: Matte & Polished	Special Order: Matte
SERAFINO CREAM 	STOCK V19DYNASECR1212MO2M	STOCK V19DYNASECR0911MH3M	STOCK V19DYNASECR0324SBM V19DYNASECR0324SBP	Special Order: Matte & Polished	Special Order: Matte
SERAFINO SILVER 	STOCK V19DYNASESI1212MO2M	STOCK V19DYNASESI0911MH3M	STOCK V19DYNASESI0324SBM V19DYNASESI0324SBP	Special Order: Matte & Polished	Special Order: Matte
SERAFINO ASPHALT 	STOCK V19DYNASEAS1212MO2M	STOCK V19DYNASEAS0911MH3M	STOCK V19DYNASEAS0324SBM V19DYNASEAS0324SBP	Special Order: Matte & Polished	Special Order: Matte
SERAFINO WALNUT 	STOCK V19DYNASEWA1212MO2M	STOCK V19DYNASEWA0911MH3M	STOCK V19DYNASEWA0324SBM V19DYNASEWA0324SBP	Special Order: Matte & Polished	Special Order: Matte

- We prioritize fast delivery. Due to market fluctuations, delivery times may change
- ***4 Panel Purchase Minimum** 32x96 & 48x96 12mm & 8mm (same stone look design, finish & size)
- 48x96= 31.09sf | 4 panel MOQ= 124.36sf 32x96 = 20.99sf | 4 panel MOQ= 83.96sf



INTENSA SILVER

- Walls & Floors



- INTENSA SILVER | Walls
- SERAFINO PEARL | Vanity

EXPANSE
DYNAMIX
BY EMISER TILE



SERAFINO ASPHALT

- Outdoor Countertop



SERAFINO ASPHALT HEX MOSAIC


- Backsplash & Walls

EXPANSE
DYNAMIX
BY EMISER TILE



ADUCCI BIANCO

- Countertop,
- Island Countertop
- Backsplash



- RISTORI GRAY | Walls & Custom Drawers
- RISTORI FOG | Floors
- CATALA GOLD | Custom Sink

EXPANSE
DYNAMIX
BY EMISER TILE



CATALA GOLD

- Walls & Vanity Top



SERAFINO ASPHALT

- Sharknose Tabletop

EXPANSE
DYNAMIX
BY EMSER TILE

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET (MATTE SURFACES)	
			OUTDOOR >0.55 WET	>0.55 WET (2CM & GRIP)	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in	
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%	

SUSTAINABILITY

AT EMSER®

GREEN BUILDING INITIATIVE

At Emser Tile®, **we embrace our responsibility to protect the planet** and create sustainable processes in everything that we do. We hold the same standard for our suppliers and trade partners, and work alongside them to ensure that they adhere to maintaining and improving their standards. Emser Tile®'s Green Building Initiative features a systematic three-prong approach:

- Implementing company-wide environmentally conscious practices in the workplace at all Emser locations throughout North America, including distribution centers. This is a combined effort also shared by our trade partners.
- Practicing transparency of raw materials sourcing with our suppliers, so that we know exactly what ingredients are going into the products we sell down to 1000ppm.
- Educating employees and customers alike through internal and external training programs such as CEU/CES classes regarding health, safety and welfare standards related to material sourcing, manufacturing and installation.

CORPORATE EFFORTS

Emser Tile® is committed to reducing the environmental impact not only of our corporate headquarters and local sales and service locations, but also all of our distribution centers nationwide.

Our initiatives to do so include:

- Reusing technology, including cell phones, computers, and electronic equipment, through our suppliers and a third-party electronics recycling provider;
- Recycling paper through a third-party shred and recycle service;
- Automating facility lights that operate based on areas in use;
- Programming thermostats for optimal indoor temperatures while maintaining energy efficiency;
- Using low-flow and no-flush plumbing fixtures that preserve water;
- Prioritizing recycled content in office supplies;
- Emser Tile® operates strategically placed distribution centers and local sales and service locations throughout the United States. Having multiple facilities allows us to maximize the volume of every truckload for the most efficient transportation of our products, and in turn, minimizing our carbon footprint

MATERIAL RESOURCES

Emser Tile® chooses to work with suppliers that recycle the maximum amount of material possible back into the raw bisque, which is then reused to make new tiles. Understanding the importance of water conservation, Emser Tile® suppliers also recycle and reuse water during the manufacturing process. All glazes used in the production of ceramic and porcelain tile are water based and contain zero solvents, reducing potential Volatile Organic Compound (VOC) emissions during production and further eliminating any off-gassing of our finished floor products to 0 g/L through the firing stage of manufacturing. All overseas suppliers are required to be transparent in raw ingredient reporting up to 1000ppm, allowing Emser to meet OSHA Safety Data Sheet (SDS) requirements, as well as Health Product Declarations (HPD v2.1). Preference is given to manufacturers with upgraded kiln equipment that are able to better control heat emission and indoor air quality at the factory level.

Due to their raw ingredient profiles, all products are Red List Free, Conflict Mineral Free, Lead Free and compliant to OSHA Silica Standards as well as Prop 65.

MANUFACTURING, DISTRIBUTION + INSTALLATION

Our transparency efforts specifically complement green friendly builds that are focused around environmental impact in addition to worker health and safety. Unlike other types of hard and soft flooring, the longevity of ceramic, porcelain, and natural stone prevents frequent replacement, reducing the emissions and carbon footprints related to manufacturing, transportation and disposal of waste. With a potential cradle to grave lifecycle of 100+ years, studies have shown that over a 20-year span, ceramic, porcelain, and natural stone products are more cost-effective and sustainable than any other flooring material.

For enhanced eco-friendly attributes, all products and packaging are 100% recyclable, allowing them to be easily diverted from landfills post construction. The inherent characteristics of these surfaces allow for easy installation and cleaning without the use of toxic, high VOC, or harsh chemicals, while also displaying natural antimicrobial properties reducing potential bacteria and mold growth making them a very hygienic option.

Through innovative design, these dense body products can be installed in a way that enhances indoor air quality, creating building efficiency by controlling ambient room temperatures of a space, all while reducing heating and air conditioning costs. Partnered with a Low/No VOC setting materials system, including an installation system warranty, the health, safety and longevity of the application can be optimized.

GREEN GUIDE



Declare.

Coined the Nutrition Label for products, Emser Tile has been awarded the Declare Label for its transparency in product lifecycle. From where it comes from, what it's made from, to where it goes, Emser Tile's notation of "Red List Free" can fulfill the credit disclosure requirements for LEED v4.



INTERNATIONAL
LIVING FUTURE
INSTITUTE™

Emser Tile's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.



Health Product Declaration Collaborative (HPDC) provides a full disclosure of the potential chemicals of concerning products by comparing product ingredients to a set of priority "hazard" lists based on the GreenScreen for Safer Chemicals and additional lists from other government agencies.



Environmental Product Declaration (EPD) is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that all information in a manufacturer's finished EPD is accurate.



EXPANSE[®] DYNAMIX

BY EMSER TILE[™]

STREAMLINED SURFACE SOLUTIONS
PORCELAIN PANELS, FLOORS, MOSAICS & COUNTERTOPS



CONTACT YOUR LOCAL EMSER REP FOR ORDER INFORMATION

8431 SANTA MONICA BLVD, LOS ANGELES, CA 90069 | [EMSER.COM](https://www.emser.com) | (323) 650-2010



EXPANSE DYNAMIX																										
STOCK CHART																										
	PANELS 12MM				PANELS 8MM						FLOOR TILES 8MM				PAVER 2CM		MOSAIC			BULLNOSE		COVE BASE		COUNTERTOP		
Emser Name	32X96M	32X96P	48X96M	48X96P	32X96M	32X96P	32X96P BOOKMATCH-A	32X96P BOOKMATCH-B	48X96M	48X96M	12x24M	12x24P	24x48M	24x48P	24x24M	24x48M	2X2 MOS	2" HX MO	3" HX MO	3x24BNM	3x24BNP	6x12 CBM	6x12 CBP	SHARKNOSE	L-SHAPE	VANITY
CATALA GOLD	STOCK W19DYNA12MMCAGO3296M	STOCK V19DYNA12MMCAGO3296	SO	SO	SO	SO	N/A	N/A	SO	SO	STOCK V19DYNACAGO1224M	STOCK V19DYNACAGO1224P	STOCK V19DYNACAGO2447M	STOCK V19DYNACAGO2447P	STOCK V19DYNA2CMCAGO2323GR	STOCK V19DYNA2CMCAGO2347GR	STOCK V19DYNACAGO1212MO2	STOCK V19DYNACAGO1011MH2M	SO	STOCK V19DYNACAGO0324SBM	STOCK V19DYNACAGO0324SBP	SO	SO	SO	SO	SO
ADUCCI BIANCO	STOCK V19DYNA12MMADB13296M	SO	SO	SO	SO	SO	SO	SO	SO	SO	STOCK V19DYNAADB11224M	STOCK V19DYNAADB11224P	STOCK V19DYNAADB12447M	STOCK V19DYNAADB12447P	STOCK V19DYNA2CMADB12323GR	STOCK V19DYNA2CMADB12347GR	STOCK V19DYNAADB11212MO2M	STOCK V19DYNAADB11011MH2M	SO	STOCK V19DYNAADB10324SBM	STOCK V19DYNAADB10324SBP	SO	SO	SO	SO	SO
SERAFINO CREAM	STOCK V19DYNA12MMSECR3296M	SO	SO	SO	SO	SO	N/A	N/A	STOCK V19DYNA8MMSECR4896M	SO	STOCK V19DYNASECR1224M	STOCK V19DYNASECR1224P	STOCK V19DYNASECR2447M	STOCK V19DYNASECR2447P	STOCK V19DYNA2CMSECR2323GR	STOCK V19DYNA2CMSECR2347GR	STOCK V19DYNASECR1212MO2M	SO	STOCK V19DYNASECR0911MH3M	STOCK V19DYNASECR0324SBM	STOCK V19DYNASECR0324SBP	SO	SO	SO	SO	SO
SERAFINO PEARL	STOCK V19DYNA12MMSEPE3296M	SO	SO	SO	SO	SO	N/A	N/A	STOCK V19DYNA8MMSEPE4896M	SO	STOCK V19DYNASEPE1224M	STOCK V19DYNASEPE1224P	STOCK V19DYNASEPE2447M	STOCK V19DYNASEPE2447P	STOCK V19DYNA2CMSEPE2323GR	STOCK V19DYNA2CMSEPE2347GR	STOCK V19DYNASEPE1212MO2M	SO	STOCK V19DYNASEPE0911MH3M	STOCK V19DYNASEPE0324SBM	STOCK V19DYNASEPE0324SBP	SO	SO	SO	SO	SO
SERAFINO SILVER	STOCK V19DYNA12MMSES13296M	SO	SO	SO	SO	SO	N/A	N/A	STOCK V19DYNA8MMSES14896M	SO	STOCK V19DYNASES11224M	STOCK V19DYNASES11224P	STOCK V19DYNASES12447M	STOCK V19DYNASES12447P	STOCK V19DYNA2CMSES12323GR	STOCK V19DYNA2CMSES12347GR	STOCK V19DYNASES11212MO2M	SO	STOCK V19DYNASES10911MH3M	STOCK V19DYNASES10324SBM	STOCK V19DYNASES10324SBP	SO	SO	SO	SO	SO
SERAFINO ASPHALT	STOCK V19DYNA12MMSEAS3296M	SO	SO	SO	SO	SO	N/A	N/A	STOCK V19DYNA8MMSEAS4896M	SO	STOCK V19DYNASEAS1224M	STOCK V19DYNASEAS1224P	STOCK V19DYNASEAS2447M	STOCK V19DYNASEAS2447P	STOCK V19DYNA2CMSEAS2323GR	STOCK V19DYNA2CMSEAS2347GR	STOCK V19DYNASEAS1212MO2M	SO	STOCK V19DYNASEAS0911MH3M	STOCK V19DYNASEAS0324SBM	STOCK V19DYNASEAS0324SBP	SO	SO	SO	SO	SO
SERAFINO WALNUT	STOCK V19DYNA12MMSEWA3296M	SO	SO	SO	SO	SO	N/A	N/A	STOCK V19DYNA8MMSEWA4896M	SO	STOCK V19DYNASEWA1224M	STOCK V19DYNASEWA1224P	STOCK V19DYNASEWA2447M	STOCK V19DYNASEWA2447P	STOCK V19DYNA2CMSEWA2323GR	STOCK V19DYNA2CMSEWA2347GR	STOCK V19DYNASEWA1212MO2M	SO	STOCK V19DYNASEWA0911MH3M	STOCK V19DYNASEWA0324SBM	STOCK V19DYNASEWA0324SBP	SO	SO	SO	SO	SO
RISTORI FOG	STOCK V19DYNA12MMRIFO3296M	N/A	SO	N/A	SO	N/A	N/A	N/A	SO	SO	STOCK V19DYNARIFO1224M	N/A	STOCK V19DYNARIFO2447M	N/A	SO	SO	STOCK V19DYNARIFO1212MO2M	SO	SO	SO	N/A	SO	SO	SO	SO	SO
RISTORI GRAY	STOCK V19DYNA12MMRIGR3296M	N/A	SO	N/A	SO	N/A	N/A	N/A	SO	SO	STOCK V19DYNARIGR1224M	N/A	STOCK V19DYNARIGR2447M	N/A	SO	SO	STOCK V19DYNARIGR1212MO2M	SO	SO	SO	N/A	SO	SO	SO	SO	SO
RISTORI SAND	STOCK V19DYNA12MMRISA3296M	N/A	SO	N/A	SO	N/A	N/A	N/A	SO	SO	STOCK V19DYNARISA1224M	N/A	STOCK V19DYNARISA2447M	N/A	SO	SO	STOCK V19DYNARISA1212MO2M	SO	SO	SO	N/A	SO	SO	SO	SO	SO
RISTORI MIST	SO	N/A	SO	N/A	STOCK V19DYNA8MMRIMI3296M	N/A	N/A	N/A	SO	SO	STOCK V19DYNARIMI1224M	N/A	STOCK V19DYNARIMI2447M	N/A	SO	SO	STOCK V19DYNARIMI1212MO2M	SO	SO	SO	N/A	SO	SO	SO	SO	SO
INTENSA SILVER	SO	SO	SO	SO	STOCK V19DYNA8MMINSI3296M	SO	STOCK V19DYNA8MMINSIA3296P	STOCK V19DYNA8MMINSIB3296P	SO	SO	STOCK V19DYNAINSI1224M	STOCK V19DYNAINSI1224P	STOCK V19DYNAINSI2447M	STOCK V19DYNAINSI2447P	SO	SO	STOCK V19DYNAINSI1212MO2M	STOCK V19DYNAINSI1011MH2M	SO	STOCK V19DYNAINSI0324SBM	STOCK V19DYNAINSI0324SBP	SO	SO	SO	SO	SO