

exist





exist

- INSPIRED BY STONE DISCOVERED IN PROVENÇAL CASTLES
- CHARACTERIZED BY AN AGED CONCRETE LAYER WORN BY TIME
 - MODERATE VARIATION IN SHADE
 - COMPACT GRAIN WITHOUT IMPURITIES
- NATURAL ELEMENTS INFLUENCED BY URBAN DETAILS



ELEGANCE

AND MATERIAL STRENGTH

The Exist Collection recalls the historical and material prestige of the Bourgogne stone recovered from 16th century castles. This material mixes the look of aged cement with the look of a Provencal stone, timeworn with visible signs of craftsmanship. An overall look which conveys natural elements influenced by urban details. Exist is suitable for multiple interior design styles and applications.

exist

Colors



PURE



CALM



FOG



ROOT

Shade variation

COLORED BODY PORCELAIN TILE



PURE



FOG



CALM



ROOT



exist
Exist Fog 11³/₄"x23⁵/₈" - 30x60cm

COLORED BODY PORCELAIN TILE



exist

exist
Exist Fog 11^{3/4"}x23^{5/8"} - 30x60cm



exist
Exist Calm 23^{5/8"}x47^{1/4"} - 60x120cm

exist



exist

Exist Calm 23⁵/₈"x47¹/₄" - 60x120cm
Exist Fog Step Mosaic 15³/₈"x10¹/₄" - 39x26 cm

EXIST

COLOR BODY PORCELAIN TILE



exist

- Exist Root 23⁵/₈"x47¹/₄" - 60x120 cm
- Exist Root Brick Mosaic 11³/₄"x11³/₈" - 30x29 cm
- Exist Root Hexa 9⁷/₈"x8¹/₂" - 25x21.6 cm
- Exist Calm Hexa 9⁷/₈"x8¹/₂" - 25x21.6 cm
- Exist Root Bullnose 3"x24" - 7.2x60 cm

exist

exist

- Exist Root 23⁵/₈"x47¹/₄" - 60x120 cm
- Exist Root Brick Mosaic 11³/₄"x11³/₈" - 30x29 cm
- Exist Root Hexa 9⁷/₈"x 8¹/₂" - 25x21.6 cm
- Exist Calm Hexa 9⁷/₈"x 8¹/₂" - 25x21.6 cm



exist

- Exist Root 23⁵/₈"x47¹/₄" - 60x120 cm
- Exist Root Hexa 9⁷/₈"x8¹/₂" - 25x21.6 cm
- Exist Calm Hexa 9⁷/₈"x8¹/₂" - 25x21.6 cm



exist
Exist Pure 11³/₄"x23⁵/₈" - 30x60 cm
Exist Pure Mosaic 11³/₄"x11³/₄" - 30x30 cm

COLORED BODY PORCELAIN TILE

exist

exist
Exist Pure 11³/₄"x23⁵/₈" - 30x60 cm



exist
Exist Pure Mosaic 11³/₄"x11³/₄" - 30x30 cm





Compliant with standards ANSI A137.1-2012

SIZE	THICKNESS	FINISH
11 ³ / ₄ " x 23 ⁵ / ₈ " - 30 x 60 cm 23 ⁵ / ₈ " x 47 ¹ / ₄ " - 60 x 120 cm 9 ⁷ / ₈ " x 8 ¹ / ₂ " - 25 x 21.6 cm	9 mm	MATTE



EXIST PURE 11 ³ / ₄ "x23 ⁵ / ₈ " - 30x60 cm 610010002806	EXIST CALM 11 ³ / ₄ "x23 ⁵ / ₈ " - 30x60 cm 610010002807	EXIST FOG 11 ³ / ₄ "x23 ⁵ / ₈ " - 30x60 cm 610010002808	EXIST ROOT 11 ³ / ₄ "x23 ⁵ / ₈ " - 30x60 cm 610010002809
---	---	--	---



EXIST PURE 23 ⁵ / ₈ "x47 ¹ / ₄ " - 60x120 cm 610010002810	EXIST CALM 23 ⁵ / ₈ "x47 ¹ / ₄ " - 60x120 cm 610010002811
--	--



EXIST FOG 23 ⁵ / ₈ "x47 ¹ / ₄ " - 60x120 cm 610010002812	EXIST ROOT 23 ⁵ / ₈ "x47 ¹ / ₄ " - 60x120 cm 610010002813
---	--



EXIST PURE HEXAGON 9 ⁷ / ₈ "x8 ¹ / ₂ " - 25x21.6 cm 610010002814	EXIST CALM HEXAGON 9 ⁷ / ₈ "x8 ¹ / ₂ " - 25x21.6 cm 610010002815	EXIST FOG HEXAGON 9 ⁷ / ₈ "x8 ¹ / ₂ " - 25x21.6 cm 610010002816	EXIST ROOT HEXAGON 9 ⁷ / ₈ "x8 ¹ / ₂ " - 25x21.6 cm 610010002817
---	---	--	---

MOSAICS & DECORS




EXIST PURE MOSAIC 11 ³ / ₄ "x11 ³ / ₄ " - 30x30 cm (Mosaic 2"x2") 610110000528	EXIST CALM MOSAIC 11 ³ / ₄ "x11 ³ / ₄ " - 30x30 cm (Mosaic 2"x2") 610110000529	EXIST FOG MOSAIC 11 ³ / ₄ "x11 ³ / ₄ " - 30x30 cm (Mosaic 2"x2") 610110000530	EXIST ROOT MOSAIC 11 ³ / ₄ "x11 ³ / ₄ " - 30x30 cm (Mosaic 2"x2") 610110000531
--	--	---	--



EXIST PURE STEP MOSAIC 15 ³ / ₈ "x 10 ¹ / ₄ " - 39x26 cm (Mosaic 2 ¹ / ₂ "x3 ⁷ / ₈ ") 610110000550	EXIST CALM STEP MOSAIC 15 ³ / ₈ "x 10 ¹ / ₄ " - 39x26 cm (Mosaic 2 ¹ / ₂ "x3 ⁷ / ₈ ") 610110000551	EXIST FOG STEP MOSAIC 15 ³ / ₈ "x 10 ¹ / ₄ " - 39x26 cm (Mosaic 2 ¹ / ₂ "x3 ⁷ / ₈ ") 610110000552	EXIST ROOT STEP MOSAIC 15 ³ / ₈ "x 10 ¹ / ₄ " - 39x26 cm (Mosaic 2 ¹ / ₂ "x3 ⁷ / ₈ ") 610110000553
---	---	--	---


MOOD



EXIST PURE BRICK MOSAIC 11 ³ / ₄ "x11 ³ / ₈ " - 30x29 cm (Mosaic 5 ⁷ / ₈ "x ⁵ / ₈ ") 610110000532	EXIST CALM BRICK MOSAIC 11 ³ / ₄ "x11 ³ / ₈ " - 30x29 cm (Mosaic 5 ⁷ / ₈ "x ⁵ / ₈ ") 610110000533	EXIST FOG BRICK MOSAIC 11 ³ / ₄ "x11 ³ / ₈ " - 30x29 cm (Mosaic 5 ⁷ / ₈ "x ⁵ / ₈ ") 610110000534	EXIST ROOT BRICK MOSAIC 11 ³ / ₄ "x11 ³ / ₈ " - 30x29 cm (Mosaic 5 ⁷ / ₈ "x ⁵ / ₈ ") 610110000535
--	--	---	--

COORDINATING TRIMS

	Bullnose	Cove base
EXIST PURE	610130004803	610130004807
EXIST CALM	610130004804	610130004808
EXIST FOG	610130004805	610130004809
EXIST ROOT	610130004806	610130004810





Compliant with standards ANSI A137.1-2012



SIZE

11 3/4" x 23 5/8" - 30 x 60 cm
23 5/8" x 47 1/4" - 60 x 120 cm
9 7/8" x 8 1/2" - 25 x 21.6 cm

THICKNESS

9 mm

FINISH

matte



V3 MODERATE VARIATION

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

FIELD TILES

Available in all colors

MOSAICS

AND COORDINATING TRIMS

Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12" x 24"	11 3/4" x 23 5/8"	9 mm	Matte	-
24" x 48"	23 5/8" x 47 1/4"	9 mm	Matte	Yes
10" x 8.5"	9 7/8" x 8 1/2"	9 mm	Matte	-

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish
Mosaic 2" x 2"	11 3/4" x 11 3/4"	9 mm	Matte
Step Mosaic 2 1/2" x 3 7/8"	15 3/8" x 10 1/4"	9 mm	Matte
Brick Mosaic 5 7/8" x 5/8"	11 3/4" x 11 3/8"	9 mm	Matte
Bullnose 3" x 24"	2 7/8" x 23 5/8"	9 mm	Matte
Cove Base 6" x 12"	5 7/8" x 11 3/4"	8.5 mm (*)	Matte

Please refer to caliber chart for work sizes. Close joints are not recommended. (*): Cove Base thickness is 7 mm on flat top part.

PERFORMANCE & FEATURES

REGULARITY CHARACTERISTICS



Nominal Size	ASTM C499	-3.00%	3.00%	-3.00%	2.00%	Compliant
Caliber Range (Variation from average facial dimension of sample)		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
Thickness ⁽¹⁾		N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
Wedging	ASTM C502	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
Warpage Edge	ASTM C485	-0.75% or -0.09 in (-2.3 mm) (*)	0.75% or 0.09 in (2.3 mm) (*)	-0.40% or -0.05 in (-1.3 mm) ⁽²⁾ or -1.8 mm ⁽³⁾ (*)	0.40% or 0.05 in (1.3 mm) ⁽²⁾ or 1.8 mm ⁽³⁾ (*)	Compliant
Warpage Diagonal		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.40% or -0.07 in (-1.8 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant

STRUCTURAL CHARACTERISTICS



Water Absorption	ASTM C373	≤ 0.5%	≤ 0.5%
------------------	-----------	--------	--------

BULK MECHANICAL CHARACTERISTICS



Breaking Strength	ASTM C648	Average ≥ 250 lbf. (1.11 kN) Individual ≥ 225 lbf. (1.00 kN)	≥ 350 lbf. avg
-------------------	-----------	---	----------------

PHYSICAL PROPERTIES



Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)	≥ 100 psi
---------------	-----------	---------------------	-----------

THERMAL AND IGROMETRIC CHARACTERISTICS



Resistance to Freeze/Thaw Cycling	ASTM C1026	As Reported	Resistant
-----------------------------------	------------	-------------	-----------

CHEMICAL CHARACTERISTICS



Chemical Resistance	ASTM C650	As Reported	Unaffected
---------------------	-----------	-------------	------------



Stain Resistance	ASTM C1378	As Reported	Unaffected
------------------	------------	-------------	------------

SAFETY CHARACTERISTICS



Dynamic coefficient of friction	DCOF	Requires a minimum value of 0.42 for commercial areas that are likely to be wet	> 0.42 Wet
---------------------------------	------	---	------------

(*) Whichever is less

(1) May not apply to textured surfaces or tiles with uneven back patterns.

(2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).

(3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).

For more details please see the catalogue or visit atlasconcordeusa.com
The Health Product Declaration® logo is a registered trademark of HPD Collaborative.

