



XOU15WGBS

15" BLACK STAINLESS STEEL UNDERCOUNTER
SINGLE ZONE WINE COOLER

15" UNDERCOUNTER SINGLE ZONE WINE COOLER



XOU15WGBS

- Racks Absorb Vibration and Extend Fully
- Tri-Color Led Lighting
- Secure Door Lock
- Single Zone To Store and Serve

15" UNDERCOUNTER OUTDOOR WINE COOLER

Keep 34 bottles close at hand and ready to serve at 41° to 64° F.


This elegant, efficient wine storage and serving center is the perfect choice for convenient entertaining. At only 15" wide and designed to install flush with your cabinetry, this quiet and efficient wine cooler will prove to be the ideal choice for entertaining or just relaxing.

When it is all about the wine - it is all about XO.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES

OUR LASTING COMMITMENT TO YOU

*Specify **R** for right hand hinge - or - **L** for left hand hinge



FEATURES

CAPACITY

Full extension clear glass shelves hold:
(66) 12oz Cans At 34° To 50° F

FEATURES

- Zero clearance hinges for flush integration
- Secure door lock
- Non-reversible door - specify right or left hinge
- Removable 3 bottle wine rack
- Library quiet 39 dBA operation
- Elegant tri-color interior illumination
- Intuitive digital touch controls
- 6 1/2' Power Cord with low profile 90° flat plug
- Alarm Functions
- Energy Saver and Sabbath Mode

Note: zero clearance hinges are visible just above and below the door

XO the next level
in luxury appliances

xoappliance.com | 800.966.8300

SPECIFICATIONS

ELECTRICAL 120V 60HZ 4.35 AMP*

DIMENSIONS H 34 1/8"
W 14 15/16"
D 23 1/4"

ROUGH IN H 34 1/4" min
W 15"
D 24"

REFRIGERANT R600A




DESIGNER Handle
Included



XO is exclusively distributed by EASTERN MARKETING CORP.
24 Eisenhower Parkway Roseland, NJ 07068



ROUGH-IN DIMENSIONS



All XO undercounter units arrive pre-wired with low profile plugs for easy installation



Need more space -
Cut into an adjoining
cabinet to reach an
outlet there



When installing with
The hinge side next
to a wall -Leave 1-3/4"
clearance gap for
cabinet handles door
must be able to open a
minimum of 90 .

If the door cannot
open fully, you cannot
extend the shelves.