


# QUICK START GUIDE






PLACE THE PLATTER ONTO THE TURNTABLE.




CAREFULLY REMOVE THE TAPED GUIDE STRING AND PULL THE BELT OVER THE MOTOR PIN. DISCARD THE GUIDE STRING.

PLACE THE SLIPMAT ON THE PLATTER.



INSERT THE HEADSHELL INTO THE TONEARM AND TIGHTEN THE TONEARM COLLAR COUNTER-CLOCKWISE UNTIL HEADSHELL IS SECURE.

**ORTOFON 2M SERIES:** PUSH THE STYLUS COVER TAB DOWN / FORWARD AND GENTLY SLIDE THE COVER OFF. AUDIO TECHNICA VM95: GENTLY SLIDE THE COVER OFF OF THE CARTRIDGE.




IDENTIFY YOUR CARTRIDGE. SLIDE THE COUNTERWEIGHT ONTO THE TONEARM UNTIL IT IS ALIGNED TO THE PROPER GROOVE.

ORTOFON 2M SERIES COUNTERWEIGHT SLIDES TO THE FIRST GROOVE.

AUDIO TECHNICA VM95 SERIES COUNTERWEIGHT SLIDES TO THE SECOND GROOVE.


# SETUP YOUR TURNTABLE




ONCE ALIGNED WITH THE CORRECT GROOVE, TURN THE TOP SCREW CLOCKWISE TO TIGHTEN THE COUNTERWEIGHT.

SET THE ANTI-SKATE KNOB WITHIN THE RECOMMENDED RANGE: 1.5-2.0

note: you may need to adjust the anti-skate if you notice distortion, skipping, or looping during playback.



USE THE SPEED SELECTOR KNOB TO SELECT YOUR RECORD SPEED.



PLUG THE POWER CORD INTO THE UNIT AND WALL OUTLET. THE TURNTABLE WILL AUTOMATICALLY BOOT UP. ONCE THE ILLUMINATED CONTROL KNOB BEGINS FLASHING GREEN, TURNTABLE IS READY TO CONNECT TO A NETWORK.






DOWNLOAD THE VICTROLA STREAM APP AND FOLLOW THE STEPS WITHIN THE APP TO CONNECT YOUR TURNTABLE TO YOUR SONOS SYSTEM.




# VICTROLA



### 

INSTRUCTION MANUAL VPT-2000 | VPT-3000 | VPT-4000

# **GETTING STARTED**



AFTER CONNECTING TO THE NETWORK, THE TURNTABLE CAN BE CONTROLLED FROM THE VICTROLA STREAM APP OR DIRECTLY FROM A WEB BROWSER USING THE TURNTABLE'S IP ADDRESS.

USING THE TURNTABLE WITHOUT AN INTERNET CONNECTION LIMITS THE TURNTABLE TO WIRED RCA OUTPUT ONLY. TO VIEW THE ASSEMBLY AND SETUP GUIDE VISIT *STREAM.VICTROLA.COM/GUIDE.* 

# IN THE BOX

ADAPTOR

WEIGHT




SLIPMAT

HEADSHELL

| ALIGI<br>THE INI | FRONT                            |                          |                            |                             |
|------------------|----------------------------------|--------------------------|----------------------------|-----------------------------|
| CARTRIDGE        |                                  | RECOMMENDED<br>DOWNFORCE | MODEL<br>NUMBER            | COUNTERWEIGHT<br>ALIGNMENT  |
| - CODEN          | ORTOFON<br>2M SERIES             | 1.6-2.0g                 | VPT-2000                   | REQUIRES<br>DOWNFORCE SCALE |
|                  |                                  |                          | VPT-3000/4000<br>(DEFAULT) | BACK LINE                   |
|                  | AUDIO TECHNICA<br>AT-VM95 SERIES | 1.8-2.2g                 | VPT-2000<br>(DEFAULT)      | BACK LINE                   |
|                  |                                  |                          | VPT-3000/4000              | FRONT LINE                  |
|                  | ORTOFON<br>OM SERIES             | 1.5-2.0g                 | VPT-2000<br>(DEFAULT)      | FRONT LINE                  |
|                  |                                  |                          | VPT-3000/4000              | REQUIRES<br>DOWNFORCE SCALE |

# TURNTABLE OVERVIEW



# SPECIFICATIONS

#### GENERAL

| POWER REQUIREMENTS     | . AC 100-240V~50/60HZ, 5W        |
|------------------------|----------------------------------|
| DIMENSIONS (W X D x H) | 16.93" x 13.58" x 4.37"          |
|                        | 430мм х 345мм х 110мм            |
| WEIGHT                 | . VPT-2000: 5.50 kgs / 12.13 lbs |
|                        | VPT-3000: 6.0 kgs / 13.2 lbs     |
|                        | VPT-4000: 6.65 kgs / 14.66 lbs   |

#### TURNTABLE

| DRIVE METHOD         | BELT-DRIVE                 |
|----------------------|----------------------------|
| MOTOR                | DC SERVO-CONTROLLED        |
| SPEEDS               | 33-1/3 RPM & 45 RPM        |
| EFFECTIVE ARM LENGTH | 225MM                      |
| OVERHANG             | 18.5MM                     |
| TRACKING ERROR       | <2 DEGREES                 |
| CARTRIDGE            | AT-VM95E (VPT-2000)        |
|                      | ORTOFON OM 5E (VPT-2000)   |
|                      | ORTOFON 2M RED (VPT-3000)  |
|                      | ORTOFON 2M BLUE (VPT-4000) |

# USER GUIDE

STREAM.VICTROLA.COM/GUIDE

# CUSTOMER SUPPORT

STREAM.VICTROLA.COM/SUPPORT 1(877)-553-6079 victrolastream@victrola.com

# WARNINGS

#### Important Safety Instruction

- 1. Read these instructions All the safety and operating instructions should be read before this product is operated.
- 2. Keep these instructions The safety and operating instructions should be retained for future reference.
- Heed all warnings All warnings on the appliance and in the operating instructions should be adhered to.
- 4. Follow all instructions All operating and use instructions should be followed.
- 5. Do not use this apparatus near water The appliance should not be used near water or moisture for example, in a wet basement or near a swimming pool, and the like.
- 6. Clean only with dry cloth.
- 7. Do not block any ventilation openings. Install in accordance with the manufacture's instructions.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- Protect the power cord from being walked on or pinched particularly at the plugs, convenience receptacles, and at the point where they exit from the apparatus.
- 10. Only use attachments/accessories specified by the manufacturer.
- 11. Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



- 12. Unplug the apparatus during lightning storms or when unused for long periods of time.
- 13. Refer all servicing to qualified personnel. Servicing is required when the apparatus has been damaged in any way, such as power supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.





- 14. This lightning flash with arrowhead symbol within an equilateral triangle is intended to alert the user to the presence of non-insulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock.
  - a. Warning: To reduce the risk of electric shock, do not remove cover (or back) as there are no user-serviceable parts inside. Refer servicing to qualified personnel.
  - b. The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance instructions in the literature accompanying the appliance.
- 15. This equipment is a Class II or double insulated electrical appliance. It has been designed in such a way that it does not require a safety connection to electrical earth.
- 16. The mains plug is used as disconnect device, the disconnect device shall remain readily operable.
- 17. WARNING: To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture. The apparatus shall not be exposed to dripping or splashing and that no objects filled with liquids, such as vases, shall not be placed on apparatus.
- 18. The use of the equipment in moderate climate.

- 19. WARNING: Please refer the information on exterior bottom/back enclosure for electrical and safety information before installing or operating the apparatus.
- 20. The ventilation should not be impeded by covering the ventilation openings with items such as newspaper, table-cloths, curtains etc.
- 21. No naked flame sources, such as lighted candles, should be placed on the apparatus.
- 22. Do not install this equipment in a confined space such as a book case or similar unit.

# SAFETY INFO

Safety Information

- 1. In order to shut off power to this product completely, unplug the power cord from the wall outlet. Be sure to unplug the unit if you do not intend to use it for an extended period of time, such as during a vacation.
- 2. Use of controls, adjustments and performance of procedures other than those specified herein may result in hazardous radiation exposure.
- 3. To prevent electric shock, match wide blade of plug to wide slot, fully insert.
- 4. If this product is experience problems during operation, contact qualified service centers, and do not use the product in defective states.

Before Use

- Choose unit installation location carefully. Avoid placing it in direct sunlight or close to a source of heat. Also avoid locations subject to vibrations and excessive dust, cold or moisture. Keep away from sources that hum, such as transformers or motors.
- 2. Do not open the cabinet as this may result in damage to the circuitry or electrical shock. If a foreign object should get into the set, contact Customer Service.
- 3. Be sure not to handle record with dirty fingers. Never play a record that has a crack on the surface.
- 4. When removing the power plug from the wall outlet, always pull directly on the plug, never pull the cord.
- 5. To protect the stylus, don't forget to put on the white protective needle cover after use.
- Do not attempt to clean the unit with chemical solvents as this might damage the finish. Use a clean, dry cloth.
- In order to shut off the power to this product completely, unplug the power cord from the wall outlet. Be sure to unplug the unit if you do not intend to use it for an extended period of time, such as a vacation.
- 8. Keep this manual in a safe place for future reference.

# FCC & IC WARNINGS

#### FCC STATEMENTS

Caution: the user is cautioned that charges or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC rules and Innovation, Science and Economic Development Canada's license-exempt RSS standard(s). Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de license. L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage, et

(2) L'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

#### NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

#### FCC & IC Radiation Exposure Statement:

This equipment complies with FCC and Canada radiation exposure limits set forth for an uncontrolled environment. This device complies with RSS247 of Industry Canada. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Déclaration d'IC sur l'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux radiations définies par le Canada pour des environnements non contrôlés. Cet appareil se conforme à RSS247 de Canada d'Industrie. Cet équipement doit être installé et utilisé à une distance minimum de 20cm entre l'antenne et votre corps. Cet émetteur ne doit pas être installé au même endroit ni utilisé avec une autre antenne ou un autre émetteur.

Please note: As a result of continual improvements, the design and specifications of this product are subject to change without notice.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. Other trademarks and trade names are those of their respective owners.

Made in China.

This product has been manufactured and sold under the responsibility of Innovative Technology Electronics, LLC. Victrola is a trademark used under license by Innovative Technology Electronics, LLC. – further information at victrola-brand.com. All other products, services, companies, trademarks, trade or product names and logos referenced herein are the property of their respective owners.

# LIMITED WARRANTY

#### Victrola is a registered trademark of Innovative Technology Electronics, LLC.

#### United States

For detailed information about our warranty policy and limitations visit victrola.com/pages/warranty



#### Outside the U.S., Canada, and US Territories

The Warranty on this product shall comply with applicable law when sold to a consumer outside of the United States, Canada, and US Territories. To obtain any applicable warranty service, please contact the dealer from which you purchased the product, or the distributor that supplied the product, with your original receipt.

#### **Canada and US Territories**

The Warranty on this product shall comply with applicable law when sold to a consumer in Canada or a US Territory. To obtain any applicable warranty service, please contact the dealer from which you purchased the product, or the distributor that supplied the product, with your original receipt.

If assistance from the dealer from which it was purchased is not possible, you may contact our customer service for warranty assistance at victrola.com/contact.