

F30005



PARKWOOD POST SWING SET

OBSTACLE FREE SAFETY ZONE - 26' 10.8" x 23' 3.5" x 16' 8.8" (8.2 m x 7.1 m x 5.1 m) area requires Protective Surfacing. See page 4.

MAXIMUM VERTICAL FALL HEIGHT - 7' 8" (2.34 m).

CAPACITY - 9 Users Maximum, Ages 3 to 10; Weight Limit 110 lbs. (50 kg) per child.

RESIDENTIAL HOME USE ONLY. Not intended for public areas such as multi-unit residences, schools, churches, nurseries, day cares or parks.



IMPORTANT: RETAIN FOR FUTURE REFERENCE. READ CAREFULLY.



INSTALLATION AND OPERATING INSTRUCTIONS

FOR 24/7 ONLINE PARTS REPLACEMENT

kidkraft.com

Backyard Kids, LLC DBA KidKraft
317 S. Main St.
Ann Arbor, MI 48104

customerservice@kidkraft.com
1.800.933.0771
972.385.0100

9403005

Rev 09/28/2025

⚠️ WARNING

To reduce the risk of serious injury or death, please read and follow these instructions. Keep and refer to instructions as needed and pass along to any future owners of this item.

Congratulations on purchasing a KidKraft product!

Our items are made of high-quality, durable Cunninghamia Lanceolata wood from the cypress family.

Lumber from these trees are known for their light weight and excellent strength. The porosity of this wood allows the moisture to absorb and evaporate in the fibers, resisting rot and bugs.

Engineered for great play, our products also go through extensive testing for safety.

Plus, our team has developed a series of proprietary methods for a simpler, more organized assembly. Less build time and more play time is our motto!

However, during assembly if you have any questions or concerns, please reach out. Our Customer Service can help with missing parts, instructions or maintenance.



Warnings and Safe Play Instructions



CONTINUOUS ADULT SUPERVISION REQUIRED. Most serious injuries and deaths on playground equipment have occurred while children were unsupervised! Our products are designed to meet mandatory and voluntary safety standards. Complying with all warnings and recommendations in these instructions will reduce the risk of serious or fatal injury to children using this play system. Go over the warnings and safe play instructions regularly with your children and make certain that they understand and follow them. Remember on-site adult supervision is required for children of all ages.



WARNING

SERIOUS HEAD INJURY HAZARD

Installation over concrete, asphalt, dirt, grass, carpet and other hard surface creates a risk of serious injury or death from falls to the ground. Install and maintain shock absorbing material under and around play-set as recommended on page 4 of these instructions.

COLLISION HAZARD

Place play-set on level ground at least 2m from any obstruction such as a garage or house, fences, poles, trees, sidewalks, walls, landscape timbers, rocks, pavement, planters, garden borders, overhanging branches, laundry lines, and electrical wires. (See OBSTACLE FREE SAFETY ZONE on cover)

CHOKING HAZARD/SHARP EDGES & POINTS

Adult assembly required. This product contains small parts and parts with sharp edges and points. Keep parts away from children until fully assembled.

WARNING LABEL

Owners shall be responsible for maintaining the legibility of the warning labels.

STRANGULATION HAZARD

- NEVER allow children to play with ropes, clotheslines, pet leashes, cables, chains or cord-like items when using this play-set or to attach these items to play-set.
- NEVER allow children to wear loose fitting clothing, ponchos, hoods, scarves, capes, necklaces, items with draw-strings, cords or ties when using this play-set.
- NEVER allow children to wear bike or sport helmets when using this play-set.

Failure to prohibit these items, even helmets with chin straps, increases the risk of serious injury and death to children from entanglement and strangulation.

TIP OVER HAZARD

Choose a level location for the equipment. This can reduce the likelihood of the play set tipping over and loose-fill surfacing materials washing away during heavy rains.

DO NOT allow children to play on the play-set until the assembly is complete and the unit is properly anchored.

Never add extra length to chain or rope. The chains or ropes provided are the maximum length designed for the swinging element(s).



WARNING – Safe Play Instructions

- ✓ Observe capacity limitations of your play-set. See front cover.
- ✓ Dress children with well fitting and full foot enclosing footwear.
- ✓ Teach children to sit with their full weight in the center of the swing seat to prevent erratic swing motion or falling off.
- ✓ Check for splintered, broken or cracked wood; missing, loose, or sharp edged hardware. Replace, tighten and/or sand smooth as required prior to playing.
- ✓ Verify that suspended climbing ropes, rope ladders, chain or cable are secured at both ends and cannot be looped back on itself as to create an entanglement hazard.
- ✓ On sunny and/or hot days, check the slide and other plastic rides to assure that they are not very hot as to cause burns. Cool hot slide and rides with water and wipe dry prior to using.
- ✓ Orientate slide such that it gets the least amount of exposure to the sun.

- ✗ Do not allow children to wear open toe or heel footwear like sandals, flip-flops or clogs.
- ✗ Do not allow children to walk, in front, between, behind or close to moving rides.
- ✗ Do not let children twist swing chains or ropes or loop them over the top support bar. This may reduce the strength of the chain or rope and cause premature failure.
- ✗ Do not let children get off rides while they are in motion.
- ✗ Do not permit climbing on equipment when it is wet.
- ✗ Do not permit rough play or use of equipment in a manner for which it was not intended. Standing on or jumping from the roof, elevated platforms, swings, climbers, ladders or slide can be dangerous.
- ✗ Do not allow children to swing empty rides or seats.
- ✗ Do not allow children to go down slide head first or run up slide.



kidkraft.com

customerservice@kidkraft.com
1.800.933.0771
972.385.0100

⚠ Protective Surfacing - Reducing Risk of Serious Head Injury From Falls

One of the most important things you can do to reduce the likelihood of serious head injuries is to install shock-absorbing protective surfacing under and around your play equipment. The protective surfacing should be applied to a depth that is suitable for the equipment height in accordance with ASTM F1292. There are different types of surfacing to choose from; whichever product you select, follow these guidelines:

Loose-Fill Materials

- Maintain a minimum depth of 9 inches (23 cm) of loose-fill materials such as wood mulch/chips, engineered wood fiber (EWF), or shredded/recycled rubber mulch for equipment up to 8 feet (2.45 m) high; and 9 inches (23 cm) of sand or pea gravel for equipment up to 5 feet (1.5 m) high. NOTE: An initial fill level of 12 inches (31 cm) will compress to about a 9-inch (23 cm) depth of surfacing over time. The surfacing will also compact, displace, and settle, and should be periodically raked and refilled to maintain at least a 9-inch (23 cm) depth.
- Use a minimum of 6 inches (16 cm) of protective surfacing for play equipment less than 4 feet (1.22 m) in height. If maintained properly, this should be adequate. (At depths less than 6 inches (16 cm), the protective material is too easily displaced or compacted.)

NOTE: Do not install home playground equipment over concrete, asphalt, or any other hard surface. A fall onto a hard surface can result in serious injury to the equipment user. Grass and dirt are not considered protective surfacing because wear and environmental factors can reduce their shock absorbing effectiveness. Carpeting and thin mats are not adequate protective surfacing. Ground level equipment -- such as a sandbox, activity wall, playhouse or other equipment that has no elevated play surface -- does not need any protective surfacing.

- Use containment, such as digging out around the perimeter and/or lining the perimeter with landscape edging. Don't forget to account for water drainage.
- Periodically rake, check and maintain the depth of the loose-fill surfacing material. Marking the correct depth on the play equipment support posts will help you to see when the material has settled and needs to be raked and or replenished. Be sure to rake and evenly redistribute the surfacing in heavily used areas.
- Do not install loose fill surfacing over hard surfaces such as concrete or asphalt.

Poured-In-Place Surfaces or Pre-Manufactured Rubber Tiles


You may be interested in using surfacing other than loose-fill materials - like rubber tiles or poured-in-place surfaces.

- Installations of these surfaces generally require a professional and are not "do-it yourself" projects.
- Review surface specifications before purchasing this type of surfacing. Ask the installer/manufacturer for a report showing that the product has been tested to the following safety standard: *ASTM F1292 Standard Specification for Impact Attenuation of Surfacing Materials within the Use Zone of Playground Equipment*. This report should show the specific height for which the surface is intended to protect against serious head injury. This height should be equal to or greater than the fall height - vertical distance between a designated play surface (*elevated surface for standing, sitting, or climbing*) and the protective surfacing below - of your play equipment.
- Check the protective surfacing frequently for wear.

Placement

Proper placement and maintenance of protective surfacing is essential. Refer to diagram on front cover. Be sure to;

- Extend surfacing at least 6 feet (1.8 m) from the equipment in all directions.
- For to-fro swings, extend protective surfacing in front of and behind the swing to a distance equal to twice the height of the top bar from which the swing is suspended.
- For tire swings, extend surfacing in a circle whose radius is equal to the height of the suspending chain or rope, plus 6 feet (1.8 m) in all directions.



From the CPSC Outdoor Home Playground Safety Handbook. At <http://www.playgroundregs.com/resources/CPSC%20324.pdf>



Instructions for Proper Maintenance

Your KidKraft Play System is designed and constructed of quality materials with your child's safety in mind. As with all outdoor products used by children, it will weather and wear. To maximize the enjoyment, safety and life of your Play Set, it is important that you, the owner, properly maintain it.

Check the following at the beginning of the play season:

HARDWARE:

- ✓ Check metal parts for rust. If found, sand and repaint using a non-lead paint complying with 16 CFR 1303.
- ✓ Inspect and tighten all hardware. On wood assemblies DO NOT OVER-TIGHTEN as to cause crushing and splintering of wood.
- ✓ Check for sharp edges or protruding screw threads, add washers if required.



SHOCK ABSORBING SURFACING:

- ✓ Check for foreign objects. Rake and check depth of loose fill protective surfacing materials to prevent compaction and maintain appropriate depth. Replace as necessary.

(See Protective Surfacing, page 4)

GROUND STAKES (ANCHORS):

- ✓ Check for looseness, damage or deterioration. Should firmly anchor unit to ground during use. Re-secure and or replace, if necessary.

SWING HANGERS:

- ✓ Check that bolts are secure and tight. Quick clips should be completely closed and threaded clips screwed tight.

- ✓ If squeaking occurs lubricate bushings with oil or WD-40®.

SWINGS, ROPES AND RIDES:

- ✓ Reinstall if removed during cold season. Check all moving parts including swing seats, ropes, chains and attachments for wear, rust and other deterioration. Replace as needed.
- ✓ Check that ropes are tight, secure at both ends and cannot loop back as to create an entrapment.

WOOD PARTS:

- ✓ Check all wood members for deterioration, structural damage and splintering. Sand down splinters and replace deteriorated wood members. As with all wood, some checking and small cracks in grain is normal.
- ✓ Applying a water repellent or stain (water-based) on a yearly basis is important maintenance to maintain maximum life and performance of the product.

Check twice a month during play season:

HARDWARE:

- ✓ Inspect for tightness. Must be firmly against, but not crushing the wood. DO NOT OVER-TIGHTEN. This will cause splintering of wood.
- ✓ Check for sharp edges or protruding screw threads. Add washers if required.

SHOCK ABSORBING SURFACING:

- ✓ Rake and check depth of loose fill protective surfacing materials to prevent compaction and maintain appropriate depth. Replace as necessary.

(See Protective Surfacing, page 4)

Check once a month during play season:

SWING HANGERS:

- ✓ Check that they are secure and orientated correctly. Hook should rotate freely and perpendicular to support beam.
- ✓ If squeaking occurs lubricate bushings with oil or WD-40®.

SWINGS AND RIDES:

- ✓ Check swing seats, all ropes, chains and attachments for fraying, wear, excessive corrosion or damage. Replace if structurally damaged or deteriorated.

Check at the end of the play season:

SWINGS AND RIDES:

- ✓ To prolong their life, remove swings and store inside when outside temperature is below 32°F/0°C. Below freezing, plastic parts may become more brittle.

SHOCK ABSORBING SURFACING:

- ✓ Rake and check depth of loose fill protective surfacing materials to prevent compaction and maintain appropriate depth. Replace as necessary.

(See Protective Surfacing, page 4)

If you dispose of your play set: Please disassemble and dispose of your unit so that it does not create any unreasonable hazards at the time it is discarded. Be sure to follow your local waste ordinances.

About Our Wood

KidKraft Premium Play Systems uses only premium playset lumber, ensuring the safest product for your children's use. Although we take great care in selecting the best quality lumber available, wood is still a product of nature and susceptible to weathering which can change the appearance of your set.

What causes weathering? Does it affect the strength of my Play System?

One of the main reasons for weathering is the effects of water (moisture); the moisture content of the wood at the surface is different than the interior of the wood. As the climate changes, moisture moves in or out of the wood, causing tension which can result in checking and or warping. You can expect the following due to weathering. These changes will not affect the strength of the product:

1. **Checking** is surface cracks in the wood along the grain. A post 4" x 4" (101mm x 101mm) will experience more checking than a board 1" x 4" (25mm x 101mm) because the surface and interior moisture content will vary more widely than in thinner wood.
2. **Warping** results from any distortion (twisting, cupping) from the original plane of the board and often happens from rapid wetting and drying of the wood.
3. **Fading** happens as a natural change in the wood color as it is exposed to sun-light and will turn a grey over time.

How can I reduce the amount of weathering to my Play System?

At the factory we have coated the wood with a water repellent or stain. This coating decreases the amount of water absorption during rain or snow thus decreasing the tension in the wood. Sunlight will break down the coating, so we recommend applying a water repellent or stain on a yearly basis (see your local stain and paint supplier for a recommended product).

Most weathering is just the normal result of nature and will not affect safe play and enjoyment for your child. However if you are concerned that a part has experienced a severe weathering problem please call our consumer relations department for further assistance.

Complete and mail registration card to receive important product notifications and assure prompt warranty service.



kidkraft.com

customerservice@kidkraft.com
1.800.933.0771
972.385.0100

KidKraft Limited Warranty

MISSING OR DAMAGED PARTS:

KidKraft will replace any parts within 90 days from date of purchase found to be missing from or damaged in the original packaging. See Fig. 1

Fig. 1	<u>Product Age (All Parts)</u>	<u>Consumer Pays</u>
	0-90 Days from date of purchase	\$0 for Part + Free Shipping

DEFECTS IN MATERIAL AND WORKMANSHIP:

KidKraft warrants that this product is free from defects in materials and workmanship for a period of one (1) year from the original date of purchase (dated sales receipt and/or product registration is required). This one (1) year warranty covers all parts including wood, hardware, and all accessories (Such as swings, rides, and slides). See Fig. 2

Fig. 2	<u>Product Age (All Parts)</u>	<u>Consumer Pays</u>
	91 Days to 1 Year	\$0 for Part + Free Shipping

WOOD ROT, DECAY, AND INSECT DAMAGE:

All wood carries a five (5) year warranty against rot, decay, and insect damage (dated sales receipt and/or product registration is required). Refer to the schedule below for charges associated with replacement of wood parts under this **Limited Warranty**. See Fig. 3

Fig. 3	<u>Product Age (Wood Parts)</u>	<u>Consumer Pays</u>
	0 Days to 1 Year	\$0 for Part + Free Shipping
	After 1 Year to 5 Year	\$0 for Part + Shipping & Handling
	Over 5 Years	100% for Part (if available) + Shipping & Handling

This warranty applies to the original owner and registrant and is non-transferable. Regular maintenance is required to ensure the integrity of this product. Failure by the owner to maintain the product according to the maintenance requirements may void this warranty.

This Limited Warranty does NOT cover:

- Any inspection cost
- Labor and/or costs for replacement of any defective item(s), including but not limited to, professional installer costs
- Incidental or consequential damages, including but not limited to, as a result of set relocation, move and/or reinstall
- Cosmetic defects which do not affect performance or integrity of a part or the entire product
- Vandalism, improper use or installation, or acts of nature, including but not limited to, high winds, fire, and flood
- Minor twisting, warping, checking, or any natural occurring properties of wood that do not affect performance or integrity.
- Any KidKraft product purchased, including but not limited to, a non-approved retailer, auction houses, second-hand, and as-is clearance items.

KidKraft products have been designed for safety and quality. Modifications made to the original product may damage the structural integrity of the unit leading to failure and possible injury. KidKraft cannot assume any responsibility for the modified products. Furthermore, modifications void all warranties.

This product is warranted for **RESIDENTIAL USE ONLY**. Under no circumstance should a KidKraft product be used in public settings such as schools, churches, playgrounds, parks, home and professional day cares and the like. Such use may lead to product failure and potential injury. Public use will void this warranty. KidKraft disclaims all other representations and warranties of any kind, express or implied.



kidkraft.com

customerservice@kidkraft.com
1.800.933.0771
972.385.0100

Keys to Assembly Success

Tools Required

• Tape Measure	• #1 Phillips and #2 Robertson Screwdrivers	• Open-End Wrench 1/2" (13mm) & 7/16" (11mm)	• 3/16" (5mm) Hex Key
• Carpenter's Level	• Ratchet with Extension 1/2" (13mm) & 7/16" (11mm)	• Adjustable Wrench	• 8' (2.4m) Step Ladder
• Carpenter's Square	• Sockets	• 1/8" (3mm) Drill Bit	• Safety Glasses
• Claw Hammer			• Adult Helpers
• Standard or Cordless Drill			• Pencil
• Rubber Mallet			

Part Identification Key

Listed on each page are the parts and quantities required to complete the assembly step illustrated on that page.

EXAMPLE

2X **1012** Post 2 x 4 x 83" (5 cm x 10 cm x 210 cm)


Quantity

Key Number

Part Description,
Part Size

Symbols

Throughout these instructions, symbols are provided as important reminders for proper and safe assembly.


This identifies information that requires special attention. Improper assembly could lead to an unsafe or dangerous condition.			Check that the set or assembly is properly level before proceeding.	Use Level
		Where this is shown, 2 or 3 people are required to safely complete the step. To avoid injury or damage to the assembly, make sure to get help!	Pre-drill 1/8" (3mm) Bit	Tighten Bolts
Measure Distance	Check that assembly is square before tightening bolts.	Square Assembly	 1/8 3mm	
	Use a measuring tape to ensure proper location.			
			This indicates time to tighten bolts, but not too tight! Do not crush the wood. This may create splinters and cause structural damage.	



CAUTION – Protrusion Hazard

Once the assembly is tightened, watch for exposed threads.

If a thread protrudes from the T-nut, remove the bolt and add washers to eliminate this condition. Extra washers have been provided for this purpose.





Proper Hardware Assembly

Lag screws require drilling pilot holes to avoid splitting wood. Only a flat washer is required. For ease of installation, liquid soap can be used on all lag-type screws.


For bolts, tap T-nut into hole with hammer. Insert the hex bolt through lock washer first, then flat washer, then hole. Because the assemblies need to be squared, do not completely tighten until instructed. Pay close attention to diameter of the bolts. 5/16" (8mm) is slightly larger than 1/4" (6.4mm)

Note: Wafer head bolts with blue lock tight or a bolt with a Nylock® nut do NOT require a lock washer.




Part Identification (Reduced Size)

4x - **[11434]** - 31.8 x 76.2 x 755.7 mm - 37311434



5x - **[11435]** - 15.9 x 101.6 x 904.9 mm - 37311435



1x - **[11436]** - 25.4 x 60.3 x 580.9 mm - 37311436




1x - **[11437]** - 23.8 x 82.6 x 587.3 mm - 37311437



1x - **[11438]** - 15.9 x 50.8 x 544.4 mm - 37711438




2x - **[11440]** - 15.9 x 76.2 x 684 mm - 37311440



1x - **[11441]** - 15.9 x 88.9 x 904.9 mm - 37311441



2x - **[11442]** - 38.1 x 38.1 x 1601.8 mm - 37311442




1x - **[11443]** - 31.8 x 76.2 x 1605.8 mm - 37311443




2x - **[11444]** - 25.4 x 60.3 x 1213 mm - 37311444



1x - **[11445]** - 76.2 x 76.2 x 406.4mm - 37311445




5x - **[11446]** - 15.9 x 133.4 x 617mm - 37711446




Part Identification (Reduced Size)

1x - **[11447]** - 23.8 x 136.5 x 825.6 mm - 37711447



15/16" x 5 3/8" x 32 1/2"

3x - **[11448]** - 31.8 x 76.2 x 88.9 mm - 37311448




1 1/4" x 3" x 3 1/2"

1x - **[11449]** - 23.8 x 136.5 x 1006.5 mm - 37711449



15/16" x 5 3/8" x 39 5/8"

1x - **[11450]** - 31.8 x 31.8 x 770 mm - 37711450




1 1/4" x 1 1/4" x 30 5/16"

6x - **[11451]** - 15.9 x 76.2 x 614 mm - 37311451




5/8" x 3" x 24 3/16"

2x - **[11452]** - 31.8 x 31.8 x 499 mm - 37711452



1 1/4" x 1 1/4" x 19 5/8"

1x - **[11453]** - 15.9 x 76.2 x 368.8 mm - 35311453



5/8" x 3" x 14 1/2"

2x - **[11454]** - 15.9 x 76.2 x 243.3 mm - 35311454




5/8" x 3" x 9 9/16"

5x - **[11455]** - 15.9 x 133.4 x 617 mm - 37711455



5/8" x 5 1/4" x 24 5/16"

1x - **[11456]** - 31.8 x 31.8 x 387.5 mm - 37711456




1 1/4" x 1 1/4" x 15 1/4"

1x - **[11457]** - 15.9 x 76.2 x 373 mm - 35311457



5/8" x 3" x 14 11/16"

2x - **[11458]** - 15.9 x 76.2 x 181 mm - 35311458




5/8" x 3" x 7 1/8"


Part Identification (Reduced Size)

2x - [2613] - 50.8 x 76.2 x 2201.9 mm - 3732613

2" x 3" x 86 11/16"




1x - [2615] - 76.2 x 76.2 x 1294.3 mm - 3732615



3" x 3" x 50 15/16"


1x - [2616] - 23.8 x 82.6 x 1181.1 mm - 3732616



15/16" x 3 1/4" x 46 1/2"

1x - [9452] - 76.2 x 133.4 x 2235.2mm - 3739452

3" x 5 1/4" x 88"



2x - [11466] - 23.8 x 82.6 x 377.9 mm - 37311466




15/16" x 3 1/4" x 14 7/8"

2x - [2607] - 31.8 x 76.2 x 558.8mm - 3732607




1 1/4" x 3" x 22"

2x - [9537] - 31.8 x 76.2 x 714.8 mm - 3739537




1 1/4" x 3" x 28 1/8"

1x - [11459] - 31.8 x 31.8 x 1006.5 mm - 37311459




1 1/4" x 1 1/4" x 39 5/8"

14x - [9051] - 15.9 x 114.3 x 904.9 mm - 3739051



5/8" x 4 1/2" x 35 5/8"

2x - [11460] - 34.9 x 63.5 x 1468.8 mm - 37311460



1 3/8" x 2 1/2" x 57 13/16"

1x - [11461] - 15.9 x 101.6 x 617 mm - 37711461



5/8" x 4" x 24 5/16"

1x - [11462] - 15.9 x 101.6 x 914.4 mm - 37311462




5/8" x 4" x 36"

Part Identification (Reduced Size)


1x - [9550] - 15.9 x 31.8 x 906.1 mm - 3739550




2x - [9551] - 31.8 x 63.5 x 1047.7 mm - 3779551




2x - [9552] - 31.8 x 63.5 x 1047.7 mm - 3779552



2x - [9553] - 38.1 x 38.1 x 1828.8 mm - 3739553




1x - [11463] - 15.9 x 69.9 x 914.4 mm - 37311463




4x - [9556] - 31.8 x 76.2 x 838.2 mm - 3739556



2x - [9557] - 31.8 x 76.2 x 838.2 mm - 3739557



2x - [9558] - 31.8 x 76.2 x 908 mm - 3739558



2x - [9559] - 31.8 x 76.2 x 436.7 mm - 3739559




1x - [9562] - 25.4 x 60.3 x 855.3 mm - 3739562




13x - [9566] - 15.9 x 76.2 x 838.2 mm - 3739566



2x - [9567] - 15.9 x 76.2 x 437.4 mm - 3739567



1x - [9569] - 34.9 x 63.5 x 1011 mm - 3739569



Part Identification (Reduced Size)

1x - **[9570]** - 34.9 x 63.5 x 1011 mm - 3739570



3x - **[9571]** - 23.8 x 82.6 x 343 mm - 3739571



1x - **[9572]** - 15.9 x 76.2 x 374.6 mm - 3739572




1x - **[9573]** - 31.8 x 76.2 x 783.4 mm - 3739573



1x - **[11464]** - 31.8 x 127 x 783.7 mm - 37311464



2x - **[9575]** - 31.8 x 82.6 x 912.4 mm - 3739575



1x - **[9578]** - 15.9 x 76.2 x 332.4 mm - 3739578



1x - **[11465]** - 31.8 x 133.4 x 846.3 mm - 37311465



1x - **[9581]** - 31.8 x 76.2 x 939.8 mm - 3739581



1x - **[2715]** - 25.4 x 63.5 x 254mm- 3732715




6x - **[11956]** - 15.9 x 76.2 x 723.9 mm - 37311956




2x - **[11957]** - 31.8 x 76.2 x 782.6 mm - 37311957




Part Identification (Reduced Size)



1x - **9485** - 37779485
31.8 x 869.8 x 1034.6 mm
1 1/4" x 34 1/4" x 40 3/4"





1x - **9487** - 37779487
44 x 281.5 x 632.5 mm
1 3/4" x 11 1/16" x 24 7/8"






1x - **9486** - 37779486
31.8 x 869.8 x 1036.6 mm
1 1/4" x 34 1/4" x 40 13/16"

1x - **9488** - 37779488
44 x 281.5 x 632.5 mm
1 3/4" x 11 1/16" x 24 7/8"




1x - **9500** - 37539500
31.8 x 396.9 x 1073.8mm
1 1/4" x 15 5/8" x 42 1/4"

Part Identification (Reduced Size)




Part Identification (Reduced Size)

1x - 9489 - SW Wall
31.8 x 939.8 x 2336.8 mm
1 1/4" x 37" x 92"




**If you need to order parts,
please order below part #**

9490 - 37739490 - SW Wall - 1pc
9491 - 37739491 - SW Wall Insert - 1pc
9492 - 37739492 - SW Wall Insert B - 1pc
S0 - 52933505 - Truss Head Screw #8 x 7/8 - 8pc




Part Identification (Reduced Size)

1x - 9493 - Panel Front Wall
33.8 x 1092.2 x 2336.8 mm
1 5/16" x 43" x 92"




**If you need to order parts,
please order below part #**

9134 - 37739134 - Panel Front - 1pc
2665 - 37732665 - Half Wall Insert - 1pc
S0 - 52933505 - Truss Head Screw #8 x 7/8 - 4pc




Part Identification (Reduced Size)

1x - 9494 - Door Wall
31.8 x 546.1 x 2336.8 mm
1 1/4" x 21 1/2" x 92"



**If you need to order parts,
please order below part #**

9495 - 37739495 - Door Wall Frame - 1pc
9496 - 37739496 - Half Wall Insert - 1pc
S0 - 52933505 - Truss Head Screw #8 x 7/8 - 4pc




Hardware Identification (Actual Size)

35 x **LW1** - 1/4" - (51303200)
6.4mm




5 x **FW0** - 3/16" - 51103100
4.8mm




36 x **LN2** - 5/16" - 54303300
7.9mm




30 x **TN1** - 1/4" - 54503200
6.4mm




35 x **LW2** - 5/16" - (51303300)
7.9mm




10 x **S13** - #6 x 5/8" - 52413908
15.9mm




5 x **S10** - #8x 1" - 52433510
25.4mm



35 x **S37** - #7 x 5/8" - 52433009
15.9mm



52 x **S8** - #12 x 3/4" - 52433603
19mm




4 x **S1** - #8 x 1-1/8" - 52043514
28.6mm




78 x **S11** - #8 x 2" - 52043520
50.8mm




38 x **S3** - #8 x 2-1/2" - 52043522
63.5mm




34 x **FW1** - 1/4" - 51103200
6.4mm




5 x **BN1** - 1/4" - 54803200
6.4mm




37 x **TN2** - 5/16" - 54503300
7.9mm




116 x **FW2** - 5/16" - 51103300
7.9mm




6 x **S38** - #7 x 1-1/8" - 52433014
28.6mm



12 x **S0** - #8 x 7/8" - 52933505
22.2mm



61 x **S7** - #12 x 2" - 52433620
50.8mm




230 x **S20** - #8 x 1-3/8" - 52043516
34.9mm




21 x **S4** - #8 x 3" - 52043530
76.2mm




13 x **S24** - #10 x 4" - 52043940
101.6mm



1 x **D4** - #2 x 2 - 9200014




1 x **D6** - 3/16" - 9200019
4.8mm




Hardware Identification (Actual Size)


5 x **PB2** - 1/4 x 1-1/4" - 53433212
6.4 x 31.8mm




4 x **WL3** - 1/4 x 1-3/8" - 52613216
6.4 x 34.9mm




30 x **H2** - 1/4 x 2" - 53703220
6.4 x 50.8mm




1 x **LS3** - 1/4 x 3" - 52213230
6.4 x 76.2mm




24 x **WL5** - 1/4 x 2-1/2" - 52613222
6.4 x 63.5mm




16 x **WB2** - 5/16 x 1-3/8" - 53613316
7.9 x 34.9mm




2 x **WB9** - 5/16 x 2-1/8" - 53613324
7.9 x 54mm




4 x **WB8** - 5/16 x 2-3/8" - 53613326
7.9 x 60.3mm




8 x **WB10** - 5/16 x 2-5/8" - 53613329
7.9 x 66.6mm




3 x **WB7** - 5/16 x 3" - (53613330)
7.9 x 76.2mm




3 x **G8** - 5/16 x 2" - 53703320
7.9 x 50.8mm




4 x **G10** - 5/16 x 3" - 53703330
7.9 x 76.2mm




4 x **G35** - 5/16 x 3-1/4" - 53703331
7.9 x 82.6mm



9 x **G21** - 5/16 x 3-3/4" - 53703333
7.9 x 95.2mm





4 x **G4** - 5/16 x 4" - 53703340
7.9 x 101.5mm




1 x **G6** - 5/16 x 4-3/4" - 53703343
7.9 x 120.7mm

13 x **G7** - 5/16 x 5-1/2" - 53703352
7.9 x 139.7mm



2 x **Z** - 5/16 x 6" - 53703360
7.9 x 152.4mm



Part Identification (Reduced Size)

1x - 9320374



1x - 3320353



1x - 9320197LG

1x - 9320197RD




2x - 9320296

1x - 9320297BL



1x - 3200087 (2pk)




1x - 9200151



2x - 9200149




2x - 9200123




1x - 3210105



1x - 9200131




1x - 33210023



6x - 9210010



1x - 3318125




6x - 9200025



6x - 9200020



2x - 9200133



1x - 9205932



7x - 9205975



6x - 9205933



3x - 9205970



1x - 9200186




2x - 9200174 - 20"

4x - 9200172 - 48"

2x - 9207711



2x - 9207712



1x - 9207713




Part Identification (Reduced Part Size)


5x - 9290318




1x - 3320161



1x - 9200144



1x - 9200143



1x - 9333686



1x - 9330687



1x - 9333685



1x - 9330383



1x - 9330313



1x - 9332090



1x - 9333689




2x - 9321691



1x - 9331652STGY



1x - 9331614STGY



1x - 9330284



1x - 9320889STGY



1x - 9320888STGY



1x - 9320889RD




1x - 9320881



1x - 9320382



1x - 9332608




2 x - 52040302




1x - 3332609



1x - 9330712



1x - 3330871





Included in hardware kit




1x - 1/8" x 3"
(3.2 x 76.2mm)
(9300183)

1 Inventory Parts - Read This Before Starting Assembly



Inventory should be completed before starting installation. KidKraft will not cover costs of any additional installation trip due to missing or damaged pieces.

- A. Referencing the parts identification sheets, inventory all hardware, wood and accessories. This will assist you with your assembly.
 - The wood pieces will have the key number stamped on the ends of the boards. Organize the wood pieces by step, as per the key numbering system below.



- B. Read the assembly manual completely, paying special attention to ANSI warnings; notes; and safety/maintenance information on pages 1 - 8.

**If there are missing or damaged pieces,
please contact the KidKraft Consumer Engagement Team
before going back to the retailer.**

Request Replacement Parts 24/7

You can request replacement parts for this product 24 hours a day / 7 days a week:



Outdoor Swing Set and Playhouse Parts Ordering
<https://parts.kidkraft.com/partsorderemail>

If you have assembly or product questions, please refer to the front cover for direct contact information for our Consumer Engagement Team OR you can also use this QR code with your smartphone for common questions and contact information.



KidKraft Help Center <https://kidkraft.zendesk.com/hc/en-us/>

Pre-drill S7 holes using a 1/8" drill bit.



Wood Parts





5 x 11446 15.9 mm x 133.4 mm x 617 mm (5/8" x 5 1/4" x 24 5/16")
 5 x 11455 15.9 mm x 133.4 mm x 617 mm (5/8" x 5 1/4" x 24 5/16")
 2 x 11460 34.9 mm x 63.5 mm x 1468.8 mm (1 3/8" x 2 1/2" x 57 13/16")

Hardware

1 x 11461 15.9 mm x 101.6 mm x 617 mm (5/8" x 4" x 24 5/16")
 40 x S7 #12 x 50.8 mm (#12 x 2")

3

Note: Make sure all hardware is used to properly secure each rock.



Hardware





5 x 7.9 x 32 mm (5/16 x 1-1/4") (FW0, LW1, BN1)
 5 x #8 x 25.4 mm (#8 x 1")

Other Parts

1 x 2 x
 1 x 1 x

4

Note hole orientation.
Make sure the assembly is square.






Wood Parts



1 x 9497 31.8 mm x 939.8 mm x 2260.6 mm (1 1/4" x 37" x 89")
 1 x 9498 31.8 mm x 792 mm x 2336.8 mm (1 1/4" x 31 3/16" x 92")

Hardware

4 x WL5 6.4 x 63.5 mm (1/4 x 2-1/2")

5





Wood Parts

1 x **9537** 31.8 mm x 76.2 mm x 714.8 mm (1 1/4" x 3" x 28 1/8")




Hardware

4 x **S7** #12 x 50.8 mm (#12 x 2")

7



Note hole orientation.
Make sure the assembly is square.






Wood Parts

1 x **9493** 33.8 mm x 1092.2 mm x 2336.8 mm (1 5/16" x 43" x 92")
1 x **9489** 31.8 mm x 939.8 mm x 2336.8 mm (1 1/4" x 37" x 92")

Hardware

4 x **WL5** 6.4 x 63.5 mm (1/4 x 2-1/2")

8



Wood Parts

1 x **9494** 31.8 x 546.1 x 2336.8mm (1 1/4" x 21 1/2" x 92")



Hardware

8 x **S8** #12 x 19 mm (#12 x 3/4")

Other Parts

2 x **9205933**

9



Wood Parts






1 x **9537** 31.8 mm x 76.2 mm x 714.8 mm (1 1/4" x 3" x 28 1/8")

Hardware

4 x **S7** #12 x 50.8 mm (#12 x 2")


10

Make sure the assembly is square.



Pre-drill each
hole using a 1/8"
drill bit for WL5.

**Rotated
Outside View**





Hardware

8 x 6.4 x 63.5 mm (1/4 x 2-1/2")

11

Assemble T-Nuts first with hammer!




Wood Parts

2 x [11442] 38.1 mm x 38.1 mm x 1601.8 mm (1 1/2" x 1 1/2" x 63 1/16")

Hardware

6 x 7.9 x 66.6 mm (5/16 x 2-5/8") (FW2, TN2)



**Hardware**8 x **S11** #8 x 50.8mm (#8 x 2")

13

Note: Structure partly removed for clarity.



Do not attach, use
for alignment only.



Underneath View

Wood Parts

1 x [11443] 31.8 mm x 76.2 mm x 1605.8 mm (1 1/4" x 3" x 75 1/16")
 2 x [9051] 15.9 mm x 114.3 mm x 904.9 mm (5/8" x 4 1/2" x 35 5/8")



Hardware


4 x [S4] #8 x 76.2 mm (#8 x 3")

14



Evenly space the boards.



**Wood Parts**12 x **9051** 15.9 mm x 114.3 mm x 904.9 mm (5/8" x 4 1/2" x 35 5/8")**Hardware**84 x **S20** #8 x 34.9 mm (#8 x 1-3/8")




Hardware
24 x **S8** #12 x 19 mm (#12 x 3/4")

Other Parts
6 x **9205975**

Note: Structure partly removed for clarity.



3 5/8"
(91.5 mm) 1 7/8"
(47 mm) TYP 5 Places



Wood Parts


6 x **11451** 15.9 mm x 114.3 mm x 904.9 mm (5/8" x 4 1/2" x 35 5/8")

Hardware


24 x **S20** #8 x 34.9 mm (#8 x 1-3/8")



Top




Underside

Wood Parts

1 x **11447** 23.8 mm x 136.5 mm x 825.6 mm (15/16" x 5 3/8" x 32 1/2")
 2 x **11448** 31.8 mm x 76.2 mm x 88.9 mm (1 1/4" x 3" x 3 1/2")



Hardware

4 x **(S20)** #8 x 34.9 mm (#8 x 1-3/8")



Top

Tight




S20 x 2

S4

11448

S4




Underside

Wood Parts1 x **11448** 31.8 mm x 76.2 mm x 88.9 mm (1 1/4" x 3" x 3 1/2")**Hardware**2 x **S20** #8 x 34.9 mm (#8 x 1-3/8")3 x **S4** #8 x 76.2 mm (#8 x 3")

19

Assemble T-Nuts first with hammer!



Wood Parts

2 x **11466** 23.8 mm x 82.6 mm x 377.9 mm (15/16" x 3 1/4" x 14 7/8")
 2 x **2607** 31.8 mm x 76.2 mm x 558.8 mm (1 1/4" x 3" x 22")


Hardware

2 x WB9	7.9 x 54 mm (5/16 x 2-1/8") (FW2, TN2)
2 x WL5	6.4mm x 63.5 mm (1/4 x 2-1/2") (FW2)
2 x S4	#8 x 76.2mm (#8 x 3")
4 x S11	#8 x 50.8mm (#8 x 2")

20



Note: Structure
partly removed
for clarity.





Hardware

2 x 6.4mm x 63.5 mm (1/4 x 2-1/2")


21

Pre-drill S7 holes using a 1/8" drill bit.



Hardware

4 x #12 x 50.8 mm (#12 x 2")




Wood Parts
1 x 11437 23.8 mm x 82.6 mm x 587.3 mm (15/16" x 3 1/4" x 23 1/8")

Hardware
4 x S8 #12 x 19 mm (#12 x 3/4")
2 x S11 #8 x 50.8 mm (#8 x 2")

Other Parts
1 x 9205975

Pre-drill holes using a 1/8" drill bit.






Hardware

4 x 6.4mm x 34.9mm (1/4 x 1-3/8") (FW1)

Other Parts

2 x 9200123



Wood Parts

1 x **9500** 31.8 mm x 396.9 mm x 1073.8 mm (1 1/4" x 15 5/8" x 42 1/4")

Hardware


2 x **S37** #7 x 15.87 mm (#7 x 5/8")

2 x **S38** #7 x 28.6 mm (#7 x 1-1/8")

Other Parts

1 x **9207711**



1 x **9207713**

Hardware



6 x #7 x 15.87 mm (#7 x 5/8")

Other Parts

1 x



Bottom View

Hardware



8 x #7 x 15.87 mm (#7 x 5/8")

Other Parts

1 x 9207711


2 x 9207712

Note: Structure partly removed for clarity.




Hardware

6 x **S37** #7 x 15.87 mm (#7 x 5/8")



Important: Use a handheld screwdriver and DO NOT overtighten





Wood Parts

1 x **2715** 25.4 mm x 63.5 mm x 254 mm (1" x 2 1/2" x 10")

Hardware

2 x **S13** #6 x 16 mm (#6 x 5/8")


Note: Structure partly removed for clarity.



Inside View

Hardware

3 x #8 x 50.8mm (#8 x 2")



Wood Parts



1 x **11449** 23.8 mm x 136.5 mm x 1006.5 mm (15/16" x 5 3/8" x 39 5/8")
 1 x **11459** 31.8 mm x 31.8 mm x 1006.5 mm (1 1/4" x 1 1/4" x 39 5/8")

Hardware

4 x **S20** #8 x 34.9 mm (#8 x 1-3/8")

31


Note: Structure partly removed for clarity.





Hardware

2 x **(S11)** #8 x 50.8mm (#8 x 2")

Note: Structure partly removed for clarity.



Inside and Underneath View




Hardware

6 x #7 x 15.9 mm (#7 x 5/8")

Other Parts

2 x

Note: Structure partly removed for clarity.






Hardware

3 x  #8 x 22.2 mm (#8 x 7/8")

Other Parts

1 x  33210023

Note: Structure partly removed for clarity.






Wood Parts

1 x **11438** 15.9 x 50.8 x 544.4 mm (5/8" x 2" x 21 7/16")

Hardware

3 x **S0** #8 x 22.2 mm (#8 x 7/8")

2 x **S11** #8 x 50.8 mm (#8 x 2")



Caution: The Spring-Loaded Quick Link must be attached to the Heavy-Duty Swing Hanger in the closed position.

Wood Parts

1 x **9452** 76.2 mm x 133.4 mm x 2235.2 mm (3" x 5 1/4" x 88")

Hardware

12 x **G7** 7.9 x 139.7 mm (5/16 x 5-1/2") (FW2 x 2, LN2)

Other Parts


6 x **9210010**

6 x **9200025**

Assemble T-Nuts first with hammer!






IT IS IMPORTANT THAT THIS BOLT
IS ATTACHED. IT WILL MINIMIZE
CHECKING OF WOOD.



Hardware

1 x 7.9 x 76.2 mm (5/16 x 3") (FW2, TN2)




Hardware

4 x \odot S38 #7 x 28.6mm (#7 x 1-1/8")

Other Parts

1 x 3320353



Wood Parts



1 x **11445** 76.2 mm x 76.2 mm x 406.4 mm (3" x 3" x 16")

Hardware

4 x **G21** 7.9mm x 95.2 mm (5/16 x 3-3/4") (FW2 x 2, LN2)

Other Parts

2 x **9200149**




Wood Parts

1 x **2615** 76.2 mm x 76.2 mm x 1294.3 mm (3" x 3" x 50 15/16")
 1 x **2616** 23.8 mm x 82.6 mm x 1181.1 mm (15/16" x 3 1/4" x 46 1/2")

Hardware

1 x 7.9 x 101.5 mm (5/16 x 4") (LW2, FW2, TN2)
 2 x 7.9 x 76.2 mm (5/16 x 3") (FW2, TN2)

Assemble T-Nuts first with hammer!



Wood Parts




2 x **2613** 50.8 mm x 76.2 mm x 2201.9 mm (2" x 3" x 86 11/16")

Hardware

2 x **G4** 7.9 x 101.5 mm (5/16 x 4") (LW2, FW2, TN2)

2 x **Z** 7.9 x 152.4 mm (5/16 x 6") (LW2, FW2 x 2, LN2)

41




Hardware

5 x 7.9mm x 95.2 mm (5/16 x 3-3/4") (FW2 x 2, LW2, LN2)


Other Parts

1 x
1 x



Note: Structure partly removed for clarity.

Assemble T-Nut first with hammer.




Inside View

Hardware



1 x 7.9mm x 101.5mm (5/16 x 4") (FW2, TN2)

1 x 7.9mm x 120.7mm (5/16 x 4-3/4") (LW2, FW2 x 2, LN2)



Note: Structure partly removed for clarity.

Pre-drill hole using a 1/8" drill bit for LS3.



Underneath View

Hardware

1 x 7.9mm x 139.7mm (5/16 x 5-1/2") (LW2, FW2 x 2, LN2)
 1 x 6.4 x 76 mm (1/4" x 3") (FW2)

Other Parts

1 x 9200151


MOVE SWING SET TO FINAL LOCATION PRIOR TO STAKING

FINAL LOCATION MUST BE LEVEL GROUND






Warning! To prevent tipping and avoid potential injury, stakes must be driven 13" (330mm) into ground. Digging or driving stakes can be dangerous if you do not check first for underground wiring, cables or gas lines.

SEE COVER PAGE FOR SAFETY CLEARANCE



Rotated View



Rotated View

Hardware

5 x #12 x 50.8 mm (#12 x 2")

Other Parts

5 x 9290318



Wood Parts



2 x **9553** 38.1 mm x 38.1 mm x 1828.8 mm (1 1/2" x 1 1/2" x 72")

Hardware

10 x **(S3)** #8 x 63.5mm (#8 x 2-1/2")



Note: Structure partly removed for clarity.




Wood Parts

1 x **9581** 31.8 mm x 76.2 mm x 939.8 mm (1 1/4" x 3" x 37")

Hardware

4 x **S3** #8 x 63.5mm (#8 x 2-1/2")




Wood Parts


1 x **9562** 25.4 mm x 60.3 mm x 855.3 mm (1" x 2 3/8" x 33 11/16")
 2 x **11444** 25.4 mm x 60.3 mm x 855.3 mm (1" x 2 3/8" x 33 11/16")

Hardware

4 x **S3** #8 x 63.5mm (#8 x 2-1/2")




Assemble T-Nuts first with hammer!



Note: Structure partly removed for clarity.

Hardware


4 x 7.9mm x 60.3 mm (5/16 x 2-3/8") (FW2, TN2)



Note: Structure partly removed for clarity.

Hardware

12 x **S11** #8 x 50.8 mm (#8 x 2")



Note: Structure partly removed for clarity.

Wood Parts



1 x **11436** 25.4 mm x 60.3 mm x 580.9 mm (1" x 2 3/8" x 22 7/8")

Hardware


4 x **S4** #8 x 76.2mm (#8 x 3")

51

Pre-drill holes using a 1/8" drill bit.





End View

Wood Parts

1 x **9569** 34.9 mm x 63.5 mm x 1011 mm (1 3/8" x 2 1/2" x 39 13/16")
 1 x **9570** 34.9 mm x 63.5 mm x 1011 mm (1 3/8" x 2 1/2" x 39 13/16")
 3 x **9571** 23.8 mm x 82.6 mm x 343 mm (15/16" x 3 1/4" x 12")

Hardware

12 x **S3** #8 x 63.5 mm (#8 x 2-1/2")




Wood Parts

1 x **9572** 15.9 mm x 76.2 mm x 374.6 mm (5/8" x 3" x 14 3/4")


Hardware

4 x **(S11)** #8 x 50.8 mm (#8 x 2")



Assemble T-Nuts first with hammer!

Note: Structure partly removed for clarity.





Rotated View

Hardware

2 x 7.9 x 66.6 mm (5/16 x 2-5/8") (FW2, TN2)

Note: Structure partly removed for clarity.



Hardware



3 x  #7 x 15.9 mm (#7 x 5/8")

Other Parts

1 x  9205970



Note: Structure partly removed for clarity.




Wood Parts

1 x **11435** 15.9 mm x 101.6 mm x 904.9 mm (1" x 3 1/4" x 35 5/8")
 1 x **11441** 15.9 mm x 88.9 mm x 904.9 mm (5/8" x 3 1/2" x 35 5/8")

Hardware

10 x **S20** #8 x 34.9mm (#8 x 1-3/8")



Note: Structure partly removed for clarity.

Wood Parts

4 x **11435** 15.9 mm x 101.6 mm x 904.9 mm (1" x 3 1/4" x 35 5/8")


Hardware

24 x **S20** #8 x 34.9mm (#8 x 1-3/8")

57



Assemble T-Nuts first with hammer!
Complete this step twice.
Make sure the assembly is square.



Wood Parts



- 4 x **11434** 31.8 mm x 76.2 mm x 755.7 mm (1 1/4" x 3" x 25 3/4")
- 2 x **9556** 31.8 mm x 76.2 mm x 838.2 mm (1 1/4" x 3" x 33")
- 2 x **9557** 31.8 mm x 76.2 mm x 838.2 mm (1 1/4" x 3" x 33")

Hardware

- 8 x **WB2** 7.9mm x 34.9 mm (5/16 x 1-3/8") (LW2, FW2, TN2)



Assemble T-Nuts first with hammer!



Wood Parts



6 x 9566 15.9 mm x 76.2 mm x 838.2 mm (5/8" x 3" x 32 5/8")

Hardware

12 x H2 6.4mm x 50.8mm (1/4 x 2") (LW1, FW1, TN1)



Assemble T-Nuts first with hammer!
Make sure the assembly is square.






Wood Parts

- 2 x 9556 31.8 mm x 76.2 mm x 838.2 mm (1 1/4" x 3" x 33")
- 2 x 9558 31.8 mm x 76.2 mm x 908 mm (1 1/4" x 3" x 35 3/4")
- 5 x 9566 15.9 mm x 76.2 mm x 838.2 mm (5/8" x 3" x 32 5/8")

Hardware

- 4 x WB2 7.9mm x 34.9 mm (5/16 x 1-3/8") (LW2, FW2, TN2)
- 10 x H2 6.4mm x 50.8mm (1/4 x 2") (LW1, FW1, TN1)



Hardware



4 x 6.4 x 63.5 mm (1/4 x 2-1/2") (FW2)

61

Assemble T-Nuts first with hammer!



Note: Structure
partly removed
for clarity.






Hardware

4 x 7.9 x 82.6 mm (5/16" x 3-1/4") (LW2, FW2 x 2, LN2)



Note: Structure partly removed for clarity.



Hardware



4 x **S3** #8 x 63.5 mm (#8 x 2-1/2")

2 x **S24** #10 x 101.6mm (#10 x 4")

63



Assemble T-Nuts first with hammer!





Wood Parts

2 x **9566** 15.9 mm x 76.2 mm x 838.2 mm (5/8" x 3" x 32 5/8")

Hardware

4 x **H2** 6.4mm x 50.8mm (1/4 x 2") (LW1, FW1, TN1)

Note: Structure partly removed for clarity.



Wood Parts


- 1 x **11462** 15.9 x 101.6 x 914.4 mm (5/8" x 4" x 36")
- 1 x **11463** 15.9 x 69.9 x 914.4 mm (5/8" x 2 3/4" x 36")
- 1 x **9550** 15.9 mm x 31.8 mm x 906.1 mm (5/8" x 1 1/4" x 35 11/16")

Hardware

- 11 x **S20** #8 x 34.9mm (#8 x 1-3/8")



Complete this step twice.




Wood Parts


2 x 31.8 mm x 63.5 mm x 1047.7 mm (1 1/4" x 2 1/2" x 41 1/4")
 2 x 31.8 mm x 63.5 mm x 1047.7 mm (1 1/4" x 2 1/2" x 41 1/4")

Hardware

2 x #8 x 63.5 mm (#8 x 2-1/2")





Note orientation of notch



Hardware

2 x (S3) #8 x 63.5 mm (#8 x 2-1/2")




Wood Parts

1 x **9485** 31.8 mm x 869.8 mm x 1034.6 mm (1 1/4" x 34 1/4" x 40 3/4")
 1 x **9486** 31.8 mm x 869.8 mm x 1036.6 mm (1 1/4" x 34 1/4" x 40 13/16")



Hardware

8 x **S11** #8 x 50.8mm (#8 x 2")



Hardware

4 x **(S11)** #8 x 50.8mm (#8 x 2")





Wood Parts

1 x **11456** 31.8 mm x 31.8 mm x 387.5 mm (1 1/4" x 1 1/4" x 15 1/4")

Hardware

2 x **S4** #8 x 76.2mm (#8 x 3")





Wood Parts

1 x 11457 15.9 mm x 76.2 mm x 373 mm (5/8" x 3" x 14 11/16")
 2 x 11458 15.9 mm x 76.2 mm x 181 mm (5/8" x 3" x 7 1/8")

Hardware

10 x S20 #8 x 34.9mm (#8 x 1-3/8")






Wood Parts

- 1 x **9487** 44 mm x 281.5 mm x 632.5 mm (1 3/4" x 11 1/16" x 24 7/8")
- 1 x **9488** 44 mm x 281.5 mm x 632.5 mm (1 3/4" x 11 1/16" x 24 7/8")
- 2 x **11452** 31.8 mm x 31.8 mm x 499 mm (1 1/4" x 1 1/4" x 19 5/8")

Hardware

- 4 x **(S11)** #8 x 50.8mm (#8 x 2")




Wood Parts

1 x **11450** 31.8 mm x 31.8 mm x 770 mm (1 1/4" x 1 1/4" x 35 1/16")

Hardware

2 x **S11** #8 x 50.8mm (#8 x 2")



Wood Parts


1 x **11453** 15.9 mm x 76.2 mm x 368.8 mm (5/8" x 3" x 14 1/2")
 2 x **11454** 15.9 mm x 76.2 mm x 243.3 mm (5/8" x 3" x 9 9/16")

Hardware




10 x **S20** #8 x 34.9mm (#8 x 1-3/8")
 2 x **S0** #8 x 22.2 mm (#8 x 7/8")

Other Parts

1 x **9205932**

**Hardware**1 x  #8 x 50.8 mm (#8 x 2")

Inside View





Side View

Hardware

4 x #8 x 50.8 mm (#8 x 2")



Note: Structure partly removed for clarity.





Rotated View


Hardware

8 x **S11** #8 x 50.8mm (#8 x 2")

Note: Structure partly removed for clarity.



Front Side





Hardware


1 x #8 x 50.8mm (#8 x 2")

4 x #8 x 34.9mm (#8 x 1-3/8")

Note: Structure partly removed for clarity.



Back Side





Hardware

1 x #8 x 50.8mm (#8 x 2")

1 x #8 x 34.9mm (#8 x 1-3/8")

Note: Structure partly removed for clarity.



Wood Parts



2 x 9559 31.8 mm x 76.2 mm x 436.7 mm (1 1/4" x 3" x 17 3/16")

Hardware

6 x S4 #8 x 76.2mm (#8 x 3")

80

Assemble T-Nuts first with hammer!

Flush
to top



Inside View

Wood Parts

2 x 15.9 mm x 76.2 mm x 437.4 mm (5/8" x 3" x 17 1/4")
 2 x 15.9 mm x 76.2 mm x 684 mm (5/8" x 3" x 26 15/16")

Hardware

4 x 6.4mm x 50.8mm (1/4 x 2") (LW1, FW1, TN1)
 8 x #8 x 34.9mm (#8 x 1-3/8")



Note: Structure partly removed for clarity.

Wood Parts


1 x 9578 15.9 mm x 76.2 mm x 332.4 mm (5/8" x 3" x 13 1/16")

Hardware

8 x S20 #8 x 34.9mm (#8 x 1-3/8")



Assemble T-Nuts first with hammer!
Make sure the assembly is square.





Wood Parts

- 1 x 9573 31.8 mm x 76.2 mm x 783.4 mm (1 1/4" x 3" x 30 13/16")
- 2 x 9575 31.8 mm x 82.6 mm x 912.4 mm (1 1/4" x 3 1/4" x 35 15/16")
- 1 x 11464 31.8 mm x 127 mm x 783.7 mm (1 1/4" x 5" x 30 7/8")

Hardware

- 4 x WB2 7.9mm x 34.9 mm (5/16 x 1-3/8") (FW2, TN2)
- 4 x S1 #8 x 28.6mm (#8 x 1-1/8")




Note: Structure partly removed for clarity.

Hardware

11 x **S24** #10 x 101.6mm (#10 x 4")

Note: Structure partly removed for clarity.



Inside View


Hardware

8 x #12 x 19 mm (#12 x 3/4")

Other Parts

2 x

Note: Structure partly removed for clarity.





Wood Parts

1 x **11957** 31.8 mm x 76.2 mm x 782.6 mm (1 1/4" x 3" x 30 13/16")

Hardware

4 x **(S11)** #8 x 50.8mm (#8 x 2")

Note: Structure partly removed for clarity.



Inside View



Wood Parts

1 x **11957** 31.8 mm x 76.2 mm x 782.6 mm (1 1/4" x 3" x 30 13/16")

Hardware

4 x **(S11)** #8 x 50.8mm (#8 x 2")

Note: Structure partly removed for clarity.







Inside View

Wood Parts



6 x **11956** 15.9 mm x 76.2 mm x 723.9 mm (5/8" x 3" x 28 1/2")

Hardware

24 x **(S20)** #8 x 34.9 mm (#8 x 1-3/8")






Caution: Threaded Quick Links must be installed with the gate completely down covering the threads and tighten as instructed.



Other Parts

4 x	9200172	2 x	9200133
2 x	9200174	2 x	9320130
1 x	9200131	6 x	9200020



Hardware




4 x #6 x 16 mm (#6 x 5/8")

Other Parts

1 x	9330712
1 x	3330811



Important: Use a handheld screwdriver and DO NOT overtighten.



Slide [9332608] tight beside [3330811] on the Left.



Slide [3332609] tight beside [3330811] on the Right.

Other Parts

1 x	9320881	2 x	52040302
1 x	9332608	1 x	9320382
1 x	9322282	1 x	3332609


91

Outside View



Inside View


Hardware4 x **(S13)** #6 x 16 mm (#6 x 5/8")Other Parts1 x **9331652STGY**




Other Parts

1 x 9330313	1 x 9333686	1 x 9333685	1 x 9332090	1 x 9330288
1 x 9330687	1 x 9330383	1 x 9333689	1 x 9330284	

93



Inside and
Underneath View




Hardware

4 x #8 x 22.2 mm (#8 x 7/8")

Other Parts



2 x



Other Parts



1 x	932088STGY	1 x	9331614STGY
1 x	9320889STGY		
1 x	9320889RD		

Note: Structure partly removed for clarity.



Note: Pre-drill all holes using a 1/8" drill bit before installing the pan screws.

Place Slide centered in the opening.




Hardware


4 x #12 x 50.8 mm (#12 x 2")

Other Parts

1 x 3318125



Note: Structure partly removed for clarity.



Wood Parts

1 x **11465** 31.8 mm x 133.4 mm x 846.3 mm (1 1/4" x 5 1/4" x 33 5/16")


Hardware

3 x **G8** 7.9mm x 50.8mm (5/16" x 2")
(LW2, FW2 x 2, LN2)


Other Parts

1 x **3210105**


97



Note: Structure partly removed for clarity.



Make sure the Fireman Pole is straight and that the bottom of the pole is inserted into the ground as needed.



Hardware

4 x 7.9mm x 76.2mm (5/16" x 3") (LW2, FW2 x 2, LN2)

Other Parts


1 x 9200186



Hammer U-Style Ground Stakes into the holes in the plate until they are fully anchored into the ground.




Note: Structure partly removed for clarity.




pole is to be 1-1/4" into the ground when installed

Other Parts

1 x 3200087 (2pk)



Note: Structure partly removed for clarity.



Hardware

2 x **(S20)** #8 x 34.9mm (#8 x 1-3/8")



Other Parts

1 x **3320161**

ATTACH THIS WARNING & I.D. PLAQUE TO THIS LOCATION ON YOUR PLAY EQUIPMENT!



This provides warnings concerning safety and important contact information. A Tracking Number is provided to allow you to get critical information or order replacement parts for this specific model.



Hardware

4 x **(S37)** #7 x 15.9 mm (#7 x 5/8")

Other Parts

1 x **9320374**

NOTES



kidkraft.com

customerservice@kidkraft.com
1.800.933.0771
972.385.0100

