

DECLARATION OF CONFORMITY

n° 5-378 rev 2
 (ISO CEI EN 17050:2005)

CISA S.p.A.

declares under its sole responsibility

that the locks

**1-57115-60-x, 1-57155-60-x, 1-57125-60-x, 1-57165-60-x,
 1-57135-60-x, 1-57175-60-x, 1-57157-XX-X, 1-57167-XX-X, 1-57177-XX-X
 1-57110-60-x, 1-57150-60-x, 1-57120-60-x, 1-57160-60-x,
 1-57130-60-x, 1-57170-60-x, 1-57152-XX-X, 1-57162-XX-X, 1-57172-XX-X**

which are subjected to this declaration, have been successfully tested in conformity with the prescriptions of the standard **EN 12209:2003/AC:2005**

With the classification

REQUIREMENT	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	5.10	5.11	5.12
DIGIT	1	2	3	4	5	6	7	8	9	10	11
1-57115-60-x, 1-57155-60-x, 1-57125-60-x, 1-57165-60-x, 1-57135-60-x, 1-57175-60-x, 1-57157-XX-X, 1-57167-XX-X, 1-57177-XX-X	3	X	8	0	0	0	3	E	D	0	E
1-57110-60-x, 1-57150-60-x, 1-57120-60-x, 1-57160-60-x, 1-57130-60-x, 1-57170-60-x, 1-57152-XX-X, 1-57162-XX-X, 1-57172-XX-X	3	C	8	0	0	0	3	E	A	0	E

- 5.2: Category of use
- 5.3: Durability and load on latch bolt
- 5.4: Door mass and closing force
- 5.5: Fire resistance
- 5.6: Safety
- 5.7: Corrosion resistance and temperature
- 5.8: Security and drill resistance
- 5.9: field of door application
- 5.10: type of key operation and locking
- 5.11: type of spindle operation
- 5.12: key identification requirement

See CISA test Report n° 0041 rev.1 and 1064

Faenza, 16th November 2016
 Manager **Locks and Key Systems**
Fausto Fustini