VIRGINIATILE



OSLO
GLAZED PORCELAIN
GLAZED CERAMIC

Tea

Design that shapes living.

www.virginiatile.com

OSLO

The collection is a perfect blend of versatility, texture, and color, which makes it a great choice for anyone looking to create a cohesive and aesthetically pleasing interior. The collection seamlessly blends the enduring charm of cement with the contemporary allure of pastel tones, making it a perfect canvas for any interior design project.



 \Box

OSLO

Virginia Tile Company

COLORS



White | VTC OSWH



Warm Grey | VTC OSWG



Taupe | VTC OSTP



Cool Grey | VTC OSCG



Black | VTC OSBK

DECORATIVE




White | VTC OSWH



Red | VTC OSRD



Teal | VTC OSTL



Blue | VTC OSBU



Cool Grey | VTC OSCG



Black | VTC OSBK

CONCRETE



White | VTC OSWH



Red | VTC OSRD



Teal | VTC OSTL



Blue | VTC OSBU



Cool Grey | VTC OSCG



Black | VTC OSBK

SIZES | DESCRIPTION

32" x 32" x 10mm

12" x 36" x 12mm Fjord Decorative $\,$ 2" x 2" x 8.5mm Mosaic

12" x 24" x 8.5mm

2-1/2" x 15" x 12mm Brick

3" x 12" x 8.5mm Trim Bullnose

FINISH

Matte/Natural



FEATURES & BENEFITS

- Versatile: Oslo can be installed in a variety of patterns, including a standard straight-joint pattern, herringbone pattern, and more. This gives you the flexibility to create a look that perfectly suits your style and needs.
- Durable: Oslo matte finish wall tile is made from high-quality materials and is designed to last for many years.
- Easy to care for: Oslo is easy to care for and can be cleaned with a damp cloth.





















Ready Ship

V1 Uniform Appearance

V2 Slight Variation Must be Sealed Frost Resistant Recommend offset pattern ≤33%

DCOF: ≥0.42 Water Absorption: ≤0.5% &

Tiles, Mosaic and Trim*

| SIZE | ACTUAL | THICKNESS | FINISH |
|--------------------------------------|---------------------------------|-----------|--------|
| 32" x 32" Rectified | 31.44" x 31.44" | 10 mm | Matte |
| 12" x 36" Fjord Decorative Rectified | 11.75" x 35.37" | 12 mm | Matte |
| 12" x 24" | 11.81" x 23.81" | 8.5 mm | Matte |
| 2.5" x 15" Brick Rectified | 2.48" x 15.75" | 12 mm | Matte |
| 3" x 12" Bullnose Rectified | 2.75" x 12" | 8.5 mm | Matte |
| 2" x 2" Mosaic | 11.73" x 11.73" (Sheet Size) | 8.5 mm | Matte |

^{*} Not all sizes are available in all colors and finish

Application**

| | | Glazed Porcelain | | Glazed Cera | | Concrete | |
|----------|------------------------|------------------|-------|-------------|----------|----------|--|
| | | WALL | FLOOR | WALL FL | OOR WALL | FLOOR | |
| Interior | Residential | • | • | • | • | | |
| Interior | Commercial | • | • | • | • | | |
| Interior | Heavy Commercial | • | • | • | • | | |
| Exterior | Residential/Commercial | • | | • | • | | |

^{**} These recommendations are not defined by ANSI Standards

Performance Characteristics

| | GLAZED PORCELAIN | GLAZED CERAMIC | CONCRETE |
|------------------------------------|------------------|----------------|----------------|
| Breaking Strength | Not Applicable | Not Applicable | Not Applicable |
| Chemical Resistance | Resistant | Resistant | Resistant |
| DCOF | ≥0.42 | Not Applicable | Not Applicable |
| Deep Scratch Resistance - Unglazed | Not Applicable | Not Applicable | Not Applicable |
| Frost Resistance | Resistant | Not Applicable | Not Applicable |
| Mohs Hardness - EN101 | 7 | 5 | Not Applicable |
| PEI Rating | Not Applicable | Not Applicable | Not Applicable |
| Water Absorption | ≤0.5% | ≥10% | ≥10% |
| Certifications | Not Applicable | Not Applicable | Not Applicable |
| Shade Variation Code | v2 | v1 | v2 |

CARE & MAINTENANCE


Glazed tile products should be cleaned routinely with an all-purpose, low VOC, household or commercial cleaner. The product chosen should also be grout joint cleaning compatible. The type of product may vary depending on the tile application and use. A multipurpose spray cleaner, which removes soap scum, hard water deposits and mildew designed for everyday use can be used on wall tile areas in residential baths and showers. A cotton mop, cloth, sponge, or non-metallic brush should be used to apply and agitate cleaner. Rinse the area with clean water and dry thoroughly. Routine cleaners should never contain harsh chemicals as these can damage tile. Acids can damage grout and the glazed surface of the tile. Ammonia can discolor grout.

A MIDWEST STAPLE.

Our 19 locations represent an expansive footprint, with an in-house transportation network directly servicing professionals in 16 states across the Midwest.

While our commercial programs and manufacturer partnerships extend to projects across North America.





ILLINOIS

Chicago 345 N Wells St, Suite 200 Chicago IL 60654

Elk Grove Village 1601 Estes Ave Elk Grove Village IL 60007

INDIANA

Indianapolis 4161 96th Street Indianapolis, IN 46240

IOWA

Clive 2001 NW 92nd Court Clive IA 50325

KANSAS

Kansas City Dist. Center 5100 Kansas Ave Kansas City KS 66106

Wichita 2140 W Harry Court Wichita KS 67213

MICHIGAN

Farmington Hills 24404 Indoplex Circle Farmington Hills MI 48335

Grand Rapids 3440 Broadmoor Ave SE Grand Rapids MI 49512

Livonia Dist. Center 28320 Plymouth Road Livonia MI 48150

Troy 900 W Maple Roa Troy MI 48084

MINNESOTA

Plymouth 1820 Berkshire Lane North Plymouth MN 55441

MISSOURI

Springfield 2727 N LeCompte Road Springfield MO 65803

St. Louis 9215 & 9245 Dielman Industrial Dr St. Louis MO 63132

NEBRASKA

Omaha 10501 | Street Omaha NE 68127

OHIO

Brooklyn Heights 4749 Spring Road Brooklyn Heights OH 44131

Warrensville Heights 4670 Richmond Road Warrensville Heights OH 44128

OKLAHOMA

Oklahoma City 5600 SW 36th St, Suite C Oklahoma City, OK 73179

Tulsa 11915 East 51st St Tulsa OK 74146

WISCONSIN

Menomonee Falls W135 N5511 Campbell Drive Menomonee Falls WI 53051



Design that shapes living.

Virginia Tile brings you extraordinary tile and surface possibilities, empowered by vast selections, passionate people, and unmatched engagement.

Bringing design to the surface.