






FRONT VIEW



SIDE VIEW



TOP VIEW




SPECIFICATION SHEET

This shower enclosure shall be model SSS 3636 BF COL RFR .75 right flange. Finished surface shall be of a sanitary grade solid surface. The base shall be attached to the sump in such manner to form an integral part with an inner and outer coating of polyester resin. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.


The unit shall have outside dimensions of 40 1/4" x 39" x 78". The unit shall meet ANSI Z124.1.2, ADA, and ANSI A117.1.

HANDED BY THE VALVE

The enclosure shall be equipped with the following accessories: 1) One 18" x 33 1/2" x 1 1/4" diameter stainless steel horizontal L-grab bar, 2) One 24" x 1 1/4" diameter stainless steel vertical grab bar on the valve wall, both with 1 1/2" statute clearance, mounted with stainless steel bolts, and secured from the rear with 3" x 3" x 11 gauge metal mounting plates, 3) 32" x 21" white padded fold up seat with legs, 4) One inch diameter, 18 gauge stainless steel curtain rod with receiver cups, 5) Recessed receiver flange on seat side wall, 6) Valve package includes: valve, hand held shower set with swivel connector, 60" flex hose, 30" slide bar, vacuum breaker, and wall water outlet-no factory piping, 7) Armor Core Easy Base, 8) 3/4" change of level threshold.



CROSS SECTION OF THRESHOLD



THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 38" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS. THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.


Job Name	Approved By Print Name	Date	COMFORT DESIGNS	
Project No	Approved By Signature		Model No. SSS 3636 BF COL RFR .75	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect		Drawing No. SSS 3636 BF COL RFR .75 SLB VB FHDP CR VP Easy Base	
	Engineer		Date Issued. 1-25-24	Drawing Rev. 3-15-24
	Rep		Material. Solid Surface	
	Wholesaler		Color.	
	Comments		Dimensions are in inches. Due to the nature of the materials dimensions may vary $\pm 1/2$ "	



VALVE PLACEMENT

Model SSS 3636 BF COL RFR .75

SIDE VIEW



NOTE: Plumbing fixture must be tested to 95 PSI for five minutes after installation.


NOTE: No Factory Piping
For Valve Package.

Job Name	Approved By	Name	Date	COMFORT DESIGNS	
Project No	Architect			Model No. SSS 3636 BF COL RFR .75	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Engineer			Drawing No. SSS 3636 BF COL RFR .75 SLB VB FHDP CR VP Easy Base	
	Rep			Date Issued. 1-25-24	Drawing Rev. 3-15-24
	Wholesaler			Material. Solid Surface	
	Comments			Color:	
				Dimensions are in inches. Due to the nature of the materials dimensions may vary $\pm 1/2"$	




BACKING PLACEMENT

Model: SSS 3636 BF COL RFR .75



VALVE SIDE VIEW




ITEM NO.	PART NUMBER	QTY.
1	3636 BF COL RFR	1
2	17" x 31" (CUT FROM 5174DCORR)	3
3	17" x 46" (5174DCORR)	1
4	17" x 15" (5174DCORR)	1
5	8" x 14" x .250 (4848CORR-25)	3
6	34" x 25" x .250 (4848CORR-25)	1
7	34" x 17" x .125 (4848CORR-125)	1
8	36" x 9" x .250 (4848CORR-25)	1
9	18" x 9" x .250 (4848CORR-25)	1
10	7" x 36" x .250 (4848CORR-25)	1
11	6" x 7" x .250 (4848CORR-25)	1

APPLICATION:	THICKNESS:
APPLIED ACRYLIC	18.5 MIL
1ST LAMINATION	60 MIL
CORRUGATED	25 MIL
ARMORCORE	75 MIL
2ND LAMINATION	50 MIL

ALL REINFORCED AREAS TO BE ENCAPSULATED BY SECOND LAMINATION.
OVERALL LAMINATION THICKNESS TOLERANCE: -0/+80 MILS.

SEAT SIDE VIEW



Job Name	Approved By	Name	Date	COMFORT DESIGNS	
Project No	Architect			Model No. SSS 3636 BF COL RFR .75	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Engineer			Drawing No. SSS 3636 BF COL RFR .75 SLB VB FHDP CR VP Easy Base-BP	
	Rep			Date Issued. 1-25-24	Drawing Rev. 3-15-24
	Wholesaler			Material. Solid Surface	
	Comments			Color.	
				Dimensions are in inches. Due to the nature of the materials dimensions may vary $\pm$ 1/2"	