



THREAD DETAIL INFORMATION:	8 THREADS PER INCH	0.125" [3.18] PITCH	45°	FULL DEPTH THREADS
----------------------------	--------------------	---------------------	-----	--------------------



SCALE 1:1


SECTION A-A


REFERENCE	DIMENSION	TOLERANCE	UNITS
Ø E	0.868 [22.05]	±0.010 [0.25]	in [mm]
Ø T	0.955 [24.26]	±0.010 [0.25]	in [mm]
H	0.640 [16.26]	±0.010 [0.25]	in [mm]
OAH	0.690 [17.53]	±0.010 [0.25]	in [mm]
Ø OD	1.060 [26.92]	±0.010 [0.25]	in [mm]
PART WEIGHT	2.00	± 0.20	g

PressureSeal 20

- PressureSeal 20 is an inner seal with a construction of polystyrene foam coated with pressure sensitive adhesive.
- The US FDA does not consider liners applied with pressure sensitive adhesive to be an effective tamper-resistant feature.
- Recommended for use with dry products.
- Available with standard or custom print.

Typical Product Attributes

Construction			
Polystyrene Foam Pressure Sensitive Adhesive		SI (µm)	US (Mils)
Thickness Tolerance		508,0	20.0
Minimum Width		50,8 – 76,2	2.0 – 3.0
Width Tolerance		± 10%	± 10%
		25,4 mm	1.0 in
		± 1,6 mm	± 0.0625 in
Properties			
Oxygen Transmission (O ₂ TR)	Not Tested		
Water Vapor Transmission (WVTR)	Not Tested		
Regulatory Compliance			
FDA Compliance	21 CFR 177.1640 Polystyrene and rubber-modified polystyrene. 21 CFR 177.1210 Closures with sealing gaskets for food containers. 21 CFR 175.125 Pressure-sensitive adhesives.		
Drug Master File (DMF)	002518		
Other Compliances	USFDA Food Allergen Guidelines California Proposition 65 Labeling Requirements Limitations of Heavy Metals in Packaging per CONEG & EU 94/62/EC, Article 11		
Safety Data Sheet (SDS) Statement	Safety Data Sheets (SDS) are not required for articles as defined in 29 CFR 1910.1200, the OSHA Hazard Communication Standard (HazCom). This product is an article as defined by HazCom and is not considered to be, or to contain, a hazardous chemical based on evaluations made by our company.		
Please note that construction does not reflect adhesive or resin bonding layers, if present.			

DISTRIBUTED BY:	REF NO.:
	DWG31072
DESCRIPTION: 24-410 Black PP Plastic Screw Cap, Matte Top, Ribbed Sides with PE .035 Foam & PS304.02	

DISCLAIMER

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

Liner Product Data Sheet

Title: (025)MRPLN01 PE FOAM.035" PL

Description of Product: Three Ply Low Density Polyethylene Liner

Detailed Product Description: This product is a three ply liner consisting of foamed Low Density Polyethylene core between two solid layers of Low Density Polyethylene.



Regulatory Compliance:

- 21 CFR 175.300 Resinous and Polymeric Coatings.
- 21 CFR 177.1210 Closures with sealing gaskets for food containers.
- 21 CFR 177.1520 Olefin Polymers.
- California Proposition 65 Labeling Requirements
- CONEG
- EU 94/62/EC, Article 11

Typical Properties: This specification, designated by Mold-Rite Plastics, includes all liners that meet the typical value data listed below:

Typical Properties	Typical Value
Overall Thickness <ul style="list-style-type: none"> • Solid Polyethylene • Polyethylene Foam • Solid Polyethylene 	0.035 inches +/- 10% <ul style="list-style-type: none"> • - • 0.035 inches • -
Drug Master File	16574
Printed	N/A
Print Color	N/A

DISTRIBUTED BY: 	REF NO.: DWG31072
DESCRIPTION: 24-410 Black PP Plastic Screw Cap, Matte Top, Ribbed Sides with PE .035 Foam & PS304.02	

DISCLAIMER

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.