

Nest™

Porcelain Stone®

Oak Colors



AV351 ▶ Levity Oak



AV352 ▶ Joyous Oak




AV353 ▶ Blissful Oak




AV354 ▶ Mindful Oak



AV355 ▶ Peaceful Oak



AV356 ▶ Slumber Oak



AV357 ▶ Meditative Oak



Nest™

Porcelain Stone®

Olive Colors



AV361 ▶ Levity Olive



AV362 ▶ Joyous Olive



AV363 ▶ Blissful Olive



AV364 ▶ Mindful Olive



AV365 ▶ Peaceful Olive



AV366 ▶ Slumber Olive



AV367 ▶ Meditative Olive



Nest™

Porcelain Stone®

Olive Colors



NBC01 ▶ Levity in Oak and Olive MIX
1 x 6 Mosaics



NBC02 ▶ Joyous in Oak and Olive Mix
1 x 6 Mosaics



NBC03 ▶ Blissful in Oak and Olive Mix
1 x 6 Mosaics



NBC04 ▶ Mindful in Oak and Olive Mix
1 x 6 Mosaics




NBC05 ▶ Peaceful in Oak and Olive Mix
1 x 6 Mosaics



NBC06 ▶ Slumber in Oak and Olive Mix
1 x 6 Mosaics

Features and Benefits

- Nest™ offers a soothing, neutral color palette, all with the sophisticated clean graining of premium wood .
- The two available grains replicate the allure of rough cut oak planks and the simplistic beauty of olive wood
- Both grains are offered in seven distinct colors that compliment the characteristics of each species
- Combine the 1 x 6 sheet mounted mosaics and 3 x 15 planks for a unique parquet look
- Coordinates with Notorious™ for additional design opportunities
- Modular sizes 6 x 36 and 8 x 36 including a flexible 3 x 15 plank
- A trim package with both bullnose and cove base
- Contains a minimum 4 percent pre-consumer third-party recycled content and is Green SquaredSM Certified.
- Made in U.S.A.



NBC07 ▶ Meditative in Oak and Olive Mix
1 x 6 Mosaics



NBC08 ▶ Levity, Blissful, and Mindful in Olive Mix
1 x 6 Mosaics



Nest™

Porcelain Stone®

Sizes UPS Finish, available in all colors



1 x 6 Mosaics
(shown in NBC02)
UPS Finish,
8 colors available
Mesh mounted on a
297mm x 297mm sheet

Sizes & Finishes

Field Tile

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
3 x 15	72 x 372	10.5	UPS
6 x 36	147 x 897	10.5	UPS
8 x 36	197 x 897	10.5	UPS

Note: All field tile is rectified and modular with a minimum 3mm grout joint.
Actual measurements stated in inches indicate tile is calibrated (non-rectified).
Actual measurements stated in mm indicated tile is rectified.

Mosaics

Available in 8 colors

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
1 x 6 Mosaics	297 x 297	10.5	UPS

Mesh mounted on a 297mm x 297mm sheet.

Coordinating Trim

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 18 Single Bullnose	147 x 447	10.5	UPS
6 x 12 Cove Base (Olive only)	150 x 297	10	UPS



6 x 18 Single Bullnose



6 x 12 Cove Base
(Olive only)

Product Performance


Breaking Strength	>500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.20%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction

UPS	.42 – .52	AcuTest SM
-----	-----------	-----------------------

Shade & Texture Index

Nest™ has a shade variation of V3.



This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.



Recommended Use

Nest™ is recommended for interior floors, walls, counter tops and exterior walls in both residential and commercial applications. If offset pattern is required for tiles 18 inches or longer, Crossville® recommends an offset of not greater than 33%. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage. See CrossvilleInc.com for detailed installation instructions.

Care and Maintenance

Regular cleaning is the best way to keep Nest tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More Information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.



AV355 ▶ Peaceful Oak 6 x 36 on floor
NBC05 ▶ Peaceful in Oak and Olive Mix 1 x 6
 Mosaics on shower floor
AV354 ▶ Mindful Oak 6 x 36 on wall

Hydrotect™

Our porcelain tiles are available with Hydrotect™. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.



EcoCycle Tile Process™

Nest™ contains a minimum of 4 percent pre-consumer recycled content and is manufactured by Crossville® using processes that recycle nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling, Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit CrossvilleInc.com/green.

Green SquaredSM Certified

Crossville® has earned Green SquaredSM certification from the Tile Council of North America (TCNA) for its entire U.S.-manufactured porcelain product line-up, as well as its manufacturing processes. The company is among the first ever recipients of this certification standard for the tile industry. TCNA developed the Green Squared certification under American National Standards Institute (ANSI) process. The multi-attribute program (ANSI A138.1) scores products in five categories of performance: product characteristics, manufacturing, corporate governance, innovation and end-of-life. Crossville's certified products and processes received stringent evaluation from Scientific Certification Systems (SCS), the green building industry's longest standing third-party certifier.

National Accounts

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

Exterior Cladding

Crossville's Porcelain Stone® Exterior Cladding Systems are suitable for virtually any conventional masonry application. When used in conjunction with our exterior cladding systems, Crossville's Porcelain Stone offers clear advantages: decreased construction costs, less site disturbance, low-to-zero maintenance after installation, accelerated construction schedules and greater strength than traditional masonry.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

▶▶ Crossville® Sample Express

Sample fulfillment & Help Line
Samples@CrossvilleInc.com
 1 800 221.9093

Loose Samples for
 Architects & Designers

Loose Tile Samples
 Sizes may vary depending on product series
 Max. of 4 large field tile per order

Replacement Chips for PSS Rack
 Max. of 5, 2 x 2 chips per color

Standard Shipping
 UPS Ground

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Trade Organizations



Environmentally Aware

