



2023 | 2ND QUARTER
SALES FLYER

WELDING SPOTLIGHT

CONTRACTORS | FABRICATORS | MANUFACTURERS | MAINTENANCE/REPAIR/OPERATIONS | VENDING/VMI



Hands On, Heads Up,
Hearts In.

Driven by an intense customer focus & an uncompromising desire to be the best industrial supplier on the planet, we bring profound product expertise & a wholehearted commitment to keep your projects turning.



**Absolute
Accuracy**



**Top
Speed**



**Always
Available**

OSHA NATIONAL EMPHASIS PROGRAM ON OUTDOOR AND INDOOR HEAT HAZARDS



OSHA is launching a targeted program to protect workers across the nation from the increasing threats of heat-related illness.

The Occupational Safety and Health Administration (OSHA) has announced a National Emphasis Program (NEP) focused on heat hazards, effective April 8, 2022. Under the NEP, OSHA will be conducting proactive inspections for heat-related hazards—in both outdoor and indoor work environments. It thus behooves employers to ensure they have implemented appropriate safety measures to protect employees from such hazards before potentially coming under OSHA's heat lamp spotlight.

- The NEP creates, for the first time, a nationwide enforcement mechanism for OSHA to proactively inspect workplaces for heat-related hazards in general industry, maritime, construction, or agriculture operation alleging hazardous exposures to heat (outdoors and/or indoors). This means that OSHA can now launch heat-related inspections on high-risk worksites before workers suffer preventable injuries, illnesses, or fatalities.
- The NEP encourages employers to protect workers from heat hazards by providing employee access to water, rest, shade, adequate training, and implementing acclimatization procedures for new or returning employees. It contains both enforcement and outreach/compliance assistance components.
- The NEP establishes heat priority days when the heat index is expected to be 80°F or higher.
- On heat priority days: OSHA will initiate compliance assistance in the targeted high-risk industries.
- OSHA will also continue to inspect any alleged heat-related fatality/catastrophe, complaint, or referral regardless of whether the worksite falls within a targeted industry of this NEP.
- OSHA will conduct programmed (pre-planned) inspections in targeted high-risk industries on any day that the National Weather Service has announced a heat warning or advisory for the local area.

- OSHA also recognizes that many businesses want to do the right thing by developing heat illness prevention plans to keep their employees safe.
- On heat priority days, OSHA field staff will engage in proactive outreach and technical/compliance assistance to help keep workers safe on the job.

PACKER FASTENER WATER #PK-WATER.5

- 20 oz - 24 pack
- More refreshing than Fiji
- Smooth as all-get-out!
- The best water on Earth

\$8.99/case



**ARE YOU
PREPARED?**

**DRINK
UP!**

Offers valid while supplies last. All products may not be available in all stores. Sale price does not include applicable state/local taxes. The information contained in this promotion is for information purposes only, not for sales, and is subject to change at any time without notice. Certain items may be restricted for sale in certain states. Packer Fastener is not responsible for lost, stolen, misdirected or undeliverable mail and reserve the right to correct any errors and/or omissions in an offer and fulfill such offers as intended. Packer Fastener™ is a proprietary mark of Packer Fastener and Supply LLC. All other marks are the property of their respective owners. © 2023 Packer Fastener and Supply LLC.

HYDRATION STATION



SQUINCHER

SUGAR-FREE QWIK STIK
0.11 OZ. TUBE, YIELDS 20 OZ.

Orange | #468-690-060100-OR
Mixed Berry | #468-690-060101-MB
Fruit Punch | #468-690-060102-FP
Grape | #468-690-060107-GR
Lemonade | #468-690-060103-LA

\$0.38/ea.



POWDER CONCENTRATE, 5 GAL.

Cool Citrus | #468-690-159016402
Orange | #468-690-159016404
Cherry | #468-690-159016401

\$7.49/ea.

- Blend of electrolytes and minerals to replenish what is lost through sweat



5-GALLON WATER COOLER

#468-385-48153 | **\$79.99/ea.**

10-GALLON WATER COOLER

#468-385-48154 | **\$123.49/ea.**



EZ-COOL MAX COOLING TOWEL

Hi Vis Lime | #314-83981
Camo | #314-83982
Navy | #314-83983
Pink | #314-83984

\$6.99/ea.



COOLING BANDANAS

Blue | #314-21182
Camo | #314-26495
Khaki | #314-26493
Navy | #314-26492
Patriot Flag | #314-26542

\$1.99/ea.



DRILL BITS

*** 1/2 REDUCED SHANK SILVER & DEMING DRILL BITS ▼**

PART NUMBER	DESCRIPTION
#EC951	33/64"
#EC952	17/32"
#EC9521	35/64"
#EC953	9/16"
#EC954	37/64"
#EC955	19/32"
#EC956	39/64"
#EC957	5/8"
#EC958	41/64"
#EC959	21/32"
#EC960	43/64"
#EC961	11/16"
#EC962	45/64"
#EC963	23/32"
#EC964	47/64"
#EC965	3/4"
#EC966	49/64"
#EC967	25/32"
#EC968	51/64"
#EC969	13/16"
#EC970	53/64"
#EC971	27/32"
#EC972	55/64"
#EC973	7/8"
#EC974	57/64"
#EC975	29/32"
#EC976	15/16"
#EC977	61/64"
#EC978	31/32"
#EC979	63/64"
#EC980	1"
#EC891	1-1/16"
#EC984	1-1/8"
#EC985	1-3/16"
#EC988	1-1/4"
#EC898	1-5/16"
#EC9898	1-3/8"
#EC9904	1-7/16"
#EC991	1-1/2"



8 PIECE INDEX - 9/16 TO 1"
BY 1/16THS - METAL INDEX
#337-SDBB50449A

\$271.26/ea.



33 PIECE INDEX - 1/2 TO 1" BY
1/64THS - METAL STAND
#337-SDBB50450

\$995.77/ea.



Featured Item.
Ask your local Sales
Representative for
more details.



CUTTING

DIABLO STEEL DEMON 4-1/2 CORNER EDGE FLAP DISC - 40 GRIT TYPE 29 CONICAL DESIGN

#384-DCC045040N01F

- Premium Zirconium Blend - a superior quality formulation designed for fast material removal and long sanding life
- Corner Edge Design - an unique rounded edge for maximum performance and accessibility to reach the most difficult grinding areas
- Up to 10X faster material removal than a grinding wheel

\$18.39/ea.



BIT SETS

PART NUMBER	DESCRIPTION	PRICE
#384-DSC-S14	Diablo - 14 piece Insert Bit Set	\$16.69/ea.
#384-DSC-S24	Diablo - 24 piece Insert Bit Set	\$22.19/ea.
#384-DSC-S45	Diablo - 45 piece Insert Bit Set	\$26.79/ea.

- Extreme durability and impact resistance for up to 50X longer life
- Bit tip design reduces wear, minimizes breakage and prevents slippage



RECIP BLADES

PART NUMBER	DESCRIPTION	PRICE
#384-DS0606CWS3	Carbide Reciprocating Blades Demo Demon for Nail Embedded Wood - 6" -5/7 TPI - 3 pack	\$23.69/ea.
#384-DS0606CWS10	Carbide Reciprocating Blades Demo Demon for Nail Embedded Wood - 6" -5/7 TPI - 10 pack	\$70.79/ea.
#384-DS0906CWS3	Carbide Reciprocating Blades Demo Demon for Nail Embedded Wood - 9" -5/7 TPI - 3 pack	\$33.49/ea.

- Variable Tooth Design | Faster cuts with less vibration in nail-embedded wood



PART NUMBER	DESCRIPTION	PRICE
#384-DS0609CGP3	Carbide Reciprocating Blade - Demo Demon for General Purpose - 6" - 6/9 TPI - 3 pack	\$25.99/ea.
#384-DS0609CGP10	Carbide Reciprocating Blade - Demo Demon for General Purpose - 6" - 6/9 TPI - 10 pack	\$79.99/ea.
#384-DS0909CGP10	Carbide Reciprocating Blade - Demo Demon for General Purpose - 9" - 6/9 TPI - 10 pack	\$107.99/ea.
#384-DS1209CGP10	Carbide Reciprocating Blade - Demo Demon for General Purpose - 12" - 6/9 TPI - 10 pack	\$139.99/ea.

- Carbide tooth design for up to 50X cutting life in wood and metal applications



* CIRCULAR SAW BLADES

PART NUMBER	DESCRIPTION
#384-D0624X	6-1/2 Circular Saw Blade - Framing - 24 teeth - 5/8 arbor
#384-D0624DA	6-1/2 Circular Saw Blade - Ultra Thin Framing/Demolition - 24 teeth - 5/8 arbor
#384-D0632GPX	6-1/2 Circular Saw Blade - Wood & Metal - 32 teeth - 5/8 arbor
#384-D0648CFX	6-1/2 Circular Saw Blade - Steel Demon - 48 teeth - 5/8 arbor
#384-D0660F	6-1/2 Circular Saw Blade - Mild Steel - 60 teeth - 5/8 arbor
#384-D0654N	6-1/2 Circular Saw Blade - Alum., Brass & Plastic - 564 teeth - 5/8 arbor



- Super-Density Micro-Grain Carbide | Extreme cutting life | Clog free

Featured Item. Ask your local Sales Representative for more details.

* FLOORBOARD SCREWS



PART NUMBER	DESCRIPTION
#CB507	1/4-20 x 1" - Flat Head Torx Drive - Black Phos.
#CB508	1/4-20 x 1-1/4" - Flat Head Torx Drive - Black Phos.
#CB509	1/4-20 x 1-1/2" - Flat Head Torx Drive - Black Phos.
#CB510	1/4-20 x 1-3/4" - Flat Head Torx Drive - Black Phos.
#CB511	1/4-20 x 2" - Flat Head Torx Drive - Black Phos.
#CB512	1/4-20 x 2-1/4" - Flat Head Torx Drive - Black Phos.
#CB513	1/4-20 x 2-1/2" - Flat Head Torx Drive - Black Phos.
#CB514	1/4-20 x 3" - Flat Head Torx Drive - Black Phos.
#CB515	1/4-20 x 3-1/2" - Flat Head Torx Drive - Black Phos.
#CB516	1/4-20 x 4" - Flat Head Torx Drive - Black Phos.
#CB517	1/4-20 x 5" - Flat Head Torx Drive - Black Phos.
#CB518	1/4-20 x 6" - Flat Head Torx Drive - Black Phos.
#CB533	5/16-18 x 1" - Flat Head - Torx Drive - Black Phos.
#CB534	5/16-18 x 1-1/4" - Flat Head - Torx Drive - Black Phos.
#CB535	5/16-18 x 1-1/2" - Flat Head - Torx Drive - Black Phos.
#CB536	5/16-18 x 1-3/4" - Flat Head - Torx Drive - Black Phos.
#CB537	5/16-18 x 2" - Flat Head - Torx Drive - Black Phos.
#CB538	5/16-18 x 2-1/4" - Flat Head - Torx Drive - Black Phos.
#CB539	5/16-18 x 2-1/2" - Flat Head - Torx Drive - Black Phos.
#CB540	5/16-18 x 3" - Flat Head - Torx Drive - Black Phos.
#CB541	5/16-18 x 3-1/2" - Flat Head - Torx Drive - Black Phos.
#CB542	5/16-18 x 4" - Flat Head - Torx Drive - Black Phos.
#CB543	5/16-18 x 5" - Flat Head - Torx Drive - Black Phos.
#CB544	5/16-18 x 6" - Flat Head - Torx Drive - Black Phos.

Don't forget:

Use a 7/32 drill bit when drilling into STEEL for a 1/4-20 Floorboard Screw, #EC730 (Jobber Length) or #EC138 (Mechanics Length)
 Use a 13/64 drill bit when drilling into ALUM. for a 1/4-20 Floorboard Screw, #EC729 (Jobber Length) or #EC137 (Mechanics Length)
 Use a 9/32 drill bit when drilling into STEEL for a 5/16-18 Floorboard Screw, #EC734 (Jobber Length) or #EC142 (Mechanics Length)
 Use a 1/4 drill bit when drilling into ALUM. for a 5/16-18 Floorboard Screw, #EC732 (Jobber Length) or #EC140 (Mechanics Length)

Use a T30 Torx Bit for 1/4 Floorboard Screws, #FA507 (1/4 Hex Shank)

Use a T40 Torx Bit for 5/16 Floorboard Screw, #FA509 (1/4 Hex Shank) or #FA5092 (5/16 Hex Shank)

* ELECTRICAL TAPE & CHEMICALS



PART NUMBER	DESCRIPTION
#FC239	Standard - 3/4 x 60' - BLACK
#FC240	Premium - 3/4 x 66' - BLACK
#FC230	3M 33+ - 3/4 x 66' - BLACK
#FC231	3M 35 - 3/4 x 66' - RED
#FC232	3M 35 - 3/4 x 66' - ORANGE
#FC233	3M 35 - 3/4 x 66' - BLUE
#FC234	3M 35 - 3/4 x 66' - GREEN
#FC235	3M 35 - 3/4 x 66' - WHITE
#FC2351	3M 35 - 3/4 x 66' - YELLOW
#FC2352	3M 35 - 3/4 x 66' - BROWN

DIELECTRIC GREASE

5 oz Tube, #H73187 | **\$37.59/ea.**

BRUSH ON ELECTRICAL TAPE

Black - 4 oz brush top, #H73191 | **\$12.89/ea**

GUNK ELECTRIC MOTOR CONTACT CLEANER

20 oz aerosol, #267-NM1 | **\$5.79/ea.**

CRC BATTERY CLEANER

11 oz aerosol, #FC253 | **\$9.99/ea.**



Featured Item.
Ask your local Sales Representative for more details.

OTHER FASTENERS

RUBBER TARP STRAPS

PART #	DESCRIPTION	PRICE
#TL-03100	9"	\$0.99/ea.
#TL-03101	15"	\$1.29/ea.
#TL-03102	21"	\$1.69/ea.

- Heavy duty performance for all-around use



* CABLE TIES

PART #	DESCRIPTION
#FC121	4" - 18 lbs. - Natural
#FC123	5" - 40 lbs. - Natural
#FC125	7" - 50 lbs. - Natural
#FC125	11" - 50 lbs. - Natural
#FC129	14" - 50 lbs. - Natural
#FC131	15" - 120 lbs. - Natural
#FC133	24" - 175 lbs. - Natural
#FC13405	36" - 175 lbs. - Natural
#FC1343	48" - 175 lbs. - Natural
#FC122	4" - 18 lbs. - Black
#FC124	5" - 40 lbs. - Black
#FC126	7" - 50 lbs. - Black
#FC128	11" - 50 lbs. - Black
#FC130	14" - 50 lbs. - Black
#FC132	15" - 120 lbs. - Black
#FC134	24" - 175 lbs. - Black
#FC1340	36" - 175 lbs. - Black
#FC1342	48" - 175 lbs. - Black

MINI HOSE CLAMP

PART #		PRICE
#FB002	#4 - 7/32" to 5/8" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$0.99/ea.
#FB003	#6 - 7/16" to 25/32" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$1.09/ea.
#FB0031	#8 - 1/2" to 29/32" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$1.09/ea.
#FB0032	#10 - 9/16" to 1-1/16" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$1.89/ea.
#FB0033	#12 - 11/16" to 1-1/4" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$1.89/ea.
#FB004	#16 - 15/16" to 1-1/2" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$1.89/ea.
#FB0041	#20 - 1-3/16" to 1-3/4" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$1.99/ea.
#FB005	#24 - 1-7/16" to 2" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$2.09/ea.
#FB006	#28 - 1-11/16" to 2-1/4" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$2.09/ea.
#FB007	#32 - 1-15/16" to 2-1/2" Range - 5/16" Band Width - 1/4" Carbon Steel Slotted Hex Head Screw	\$2.29/ea.



Storage option for your cable ties:

CABLE TIE RACK 18-3/16" W x 12-5/16" D x 3" H WALL MOUNTABLE #DUR-298-95

- All steel construction
- Each compartment is supplied with a removable divider to create from 5 to 10 compartments
- 4 different compartment heights allow for the storage of different length cable ties

\$79.99/ea.



CABLE TIE TOOL #H20609


- Inexpensive alternative to heavy duty tool allowing user to save money
- Use with HellermannTyton ties up to 0.19" wide for a variety of available options
- Lightweight design reduces operator fatigue
- Simply twist to cut for reduced effort.

\$7.99/ea.



* CABLE TIE MOUNTING BASE

PART #	
#FC136	3/4" x 3/4" - Natural - #4 Mounting Hole
#FC136B	3/4" x 3/4" - Black - #4 Mounting Hole
#FC137	1" x 1" - Natural - #6 Mounting Hole
#FC1375	1" x 1" - Black - #6 Mounting Hole



- Adhesive
- Saves time

Featured Item.
Ask your local Sales
Representative for
more details.**

SAFETY PPE

CUT RESISTANT GLOVES

PART NUMBER	SIZE	PRICE
#314-59470	XS	\$11.59/ea.
#314-59469	SMALL	\$11.59/ea.
#314-59468	MEDIUM	\$11.59/ea.
#314-59467	LARGE	\$11.59/ea.
#314-59471	XL	\$11.59/ea.
#314-59472	2XL	\$11.59/ea.
#314-63404	3XL	\$11.59/ea.



- MaxiFlex Cut | 15 Gauge | ANSI Cut Level A2
- Touch Screen Compatible
- Seamless Knit GREEN Yarn
- Nitrile Coated Microfoam Grip on Palm & Fingers

DISPOSABLE NITRILE GLOVES

PART NUMBER	SIZE	PRICE
#314-96528	SMALL	\$17.99/box
#314-96506	MEDIUM	\$17.99/box
#314-96498	LARGE	\$17.99/box
#314-98366	XL	\$17.99/box
#314-93580	2XL	\$17.99/box



- Powder-Free | Clean comfort a superior tactile sensitivity
- Industry Grade - For non-medical use

SUPERDEX FULL DIP GLOVES

PART NUMBER	SIZE	PRICE
#306-3228HVY/XS	XS	\$1.59/ea.
#306-3228HVY/S	S	\$1.59/ea.
#306-3228HVY/M	M	\$1.59/ea.
#306-3228HVY/L	L	\$1.59/ea.
#306-3228HVY/X1	XL	\$1.59/ea.
#306-3228HVY/X2	2XL	\$1.59/ea.



- Micro foam Nitrile palm
- High visibility yellow nylon shell

RIMLESS SAFETY GLASSES GRAY FRAME

#314-85802

- Clear Lens, Foam padding, Anti-Scratch/Anti-Fog
- Lightweight, comfortable foam-sealed design keeps out dust & airborne particles
- Flexible co-injected temples provide a secure fit
- Non-slip rubber nose pads
- Meets ANSI Z87.1+

\$6.99/ea.



SEMI-RIMLESS SAFETY GLASSES BLACK FRAME

#314-52855

- Gray Lens and Anti-Scratch/Anti-Fog
- Lightweight, semi-rimless design
- Bayonet temples with flexible rubber tips offer a comfortable, secure fit
- Soft rubber nose pads help keep the glasses in place
- Supplied with an adjustable neck cord
- 9 Base curve lens
- Meets ANSI Z87.1+

\$5.59/ea.




RIMLESS SAFETY GLASSES CLEAR TEMPLE

#314-63846

- Clear Lens & Anti-Scratch/Anti-Fog
- Lightweight, rimless design provides all day user comfort
- Universal fit nose bridge, with soft nose pads
- TPR temple end inserts for excellent grip
- 9.5 Base curve lens offers wide and unobstructed vision

\$4.99/ea.



SEMI-RIMLESS SAFETY GLASSES BLACK FRAME

#314-40655

- Clear Lens and Anti-Scratch
- Lightweight, semi-rimless design
- Bayonet temples with flexible rubber tips offer a comfortable, secure fit
- Soft rubber nose pads help keep the glasses in place
- Supplied with an adjustable neck cord
- 9 Base curve lens
- Meets ANSI Z87.1+

\$4.99/ea.



RIMLESS SAFETY GLASSES CLEAR TEMPLE

#314-6961

- Clear Lens and Anti-Scratch
- Lightweight, rimless design provides all day user comfort

- Molded nose bridge design
- Variety of lenses available to fit your application
- 10 Base curve lens
- Meets ANSI Z87.1+
- Meets CSA Z94.3

\$2.49/ea.





2023 | 2ND QUARTER
SPOTLIGHT

WELDING



Hobart Welding Products has spent decades designing, testing and manufacturing a full line of welding and cutting products that are industrial quality and easy to use. Whether you're in production, farming, maintenance, auto repair, or a do-it-yourselfer, Hobart has a product that fits your needs.

We offer a full line of welding accessories, from auto-darkening helmets with state-of-the-art graphics, rod and wire, hardware, to tools and more.

Contact your local Packer Fastener Sales Representative today!





WELDERS & GENERATORS

STICKMATE 160i STICK WELDER

#511-500570

- Dependable, portable, powerful, DC stick welder
- It offers 120V or 240V input power capability, welds up to 3/8" material with up to 160 amps of output power

INCLUDES: 10 ft. (3 m) electrode cable with heavy-duty holder | 10 ft. (3 m) work cable with clamp | 6.5 ft. (2 m) power cord with MVP™ adapters for 120 V and 240 V

\$459.99/ea.



IRONMAN 240 MIG WELDER

Machine Only
#511-500574

\$1,959.99/ea.



WELDER WITH SPOOLRUNNER 200

#511-500574001

\$2,579.99/ea.



- A powerful wire feed welder that delivers professional results with superior arc quality
- Runs on 240V input power, welds up to 1/2 in. mild steel, spool gun ready for aluminum

INCLUDED: 15 ft. 200-amp MIG Welding gun | Regulator/flow gauge 5 ft. gas hose | Primary input cable with plug | Dual-groove drive roll - .030/.035 in. | 10 ft. work cable with clamp | .030 and .035 contact tips | Built-in running gear/cylinder rack | Set-up and parts info chart

HANDLER 100

#511-500572

- A perfect wire feed welder for the beginner or personal user
- Runs on 115v input power, welds up to 3/16 in. Mild steel and is flux-cored only.

\$259.99/ea.



HANDLER 125

#511-500573

- A reliable, portable wire feed welder that is perfect for a variety of projects
- Runs on 120v input power, welds up to 3/16 in. Mild steel, and is MIG capable with a built-in gas valve

\$399.99/ea.



HANDLER 140 115VAC 60HZ W/HOSE, REGULATOR

#511-500559

- A durable, portable wire feed welder that's great for auto repair, home or farm projects
- Runs on 115v input power, welds up to 1/4 in. Mild steel and is flux-cored or MIG ready

\$679.99/ea.



HANDLER 190 230VAC 60HZ

#511-500554

- An industrial performance welder that is spool gun ready for aluminum
- Runs on 230v input power, welds up to 5/16 in. Mild steel and is flux-cored or MIG ready

\$869.99/ea.



HANDLER 190 MIG WELDER WITH SPOOLRUNNER 100

#511-500554001

- Industrial performance welder
- 230v capable
- A quick, easy-to-setup, reliable, durable flux-core & MIG
- Welds up to 5/16", and up to 190a output power
- Includes SpoolRunner 100 for welding with aluminum

\$1,076.99/ea.



HANDLER 210MVP MIG WELDER

#511-500553

- A versatile wire feed welder capable of operating on either 115v or 230v input power
- Welds up to 3/8 in. Mild steel, spool gun ready for aluminum and is flux-cored or MIG ready

\$1,079.99/ea.

NEW!**MULTI-HANDLE 200
MULTIPROCESS
WELDER**

#511-500578



- Multiprocess welder includes MIG, Flux cored, Stick, and DC TIG processes in one machine
- Weld materials up to 3/8"

INCLUDES: Comfortable 10 ft. (3m) HR-100 gun | 10 ft. (3 m) electrode cable with heavy-duty holder | 10 ft.(3m) work cable with clamp | Power cord and MVP plugs for 120 and 240 V | Built-in gas solenoid valve and dual-gauge regulator with gas hose | Sample spool of .030 in. (.08 mm) solid wire | Quick Select (TM) drive roll for .024 in (0.6mm) or .030/.035 in. (.08/0.9 mm) solid wire, and .030/.035 in. (.08/0.9 mm) flux-cored wire | .030 and .035 contact tips | Material Thickness Gauge | Insulator nozzles (#4,#5,#6), collet, collet body, electrode with 1/16 and 3/32 in. tungsten | 12.5 ft. (3.8 m) TIG torch with backcap, nozzle

\$1,389.99/ea.**AIRFORCE 12ci
120V 1PH 60HZ W/AIR COMP
PLASMA CUTTER | #511-500564**

- The Airforce 12ci with built-in air compressor runs on 120v input power | Clean cuts 1/8" steel

\$969.99/ea.**AIRFORCE 27i 120/240V 1PH
W/ XT30R TORCH
PLASMA CUTTER | #511-500575**

- The Airforce 27i with MVP (multi-voltage plug) technology Use on 120 v or 240 v input power | Clean cuts 3/8" steel

\$1,499.99/ea.**AIRFORCE 40i
240V 1PH W/ XT40R TORCH
PLASMA CUTTER | #511-500576**

- Runs on 120 & 240 Volt input power | Clean cuts 5/8" steel

\$1,899.99/ea.**CHAMPION 145
RECOIL STICK
WELDER/GENERATOR**

#511-500563



- For those who occasionally need and/or desire to weld, this stick welder/generator offers an all-in-one solution for portable power and welding, up to 4,500 watts and 400 watts continuous power
- Briggs & Stratton Intek engine, No need for you to take breaks to fill up the tank

\$2,309.99/ea.**CHAMPION ELITE 225
STICK WELDER
/GENERATOR**

#511-500562



- The heavy-duty, all-in-one welder/generator combines an 11,000-watt generator with a 225-amp dc welder
- Designed for stick welding with quick and easy arc starts

\$4,739.99/ea.**CHAMPION ELITE 260
STICK WELDER
/GENERATOR**

#511-500577



- Combining a 260-amp DC welder with an 11,000-watt generator, the Champion Elite 260 is ideal for farm/ranch, general construction, and maintenance/repair. Designed with 15 percent more weld power (compared to the Champion Elite 225) for DC stick welding with quick and easy arc starts, the Champion Elite 260 also performs general scratch-start DC TIG. Unit is capable of producing power while welding so you can run other jobsite tools, such as lights or grinders, simultaneously.

\$5,169.99/ea.**MEDIUM DUTY OUTFITS,
CUTTING & WELDING,
OXY/ACETYLENE**

#511-770502



INCLUDES: 1 Brass Torch Handle with Check Valves | 1 Brass Cutting Attachment with Stainless Steel Tube and Lever | 1 #0 Cutting Tip (cuts up to 1/2") | 1 #0 Welding Tip (welds up to 3/32") | 1 Set of Optional Torch Mounted Flashback Arrestors (Oxy + Fuel) | 1 Oxy / Acetylene Goggle - Flip Front 2" x 4-1/4" #5 Shade | 1 Brass Oxygen Compressed Gas Regulator w/ 2" Gauges & T-handles | 1 Brass Acetylene Compressed Gas Regulator w/ 2" Gauges & T-handles | 1 Tip Cleaner and Spark Lighter | 1 10-Way Tank Wrench | 1 Single Flint Striker | 1 3/16" x 20ft. Oxy-Acetylene Twin Hose (T Grade)

\$219.79/ea.**HEAVY DUTY OUTFIT,
VICTOR STYLE,
OXY/ACETYLENE**

#511-770974



INCLUDES: HD Torch Handle with Check Valve, 300 Victor Style HD Cutting Attachment | Cutting Tip 0-1-101 Victor Style (cuts 1/2" thick steel) | Cutting Tip 1-1-101 Victor Style (cuts 3/4" thick steel) | Cutting Tip 2-1-101 Victor Style (cuts 1 1/2" thick steel) | Heating Tip 8-MFA Victor Style | Welding Tip 2-W Victor Style (welds 1/8" thick steel) HD Oxygen Regulator CGA 540 (2900 psig) | HD Fuel Regulator CGA 510 (218 psig) | Others Stainless-Finish Case, 20ft x 1/4" T-Grade Hose, Flip Front Goggle, Striker, Tip Cleaner | O-Ring Set for Cutting Attachment, Replacement

\$369.19/ea.**TAG-A-LONG OUTFIT,
OXY/ACETYLENE**

#511-770500



INCLUDES: 1 Torch Handle | 1 Cutting Attachment | 1 Oxygen Regulator | 1 Acetylene Regulator | 1 Welding Tip #0 | 1 Cutting Tip #0 112.5 ft. x 3/16 in. ID "T" Grade Twin Hose (B Fittings) For all Gases | 1 Pair of Goggles | 1 Striker | 1 Plastic Carrier | 1 Acetylene Key Wrench | 1 Oxygen Cylinder (ships empty) | 1 Acetylene Cylinder (ships empty) 1 Set of Instructions

\$419.99/ea.

STICK ELECTRODES



PART NUMBER	DESCRIPTION	PRICE/Pack
#511-770832	6010 - 3/32" Stick Electrode - 5 lb	\$25.⁹⁹/ea.
#511-770833	6010 - 1/8" Stick Electrode - 5 lb	\$25.²⁹/ea.

#511-H112216-R01	6011 - 1/16" Stick Electrode - 1 lb	\$9.¹⁹/ea.
#511-H112232-R01	6011 - 3/32" Stick Electrode - 1 lb	\$5.⁷⁹/ea.
#511-770458	6011 - 3/32" Stick Electrode - 10 lb	\$36.⁹⁹/ea.
#511-H112244-R01	6011 - 1/8" Stick Electrode - 1 lb	\$5.³⁹/ea.
#511-770459	6011 - 1/8" Stick Electrode - 5 lb	\$19.²⁹/ea.
#511-770460	6011 - 1/8" Stick Electrode - 10 lb	\$37.⁵⁹/ea.
#511-770457	6011 - 1/8" Stick Electrode - 25 lb	\$97.⁷⁹/ea.
#511-770462	6011 - 5/32" Stick Electrode - 5 lb	\$18.⁶⁹/ea.
#511-770463	6011 - 5/32" Stick Electrode - 10 lb	\$36.¹⁹/ea.
#511-770461	6011 - 5/32" Stick Electrode - 25 lb	\$83.⁷⁹/ea.

#511-H117119-RDP	6013 - 1/16" Stick Electrode - 1 lb	\$6.⁸⁹/ea.
#511-H117125-RDP	6013 - 5/64" Stick Electrode - 1 lb	\$6.⁸⁹/ea.
#511-H117132-R01	6013 - 3/32" Stick Electrode - 1 lb	\$5.⁴⁹/ea.
#511-770466	6013 - 3/32" Stick Electrode - 5 lb	\$19.¹⁹/ea.
#511-770467	6013 - 3/32" Stick Electrode - 10 lb	\$38.²⁹/ea.
#511-H117144-R01	6013 - 1/8" Stick Electrode - 1 lb	\$4.⁹⁹/ea.
#511-770469	6013 - 1/8" Stick Electrode - 5 lb	\$17.⁸⁹/ea.
#511-770470	6013 - 1/8" Stick Electrode - 10 lb	\$36.⁹⁹/ea.
#511-770468	6013 - 1/8" Stick Electrode - 25 lb	\$87.⁸⁹/ea.
#511-770472	6013 - 5/32" Stick Electrode - 5 lb	\$19.¹⁹/ea.
#511-770473	6013 - 5/32" Stick Electrode - 10 lb	\$36.⁸⁹/ea.
#511-770471	6013 - 5/32" Stick Electrode - 25 lb	\$89.³⁹/ea.

#511-H114216-R01	7014 - 1/16" Stick Electrode - 1 lb	\$10.¹⁹/ea.
#511-H114232-R01	7014 - 3/32" Stick Electrode - 1 lb	\$5.⁵⁹/ea.
#511-H114244-R01	7014 - 1/8" Stick Electrode - 1 lb	\$5.⁸⁹/ea.
#511-770464	7014 - 1/8" Stick Electrode - 5 lb	\$19.¹⁹/ea.
#511-770465	7014 - 1/8" Stick Electrode - 10 lb	\$37.²⁹/ea.

PART NUMBER	DESCRIPTION	PRICE/Pack
#511-770484	7014 - 5/32" Stick Electrode - 5 lb	\$17.⁸⁹/ea.
#511-770485	7014 - 5/32" Stick Electrode - 10 lb	\$34.⁵⁹/ea.

#511-H119916-R01	7018 - 1/16" Stick Electrode - 1 lb	\$11.⁹⁹/ea.
#511-770482	7018 - 3/32" Stick Electrode - 5 lb	\$20.⁶⁹/ea.
#511-770476	7018 - 3/32" Stick Electrode - 10 lb	\$39.⁵⁹/ea.
#511-H119944-R01	7018 - 1/8" Stick Electrode - 1 lb	\$6.²⁹/ea.
#511-770478	7018 - 1/8" Stick Electrode - 5 lb	\$19.¹⁹/ea.
#511-770479	7018 - 1/8" Stick Electrode - 10 lb	\$37.⁰⁹/ea.
#511-770477	7018 - 1/8" Stick Electrode - 25 lb	\$96.⁷⁹/ea.
#511-770480	7018 - 5/32" Stick Electrode - 5 lb	\$18.⁰⁹/ea.
#511-770481	7018 - 5/32" Stick Electrode - 10 lb	\$36.¹⁹/ea.

#511-770834	7018 XLM - 3/32" Stick Electrode - 10 lb HSC	\$45.⁴⁹/ea.
#511-770835	7018 XLM - 1/8" Stick Electrode - 10 lb HSC	\$43.³⁹/ea.

#511-H119832-R01	7018AC - 3/32" Stick Electrode - 1 lb	\$6.⁷⁹/ea.
#511-H119844-R01	7018AC - 1/8" Stick Electrode - 1 lb	\$6.⁸⁹/ea.
#511-770474	7018AC - 1/8" Stick Electrode - 5 lb	\$19.⁰⁹/ea.
#511-770475	7018AC - 1/8" Stick Electrode - 10 lb	\$36.⁶⁹/ea.

#511-H722844-RDP	4043 - 1/8" Aluminum Stick Electrode - Qty 10	\$12.²⁹/ea.
#511-H722830-RDP	4043 - 3/32" Aluminum Stick Electrode - Qty 10	\$11.⁷⁹/ea.

#511-H500531-RDP	Nickel 99 - 3/32" Stick Electrode - Qty 10	\$36.⁶⁹/ea.
#511-H500631-RDP	Nickel 55 - 3/32" Stick Electrode - Qty 10	\$29.⁰⁹/ea.

#511-H990003-RDP	1/8" Nomacast Electrode - Qty 14	\$14.⁸⁹/ea.
------------------	----------------------------------	-------------------------------

#511-H480644-RDP	312 Plus Stainless - 1/8" Stick Electrode - Qty 5	\$12.⁷⁹/ea.
#511-H480630-RDP	312 Plus Stainless - 3/32" Stick Electrode - Qty 5	\$14.²⁹/ea.
#511-H481930-RDP	308L Stainless - 3/32" Stick Electrode - Qty 5	\$7.⁸⁹/ea.
#511-H482930-RDP	316L Stainless - 3/32" Stick Electrode - Qty 5	\$14.⁴⁹/ea.

HOLDERS & CLAMPS

200 AMP ELECTRODE HOLDER

#511-770026 | **\$17.09/ea.**

- The 200 amp electrode holder accepts rods up to 3/16" in dia.
- The 300 amp electrode holder accepts rods up to 1/4" in dia.
- Can be used in 45, 90 or 180 degree positions

400 AMP ELECTRODE HOLDER SCREW/STUB TYPE

#511-770028

- This 400 amp electrode holder works with rods up to 5/16" in dia.
- With a quarter turn of the handle, this holder loosens the rod for easy removal or replacement

\$20.79/ea

"T" STYLE BRASS GROUND CLAMP

#511-770031

- Brass, t-style work clamp with a 400 amp rating
- Grooved 1-1/2 inch jaw opening for excellent grounding

\$24.29/ea

200 AMP GROUND CLAMP

#511-770770

- Hobart's heavy-duty, plated-steel work clamp
- Jaw inserts with a 1 1/2 inch jaw opening

\$5.89/ea

300 AMP GROUND CLAMP

#511-770029

- 2 inch jaw opening allows for up to 1/0 cable size

\$7.99/ea

300 AMP HOLDER

#511-770027 | **\$22.79/ea.**

500 AMP GROUND CLAMP

#511-770030

- 2 1/2 inch jaw opening allows for up to 3/0 cable size

\$15.19/ea

WIRE SPOOLS

WIRE SPOOLS

PART NUMBER	DESCRIPTION	PRICE
#511-H305401-R19	ER 70S-6 Carbon Steel .024 - 2 lb spool	\$12.79/ea.
#511-H305401-R22	ER 70S-6 Carbon Steel .024 - 10 lb spool	\$50.39/ea.
#511-H305406-R19	ER 70S-6 Carbon Steel .030 - 2 lb spool	\$11.49/ea.
#511-H305406-R22	ER 70S-6 Carbon Steel .030 - 10 lb spool	\$39.39/ea.
#511-H305406-R29	ER 70S-6 Carbon Steel .030 - 33 lb spool	\$136.89/ea.
#511-H305408-R19	ER 70S-6 Carbon Steel .035 - 2 lb spool	\$11.29/ea.
#511-H305408-R22	ER 70S-6 Carbon Steel .035 - 10 lb spool	\$38.84/ea.
#511-H305408-R29	ER 70S-6 Carbon Steel .035 - 33 lb spool	\$133.03/ea.
#511-H381806-R18	ER4043 Aluminum .030 - 1 lb spool	\$13.69/ea.
#511-H381808-R18	ER4043 Aluminum .035 - 1 lb spool	\$12.99/ea.
#511-H383806-R18	ER5356 Aluminum .030 - 1 lb spool	\$13.79/ea.
#511-H383808-R18	ER5356 Aluminum .035 - 1 lb spool	\$13.19/ea.
#511-H522506-R19	E R308L Stainless Steel - .030 - 2 lb spool	\$32.09/ea.
#511-H222106-R19	E71T-11 Flux Cored .030 - 2 lb spool	\$22.19/ea.
#511-H222106-RTP	E71T-11 Flux Cored .030 - 2 lb spool - 2 pack	\$41.49/ea.
#511-H222106-R20	E71T-11 Flux Cored .030 - 5 lb spool	\$56.29/ea.
#511-H222106-R22	E71T-11 Flux Cored .030 - 10 lb spool	\$92.19/ea.
#511-H222108-R19	E71T-11 Flux Cored .035 - 2 lb spool	\$21.59/ea.
#511-H222108-R20	E-71T-11 Flux Cored .035 - 5 lb spool	\$54.19/ea.
#511-H222108-R22	E-71T-11 Flux Cored .035 - 10 lb spool	\$76.29/ea.

CONTACT TIPS

PART NUMBER	DESCRIPTION	PRICE/Pack
#511-770174	.023 Contact Tips - Package of 5 - For Hobart Welders	\$8.49/ea.
#511-770175	.023 Contact Tips - Package of 5 - For Tweco, Lincoln, Miller, Craftsman, Campbell-Hausfield and Binzel brands	\$8.49/ea.
#511-770177	.030 Contact Tips - Package of 5 - For Hobart Welders	\$8.49/ea.
#511-770178	.030 Contact Tips - Package of 5 - For Tweco, Lincoln, Miller, Craftsman, Campbell-Hausfield and Binzel brands	\$8.49/ea.
#511-770180	.035 Contact Tips - Package of 5 - For Hobart Welders	\$8.49/ea.
#511-770181	.035 Contact Tips - Package of 5 - For Tweco, Lincoln, Miller, Craftsman, Campbell-Hausfield and Binzel brands	\$8.49/ea.
#511-770183	.045 Contact Tips - Package of 5 - For Hobart Welders	\$8.49/ea.
#511-770184	.045 Contact Tips - Package of 5 - For Tweco, Lincoln, Miller, Craftsman, Campbell-Hausfield and Binzel brands	\$8.49/ea.



MIG NOZZLE GEL - 16 OZ TUB

#511-770074

- This gel is used to prevent adhesion of weld spatter to the MIG nozzle and weld surface

\$12.99/ea.



ANTI-SPATTER SPRAY - 16oz CAN

#511-770075

- Hobart's anti-spatter spray prevents adhesion of weld spatter to the MIG nozzle and weld surface. Comes in a 16oz. can

\$8.99/ea.



▲ These Hobart Welding Contact Tips for Hobart Guns are 0.030in. contact tips compatible for use with Handler 140, 187, 190, 210, 210MVP, TREK 180 and IronMan 230, Milleromatics, and later Hobart Beta-MIG 1800 and 2510 welders. 5-ct. pkg.

CUTTING TIPS

PART NUMBER	DESCRIPTION	PRICE
#511-770153	Victor Acetylene Light/Medium Duty #0 (3/8")	\$18.29/ea.
#511-770163	Victor Acetylene #1 (3/4")	\$16.49/ea.
#511-770154	Victor Acetylene #1 - Compatible 3-101	\$17.89/ea.
#511-770155	Victor Acetylene #2 (1")	\$18.29/ea.
#511-770162	Victor Propane #2 - Compatible 3-GPN	\$24.29/ea.
#511-770164	Victor Acetylene Heavy Duty #2 (1")	\$16.49/ea.
#511-770165	Victor Acetylene Heavy Duty #3 (1-1/2")	\$16.49/ea.
#511-770166	Victor Propane Cutting Tip #1 (3/4")	\$16.49/ea.
#511-770167	Victor Propane Cutting Tip #2 (1")	\$24.29/ea.
#511-770142	Harris Acetylene Cutting Tip #0 (3/8" - 5/8")	\$18.29/ea.
#511-770143	Harris Acetylene Cutting Tip #1 (5/8" - 1")	\$18.29/ea.
#511-770144	Harris Acetylene Cutting Tip #2 (1" - 2")	\$18.29/ea.



**COPPER COATED STEEL (RD-45)
OXY/ACETYLENE
GAS WELDING ROD
3/32 X 18" - QTY 8**

#511-770514 | **\$9.59/Pack**

**COPPER COATED STEEL (RD-45)
OXY/ACETYLENE
GAS WELDING ROD
1/8 X 18" - QTY 8**

#511-770513 | **\$9.19/Pack**

- Mild steel copper-coated oxy-acetylene gas welding rods are made of high-quality carbon steel of uniform and tightly controlled analysis
- These rods have a melting point of 2750°F and produce quality welds of up to 65,000 psi tensile strength
- General purpose rod for welding low-carbon steels

**BARE BRONZE
GAS WELDING ROD
3/32 X 18" - QTY 8**

#511-770510 | **\$15.69/Pack**

**BARE BRONZE
GAS WELDING ROD
1/8 X 18" - QTY 8**

#511-770509 | **\$15.89/Pack**

- Low-fuming bronze gas welding rods are made of copper/tin alloy to produce a rod that flows easily, joins a variety of metals including cast and malleable iron, galvanized steel, bronze, copper and steel
- These rods have a melting point of 1630°F and produce strong joints up to 63,000 psi tensile strength

**FLUX COATED BRONZE
GAS WELDING ROD
3/32 X 18" - QTY 8**

#511-770512 | **\$16.79/Pack**

**FLUX COATED BRONZE
GAS WELDING ROD
1/8 X 18" - QTY 8**

#511-770511 | **\$16.99/Pack**

- These rods have a melting point of 1630°F and produce joints up to 63,000 psi tensile strength

**UNCOATED BRAZING ROD
FLAT 1/8 X 17-1/2" - QTY 10**

#511-770205

- Flat, high-strength, self-fluxing alloy for copper-to-copper (without flux) and copper-to-bronze with 5130 flux
- Preheating is recommended for some applications

\$16.59/Pack

**ALUMINUM ROD
1/8 X 18-1/8" - QTY 7**

#511-770206

- Low-temperature, self-fluxing rod for use on aluminum and magnesium. 700°F melting temperature

\$13.79/Pack

**BARE BRONZE BRAZING FLUX
1/2 LB CANISTER**

#511-770119

- Low-temperature, self-fluxing rod for use on aluminum and magnesium. 700°F melting temperature

\$6.99/ea.

**#6 ROSEBUD (MFA) VICTOR
HEATING TIP - MEDIUM DUTY**

#511-770169

- Heating nozzles produce multiple flames for increased heating capacity. Also known as rosebud nozzles, they're used with Victor-style torch handles for industrial, structural steel, and general fabrication

\$27.99/ea.

**SMALL STAINLESS STEEL
FILE TYPE TIP CLEANER**

#511-770084 | **\$5.29/ea.**

**LARGE STAINLESS STEEL
FILE TYPE TIP CLEANER**

#511-770085 | **\$5.99/ea.**

- This Hobart Small Stainless Steel File-Type Tip Cleaner contains stainless steel wire files for cleaning gas orifices on cutting and brazing tips. This product includes 12 files from size 49 to 75 and a tip file in an aluminum case

SINGLE FLINT STRIKER

#511-770080 | **\$3.59/Pack**

**REPLACEMENT FLINTS
FOR SINGLE FLINT STRIKER**

#511-770081 | **\$1.99/Pack**

- Flint in the striker are replaceable
- High-tensile wire frame of the flint striker provides long-lasting use
- Flint striker has a nickel-plated hood
- Rotating cylindrical file of the single flint

HELMETS

HELMET, INVENTOR (BLACK)
Auto Darkening | 9.3 sq. inch view
#511-770890

\$138.49/ea.



HELMET, INVENTOR (EMBER)
Auto Darkening | 9.3 sq. inch view
#511-770874

\$151.19/ea.



HELMET, INVENTOR (CAMO)
Auto Darkening | 9.3 sq. inch view
#511-770875

\$151.19/ea.



- High-performance helmet with large viewing area and four arc sensors for improved visibility and weld quality
- Wide screen viewing area provides improved visibility
- Three independent arc sensors provide arc detection
- Grind Mode - Prevents lens from darkening

HELMET, CREATOR (BLACK)
Auto Darkening | 7.1 sq. inch view
#511-770866

\$97.99/ea.



HELMET, CREATOR (FLARE)
Auto Darkening | 7.1 sq. inch view
#511-770867

\$115.99/ea.



HELMET, CREATOR (THE FINISHER)
Auto Darkening | 7.1 sq. inch view
#511-770868

\$115.99/ea.



- Versatile helmet with sensitivity and delay controls to perform in any welding environment
- Wide screen viewing area provides improved visibility
- Three independent arc sensors provide arc detection
- Grind Mode - Prevents lens from darkening

HELMET, PILLAR - (BLACK)
Auto Darkening | 6.2 sq. inch view
#511-770860

\$69.99/ea.

- Fundamental helmet with an expanded viewing area and long-lasting battery for all-day performance



**PASSIVE HELMET
SHADE 10 W/FLIP FRONT**
4-1/2" X 5-1/4"
#511-770003

- Fundamental helmet with an expanded viewing area and long-lasting battery for all-day performance

\$36.79/ea.



**PASSIVE HELMET
SHADE 10 W/FLIP FRONT**
2" X 4-1/4"
#511-770257

- Shade 10 passive helmet with front flip for grinding and fully adjustable ratchet headgear

\$26.49/ea.



GLOVES

PREMIUM XL TIG WELDING GLOVES

#511-770715

- Hobart's premium XL TIG welding gloves are made from high quality goatskin and cowhide, providing maximum flexibility and protection for TIG and a variety of other applications
- Kevlar Thread offers maximum seam strength & dexterity

\$19.99/pair



XL ECONOMY WELDERS GLOVES

#511-770018

- Grey welding gloves feature split leather, welted fingers & cotton lining

\$13.29/pair



ULTIMATE FIT WELDING GLOVE

#511-770710 | Large
#511-770695 | XLarge
#511-770711 | XXL Large

- Hobart's form-fitting leather welding gloves are made from a high quality split pigskin and cowhide leather and feature a heavy duty Kevlar stitching design giving you comfort and durability for welding applications

\$39.99/pair



XL DELUXE BLUE GLOVES

#511-770020

- Blue welding gloves are made of select split leather with flame retardant liner and added thumb strap for extended wear in the palm

\$15.69/pair



3 PACK WELDING GLOVES - XL

#511-770408

- 2 Pair of our gray welding gloves and 1 pair of our work/multi-purpose gloves

\$37.69/pair



MIG WELDING MULTI-PURPOSE GLOVES

#511-770639

- Canvas duck cuff
- Made for flame resistance
- These lined split cowhide welding gloves feature an XL form fitted design for MIG applications
- Heavy duty Kevlar stitching with padded, reinforced palm and thumbs
- Offers superior comfort

\$32.99/pair



FR COTTON WELDING SLEEVES

#511-770570

- Lightweight flame retardant cotton welding sleeves
- 19 Inch length with elasticized openings

\$10.99/pair



SAFETY TIPS

1

Be sure the welder is properly installed and grounded.

2

Never weld without adequate ventilation.

3

Take proper precautions to prevent fires.

4

Protect your entire body with fire retardant

5

clothing, shoes, and gloves.

6

Wear eye protection at all times.

7

Weld only in a firesafe area.

8

Never do any welding, cutting, or hot work on used drums, barrels, tanks, or other containers.

9

Mark metal "HOT" with a soapstone. Keep a well stocked first aid kit handy.

FR COTTON WELDING JACKET

#511-770569 | XLarge
#511-770568 | XXLlarge

- Lightweight flame retardant cotton welding jacket with long sleeves and heavy duty snaps provides excellent coverage in a warm environment

\$35.99/ea.



WELDING CAPS

PART NUMBER	DESCRIPTION	PRICE
#511-770215	7 inch Reversible Welding Cap	\$9.99/ea.
#511-770014	7-1/8 inch Reversible Welding Cap	\$9.99/ea.
#511-770015	7-1/4 inch Reversible Welding Cap	\$9.99/ea.
#511-770016	7-3/8 inch Reversible Welding Cap	\$9.99/ea.
#511-770017	7-1/2 inch Reversible Welding Cap	\$9.99/ea.
#511-770214	7-3/4 inch Reversible Welding Cap	\$9.99/ea.

- Reversible welding cap offering 2 3/4 inch bill for maximum protection against sparks
- Helps to absorb perspiration
- Colors and patterns vary



CLEAR LENS SAFETY GLASSES

#511-770728

\$10.79/ea.



SHADE 5 LENS SAFETY GLASSES

#511-770727

- UV400 rated

\$15.69/ea.



SHADE 5 LENS, MIRRORRED LENS SAFETY GLASSES

#511-770726

- UV400 rated

\$17.99/ea.



SMOKED LENS, MIRRORRED LENS SAFETY GLASSES

#511-770785

- UV400 rated

\$17.99/ea.




- Form-fitting frames with lenses made from shatterproof polycarbonate and have a scratch resistant coating. Frames include a soft foam frame liner for better protection from dust, debris and perspiration. Meet ANSI Z87.1 standards

GRINDING WHEELS

WEILER GRINDING WHEELS

PART NUMBER	DESCRIPTION	PRICE
#286-58225	4-1/2" X 1/4" Tiger Type 27 Grinding Wheel, Aluminum 24r 7/8" A.H.	\$3.39/ea.
#286-58121	4-1/2" X 1/4" Tiger Inox Type 27 Grinding Wheel, Stainless, Inox 24r, 7/8" A.H.	\$3.59/ea.
#286-58071	4-1/2" X 1/4" Tiger Zirc Type 27 Grinding Wheel, Steel/Metal, Z24t, 7/8" A.H.	\$4.59/ea.

- Tiger Aluminum 4.5 inch type 27 grinding wheels are specifically designed for high performance grinding and extended wheel life on aluminum. These wheels blend abrasive grains with Weiler's non-loading formula, resulting in a fast and consistent cut rate on aluminum. The flat profile with depressed center allows for a wide range of grinding angles (0-45) with a right angle grinder. Ideal for heavy stock removal, scale removal, weld removal, weld blending, edge beveling and torch-cut softening. The 7/8" open arbor offers a cost-effective mounting option when using adapting nuts
- Non-loading formula keeps the wheel from gumming up, allowing operators to get more work done in less time without compromising durability
- Silicon carbide and aluminum oxide blend delivers a consistently high cut rate throughout the life of the wheel.
- Contaminant-free wheels deliver a worry-free solution for aluminum applications
- Designed with fiberglass cut back from the edge to provide instant aggressive grinding right out of the box
- Triple fiberglass reinforcement provides added strength for aggressive stock removal
- Open arbor offers a cost-effective mounting option when using adapting nuts
- Best for use on aluminum



NORTON GRINDING WHEEL

PART NUMBER	DESCRIPTION	PRICE
#482-66252843607	Metal, Grinding Wheel, 4-1/2 X 1/4 X 7/8 In., 24, Extra Coarse Grit	\$2.39/ea.
#482-66252843594	Gemini, Grinding Wheel, 4-1/2 X 1/4 X 7/8 In., 24, Extra Coarse Grit	\$3.59/ea.
#482-66252843214	BlueFire, Grinding Wheel, 4-1/2 X 1/4 X 7/8 In., 24, Extra Coarse Grit	\$6.29/ea.

- Improved design with a new premium grain and advanced bond technology offers up to 60% more life and 15% faster cut rate. Quickly flash, bevel, smooth down welds and remove stock on 400 Series stainless steel, hard carbon steel and soft carbon steel. With 1/4-inch thickness, a depressed center and a high-performance bond, this wheel offers a rapid cut rate and excellent longevity. Achieve quick project turnarounds and remove more metal per wheel at the right price with Gemini



SAINT-GOBAIN



PACKER INVENTORY SOLUTIONS



Packer ToolBox and Locker High-Security and Auxiliary-Vending

The Packer ToolBox features an easy-to-use touchscreen interface. It combines custom configurable coil technology and web-based software to deliver cost-effective dispensing.

- Multiple shelf configuration. Flexible layout for dispensing that's configured to address specific inventory needs.
- Tablet-style display. User-friendly design ensures ease of use. Onboard troubleshooting and diagnostics maximize uptime.



Our Locker is a simple and secure solution for point-of-use access to large and bulky consumable inventory or tool check-in, checkout.

- 18 clear locker doors. Features LED lights for enhanced visibility.
- 2 door sizes. Accommodates better asset management.



Point-Of-Use (POU) Portable Desktop Computer and Scanner

Turn any space into a workstation and manage inventory closer to the tool crib. Easily transition your existing storeroom into an automated environment to improve productivity, efficiency, and accuracy.

- Ideal introductory solution to CribMaster software.

THE BEE'S
KNEES

FlexSense Weight Based Inventory Management System

The ideal open-stock solution for managing low-cost, high-volume items, while providing real-time information. Open shelves and sensitive scales let employees quickly grab consumables without any downtime. CribMaster software tracks real-time usage and item levels, alerting you when items need replenishment.



- LED indicator lights provide visual overview of inventory levels.
- Sensor platforms can be used with existing or custom bins and shelves.

VENDING

VMI

PACKER FREIGHT

CONTRACTORS

FABRICATORS

MRO

OEM