BIOADVANCED®
SCIENCE-BASED SOLUTIONS

EXTENDED CONTROL BRUSH KILLER

READY-TO-USE

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

NOTE: When calling a poison control center at 1-800-222-1222, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.

You may call toll-free 877-229-3763 for medical emergency information.

Active Ingredient: 0.8% Triclopyr, triethylamine salt (CAS # 57213-69-1)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- Wear a protective eyewear.
- Causes moderate eye irritation.
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
- Avoid contact with eyes, skin, or clothing.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

EPA Reg. No. 92564-81

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.
(65) = 92564-TX-1 (68) = 67572-GA-1
(39) = 58996-MO-1 (57) = 071106-GA-003

Distributed by:
SBM Life Science Corp. 1001 Winstead Drive, Suite 500 Cary, NC 27513
BioAdvanced® is a registered trademark of SBM Life Science Corp.

ALMACENAMIENTO Y ELIMINACIÓN

No contaminar alimentos, agua o alimentaciones por almacenamiento o eliminación.

ALMACENAMIENTO DEL PESTICIDA

Almacenar en el contenedor original en un lugar seco y fresco, fuera del alcance de los niños, preferentemente en un gabinete de almacenamiento cerrado. Proteger de congelamiento.

ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL CONTENEDOR

Si está vacío: • Contenedor no rellenable. No volver a usar o rellenar este contenedor. • Colocar el contenedor vacío en la basura para su reciclado si fuese posible.

Si está parcialmente lleno: • Llamar a la agencia de eliminación de desechos sólidos para conocer las indicaciones de eliminación. • Nunca colocar el producto sin usar en un drenaje de salida o de entrada.

NOTA: El comprador asume la responsabilidad por falta de rendimiento o seguridad si no se usa de acuerdo a las indicaciones. Puede ocurrir falta de efectividad u otras consecuencias no intencionadas por factores tales como condiciones climáticas, presencia de otros materiales o el modo de uso o aplicación, todos los cuales están más allá del control de SBM Life Science Corp. Hasta donde lo permite la ley tales riesgos serán asumidos por el usuario o comprador.

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LOS OJOS

- Mantener los ojos abiertos y enjuagar lentamente y cuidadosamente con agua durante 15 - 20 minutos.
- Quitar los lentes de contacto, si los tuviera, después de los primeros 5 minutos, luego continuar lavando. Llamar al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

NOTA: Cuando llame al centro de control de envenenamiento al 1-800-222-1222, lleve la etiqueta de este producto. Si acude en busca de tratamiento a un consultorio de emergencia, lleve esta etiqueta del producto para mostrarle al personal médico.

Puede llamar gratuitamente al 877-229-3763 para información sobre atención médica de urgencia.

Ingredientes activos: 0.8% Triclopir, sal trietilamina (CAS # 57213-69-1).

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

Riesgos para seres humanos y animales domésticos

PRECAUCIÓN

- Usar gafas protectoras
- Causa irritación moderada en los ojos.
- El contacto prolongado o repetido con la piel puede causar reacciones alérgicas en algunas personas.
- Evitar contacto con ojos, piel o ropa.
- Lavarse las manos cuidadosamente con agua y jabón luego de manipularlo y antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño.
- Quitarse la ropa contaminada y lavar antes de volver a usar.

RIESGOS AMBIENTALES Para proteger al medio ambiente, no permitir que el pesticida ingrese o corra por los drenajes de tormenta, drenaje de aguas pluviales, canaletas o aguas superficiales. Aplicar este producto en clima calmo cuando no haya pronóstico de lluvia en las próximas 24 horas para asegurar que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento.

PRESS TO RESEAL

5014197d6a 210309V1

Kills the toughest brush down to the root for up to 12 months

KILLS

POISON IVY | POISON OAK | BLACKBERRY | KUDZU

ENGLISH IVY | BAMBOO | & OTHER LISTED BRUSH

WHERE TO USE

USE AROUND HOMES, BUILDINGS | FENCES | WALKWAYS, TRAILS | WOODED AREAS

QUICK FACTS

SEE RESULTS IN MINUTES | KILLS DOWN TO THE ROOT | LASTS UP TO 12 MONTHS | RAINPROOF IN 4 HOURS | THIS BOTTLE TREATS UP TO 650 SQ. FT.

READ THE LABEL FIRST!

NOT FOR USE ON LAWNS AND NEAR DESIRABLE PLANTS
FOR RESIDENTIAL OUTDOOR USE ONLY

FOR QUESTIONS OR COMMENTS?
Call toll-free 1-(877) 229-3724 or visit us online at www.bioadvanced.com

SATISFACTION 100% GUARANTEED†

8 40216 20027 2

50149746a 210309V1

Indicaciones en español despuésde las de inglés

†Or your money back.

EPA Reg. No. 92564-81

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.
(65) = 92564-TX-1 (68) = 67572-GA-1 (39) = 58996-MO-1 (57) = 071106-GA-003

PEEL HERE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEFORE USE

Read and follow all label directions.

This product will kill or injure all listed woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess.

- If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water.
- Apply when wind is calm.
- Keep people and pets off treated areas until spray has dried.



RESTRICTIONS

- Do not apply to or around fruits or vegetables used for food.

HOW TO USE

- Shake well before using.
- Hold sprayer about 12" from brush or weeds
- Spray the brush/weeds you want to kill until thoroughly wet but not dripping.

TIPS:

- Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product.
- To Kill Vines.
  - For vines growing on desirable plants, cut the vine and spray the stump.
- To Kill Poison Ivy or Poison Oak.
  - Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves.
  - Dispose of plants and gloves in tightly sealed garbage bags.

REFILL

This bottle may be refilled when empty.

Refilling the 1.3 gallon sprayer from the BioAdvanced® Science-Based Solutions Extended Control Brush Killer Ready-To-Use package.

- Open refill port cap.
- Fill bottle with desired amount, using with desired ready-to-use product.
- Replace refill port cap, tighten and shake well.

FOR BEST RESULTS

- Apply when listed weeds are fully leafed out and actively growing.
- Apply the product until plant is thoroughly covered (first drip).
- Rain or water 4 hours after application will not wash away effectiveness.
- Certain listed hard-to-kill weeds may require a repeat application.
- If regrowth occurs, apply again 30 days or more after the initial application.

HOW IT WORKS

This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 28 days.

KILLS

Alder
Arkansas Rose
Arrowwood
Ash
Aspen
Bamboo,Switch
Beech
Bindweed
Birch
Blackberry
Blackgum
Box Elder
Brazilian Pepper
Burdock
California Rose
Canada Thistle
Cascara
Ceanothus
Cherry
Chicory
Chinquapin
Choke Cherry
Clover
Common Chickweed
Cottonwood
Crataegus
Curly Dock
Dandelion
Douglas Fir
Dogwood
Elderberry
Elm
English Ivy
Evening Primrose
Field Bindweed
Field Horsetail Rush
Florida Pusley
Hawthorn
Hazel
Henbit
Honeysuckle
Hornbeam
Kudzu
Japanese Knotweed
Japanese Stiltgrass
Lambsquarter
Lespedeza
Locust
McCartney Rose
Madrone
Maples
Mesquite
Mimosa
Mulberry
Multifora Rose
Oaks
Oxalis
Parsley Piert
Persimmon
Pine
Plantain
Poison Ivy
Poison Oak
Poplar
Purple Loosestrife
Ragweed
Raspberry
Salmonberry
Sassafras
Scotch Broom
Smartweed
Spurge
Sumac
Sweetbay Magnolia
Sweetgum
Sycamore
Tanoak
Tansy Ragwort
Thimbleberry
Thistle
Trumpet Creeper
Tulip Poplar
Vetch
Virginia Creeper
Western Hemlock
Wild Grape
Wild Lettuce
Wild Onion
Wild Rose
Wild Violet
Willow
Winged Elm
Yellow Rocket

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store in original container in a cool, dry place, out of the reach of children,preferably a locked storage cabinet. Protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

If Empty:

- Non-refillable container. Do not reuse or refill this container.
- Place empty container in trash or offer for recycling if available.

If Partly Filled:

- Call your local solid waste agency for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

NOTICE: The "Directions for Use" of this product must be followed carefully. The buyer assumes, to the extent consistent with applicable law, responsibility for lack of performance or safety if not used according to the directions. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of SBM Life Science Corp. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

NOTE: When calling a poison control center at 1-800-222-1222, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.

You may call toll-free 877-229-3763 for medical emergency information.

Active Ingredient: 0.8% Triclopyr, triethylamine salt (CAS # 57213-69-1)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- Wear a protective eyewear.
- Causes moderate eye irritation.
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
- Avoid contact with eyes, skin, or clothing.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

INDICACIONES DE USO Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en la etiqueta.

ANTES DE USAR

Leer y seguir todas las instrucciones de la etiqueta.

Este producto mata o daña todas las plantas boscosas de la lista con las que entra en contacto. Algunos céspedes de temporada cálida pueden experimentar un color amarillento cuando se los rocía en exceso.



- Si una planta preferida (que no sea césped) se rocía accidentalmente enjuagar inmediatamente con mucha agua.
- Aplicar cuando el viento está calmo.
- Mantener a las personas y mascotas lejos de las áreas tratadas hasta que el rocío se haya secado.

RESTRICCIONES: • No aplicar en o alrededor de frutas o vegetales que se usan como alimento.

CÓMO USAR

- Agitar bien antes de usar.
- Sostener el rociador a alrededor de 12" de las malezas y malas hierbas.
- Rociar las malezas/malas hierbas que desea exterminar hasta que queden completamente húmedas pero no goteando.

CONSEJOS:

- Usar una hoja de cartón o plástico para proteger las plantas preferidas de contacto accidental con el producto.
- Para matar plantas trepadoras
  - Para las vides que crecen en plantas preferidas, corte la vid y rocíe la cepa.
- Para matar el roble venenoso y la hiedra venenosa
  - El contacto con el roble venenoso y la hiedra venenosa en cualquier momento del año puede causar una reacción alérgica. Sostener las plantas muertas con guantes de goma.
  - Desechar las plantas y los guantes en una bolsa de basura bien sellada.

RELLENADO

Esta botella puede rellenarse cuando se vacíe

Cómo rellenar el rociador de 1.3 galón con el BioAdvanced® Science-Based Solutions Extended Control Brush Killer Ready-To-Use.• Abrir la tapa de rellenado.

- Llenar la botella con la cantidad deseada, usando el producto listo para usar.
- Reemplazar la tapa del puerto de rellenado, ajustar y agitar bien

PARA MEJORES RESULTADOS

• Aplicar cuando las malezas de la lista tengan todas las hojas y estén en crecimiento activo. • Aplicar el producto hasta que la planta quede completamente cubierta (primeras gotas). • La lluvia o regado 4 horas después de la aplicación no quitará su efectividad. • Es posible que sea necesario repetir una aplicación para las malezas difíciles de matar de la lista. • Si vuelven a crecer, aplicar nuevamente dentro de los 30 días o más luego de la aplicación inicial.

CÓMO FUNCIONA

Este herbicida sistémico selectivo ingresa a las plantas a través de las hojas, de los retoños amaderados o verdes y las raíces. Luego se mueve por la planta e interfiere con los procesos propios de la planta. Los síntomas visuales, tales como el color amarillo y marchitamiento, aparecen en 1 a 28 días.

MATA

Aliso
Rosa de Arkansas
Arrowwood
Ceniza
Álamo
Bambú switch
Haya
Corregúela
Abedul
Zarzamora
Blackgum
Boisea trivittata
Pimienta brasilera
Bardana
Rosa de California
Cardo de Canadá
Cáscara
Ceanothus
Cereza
Achicoria
Chinquapín
Cereza silvestre
Trébol
Oreja de ratón común
Árbol de algodón
Crataegus
Lengua de vaca
Diente de león
Abeto de Douglas
Cornejo rojo
Saúco
Olmo
Hiedra inglesa
Prímulas de la noche
Corregúela menor de campo
Cola de caballo de campo
Ipecacuana Florida
Espino blanco
Avellano
Ortiga muerta
Madreselva
Hojarazo
Kudzú
Lengua de pájar japonesa
Hierba zancuda japonesa
Quinoa
Lespedeza
Langosta
Rosa de McCartney
Amdroño
Arces
Mesquita
Mimosa
Morera
Rosa multiflora
Robles
Oxalis
Perejil
Persimonia
Pino
Plátanos
Hiedra venenosa
Roble venenoso
Poplar
Arroyuela
Ambrosía
Frambuesa
Zarza
Sasafrás
Retama escocesa
Persicaria
Euforbiácea
Zumaque
Magnolia virginiana
Sweetgum
Sicomoro
Roble enano
Brujilla salvaje
Thimbleberry
Cardo
Jazmín de Virginia
Álamo poplar
Veza
Rastrera de Virginia
Tsuga occidental
Uva silvestre
Lechuga silvestre
Cebolla silvestre
Rosa silvestre
Violeta silvestre
Sauce
Olmo alado
Hierba de Santa Bárbara