





Design that shapes living.

www.virginiatile.com

AQUARIUS

201 201 St.

Inspired by the timeless beauty of alabaster and the sturdy allure of concrete, Aquarius brings a harmonious fusion of classic refinement and contemporary style to any space. This stunning look is perfect for both residential and commercial projects, offering a universally acclaimed aesthetic that elevates any design.

AQUARIUS Virginia Tile Company

COLORS





Beige | VTC ARBE





Green | VTC ARGE

Black | VTC ARBL

MOSAIC





Beige VTC ARBE MOSHEXA



Green **VTC ARGE MOSHEXA**

VTC ARWH MOSHEXA

Black VTC ARBL MOSHEXA

SIZES | DESCRIPTION 24" x 48" Rectified x 9mm 24" x 24" Rectified x 9mm 12" x 24" Rectifiedx 9mm 6" x 24" Rectified x 9mm 2" x 2" Mosaic 4" x 4" Hexagon Mosaic

FINISH Matte

Beige | 4x4 and 12x24 Hexagon Mosaic Matte





Gray VTC ARGR MOSHEXA

Gray | VTC ARGR



FEATURES & BENEFITS

- Where Timeless Elegance Meets Modern Sophistication
- Durable: Aquarius Wall and Floor tile is made from highquality materials and is designed to last for many years.
- Easy to care for: Aquarius is easy to care for and can be cleaned with a damp cloth.





Tiles. Mosaic and Trim*

SIZE

24" x 48" Rectified

24" x 24" Rectified

12" x 24" Rectified

6" x 24" Rectified

2" x 2" Mosaic

Mosaic

4" x 4" Hexagon

3" x 24" Bullnose

6" x 12" Cove Base



Recommend

offset pattern

≤33%

THICKNESS

9mm

9mm

9mm

9mm

Stock

ACTUAL

23" x 47"

23" x 23"

12" x 23"

6″ x 23″

12" x 12"

11" x 14"

3" x 24"

6" x 12"





FINISH

Matte/Natural

Matte/Natural

Matte/Natural

Matte/Natural

Matte/Natural

Matte/Natural

Matte/Natural

Matte/Natural





Water Absorption:



≤ 0.5%



A MIDWEST STAPLE.

Our 19 locations represent an expansive footprint, with an in-house transportation network directly servicing professionals in 16 states across the Midwest.

While our commercial programs and manufacturer partnerships extend to projects across North America.



* Not all sizes are available in all colors and finishes.

Application**

| | | WALL | FLOOR |
|----------|------------------------|------|-------|
| Interior | Residential | • | • |
| Interior | Commercial | • | • |
| Interior | Heavy Commercial | • | |
| Exterior | Residential/Commercial | | |
| | | | |

** These recommendations are not defined by ANSI Standards

Performance Characteristics

| Breaking Strength | ≥ 400lbs |
|------------------------------------|-----------|
| Chemical Resistance | Resistant |
| DCOF | ≥ 0.42 |
| Deep Scratch Resistance - Unglazed | N/A |
| Frost Resistance | N/A |
| Mohs Hardness - EN101 | 6 |
| Water Absorption | ≤ 0.5% |
| Certifications | N/A |
| Country of Origin | USA |
| Shade Variation Code | V2 |

ILLINOIS

Chicago Chicago IL 60654

Elk Grove Village 1601 Estes Ave Elk Grove Village IL 60007

INDIANA

Indianapolis 4161 96th Street Indianapolis, IN 46240

IOWA

Clive 2001 NW 92nd Court

KANSAS

Kansas City Dist. <u>Center</u> 5100 Kansas Ave Kansas City KS 66106

Wichita Wichita KS 67213

MICHIGAN

Farmington Hills Farmington Hills MI 48335

Grand Rapids 3440 Broadmoor Ave SE Grand Rapids MI 49512

28320 Plymouth Road Livonia MI 48150

Troy 900 W Maple Road Troy MI 48084

MINNESOTA

Plymouth 1820 Berkshire Lane North Plymouth MN 55441

MISSOURI

Springfield 2727 N LeCompte Road Springfield MO 65803


St. Louis St. Louis MO 63132

CARE & MAINTENANCE

Matte tile products should be cleaned routinely with an all-purpose, low VOC, household or commercial cleaner. The product chosen should also be grout joint cleaning compatible. The type of product may vary depending on the tile application and use. A multipurpose spray cleaner, which removes soap scum, hard water deposits and mildew designed for everyday use can be used on wall tile areas in residential baths and showers. A cotton mop, cloth, sponge, or non-metallic brush should be used to apply and agitate cleaner. Rinse the area with clean water and dry thoroughly. Routine cleaners should never contain harsh chemicals as these can damage tile. Acids can damage grout and the glazed surface of the tile. Ammonia can discolor grout.

Regular dust mopping, sweeping, or vacuuming is recommended prior to cleaning with liquid products.

Unglazed tile should be cleaned routinely with concentrated tile cleaners with a neutral pH for safe regular use. These cleaners are better suited for removing grease, oils, and normal spills from unglazed products. Again, these products will vary depending on the application, amount of traffic and the use. The product chosen should also be compatible with the grout.



Livonia Dist. Center

9215 & 9245 Dielman Industrial Dr

NEBRASKA

Omaha Omaha NE 68127

OHIO

Brooklyn Heights Brooklyn Heights OH 44131

Warrensville Heights 4670 Richmond Road Warrensville Heights OH 44128

OKLAHOMA

Oklahoma City 5600 SW 36th St, Suite C

Tulsa 11915 East 51st St Tulsa OK 74146

WISCONSIN

Menomonee Falls W135 N5511 Campbell Drive Menomonee Falls WI 53051

VIRGINIATILE

Design that shapes living.

Virginia Tile brings you extraordinary tile and surface possibilities, empowered by vast selections, passionate people, and unmatched engagement. Bringing design to the surface.

www.virginiatile.com