Specifications



APC NetShelter Rack PDU, Switched, 0U, 5.0kW 200V and 208V 30A, (21) C13/C15 and (3) C19/C21 outlets

APDU9941

\sim	•
()ve	rview
0.0	

Lead time

Usually in Stock

Main

mann	
Color	Black
Product or Component Type	PDU
PDU Туре	Switched
Cord length	10 ft (3.05 m)
Number of cables	1
Provided Equipment	Installation guide Rack Mounting brackets Safety guide

Complementary

208 V
200 V
72.008 in (182.9 cm)
2.2 in (5.5 cm)
200 V 208 V
1.8 in (4.6 cm)
18.7 lb(US) (8.5 kg)
Side
No preference
NEMA L6-30P
Not rack-mountable
0U
No
Vertical
SNMP Redfish
24 A
30 A
30 A
4992 VA

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Input Frequency	50/60 Hz
Outlet type and quantity	21C13/C15 3C19/C21
Communication Network Type	10/100/1000BASE-T

Environment

Product Certifications	cUL Listed FCC part 15 class A PSE
Standards	ICES-003
Ambient Air Temperature for Operation	23140 °F (-560 °C)
Relative Humidity	595 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	-13149 °F (-2565 °C)
Storage Relative Humidity	595 %
Storage altitude	050000 ft (0.00000000015240.000000000 m)

Ordering and shipping details

GTIN

731304356264

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	80.3 in (204 cm)
Package 1 Width	4.9 in (12.4 cm)
Package 1 Length	6.5 in (16.5 cm)
Package 1 Weight	22.05 lb(US) (10 kg)

Contractual warranty

Warranty

3 years repair or replace

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information

Product data sheet

Image of product / Alternate images

Alternative



